

2017 FLEET OPERATIONS CLASS STANDARDS AND SPECIFICATIONS

CLASS	DESCRIPTION	YEAR / MAKE / MODEL	AMOUNT
0202 (LB)	TRUCK ONE TON REGULAR CAB LB 4X2	TBD	\$
0203 (LB)	TRUCK ONE TON REGULAR CAB LB 4X4	2017 FORD F350 XL	\$27,251.00
0204 (LB)	TRUCK ONE TON EXTENDED CAB LB 4X2	2017 FORD F350 XL	\$27,422.00
0204 (SB)	TRUCK ONE TON EXTENDED CAB SB 4X2	2017 FORD F350 XL	\$27,247.42
0205 (LB)	TRUCK ONE TON EXTENDED CAB LB 4X4	2017 FORD F350 XL	\$29,327.00
0205 (SB)	TRUCK ONE TON EXTENDED CAB SB 4X4	2017 FORD F350 XL	\$29,151.00
0210 (LB)	TRUCK ONE TON CREW CAB LB 4X2	TBD	\$
0210 (SB)	TRUCK ONE TON CREW CAB SB 4X2	TBD	\$
0211 (LB)	TRUCK ONE TON CREW CAB LB 4X4	TBD	\$
0211 (SB)	TRUCK ONE TON CREW CAB SB 4X4	TBD	\$
0212 (LB)	TRUCK 1/2 TON REGULAR CAB SB 4X2	TBD	\$
0212 (SB)	TRUCK 1/2 TON REGULAR CAB SB 4X2	TBD	\$
0213 (LB)	TRUCK 1/2 TON REGULAR CAB LB 4X4	TBD	\$
0213 (SB)	TRUCK 1/2 TON REGULAR CAB SB 4X4	TBD	\$
0214 (LB)	TRUCK 1/2 TON EXTENDED CAB LB 4X2	2016 FORD F150 XL	\$23,361.00
0214 (SB)	TRUCK 1/2 TON EXTENDED CAB SB 4X2	2017 CHEVROLET SILVERADO 1500 WT	\$24,043.00
0215 (LB)	TRUCK 1/2 TON EXTENDED CAB LB 4X4	2017 FORD F150 XL	\$26,260.25
0215 (SB)	TRUCK 1/2 TON EXTENDED CAB SB 4X4	2017 FORD F150 XL	\$26,226.00
0261 (LB)	TRUCK 1/2 TON CREW CAB LB 4X2	2017 FORD F150 XL	\$24,717.40
0261 (SB)	TRUCK 1/2 TON CREW CAB SB 4X2	2017 CHEVROLET SILVERADO 1500 WT	\$26,825.00
0276 (LB)	TRUCK 1/2 TON CREW CAB LB 4X4	2017 CHEVROLET SILVERADO 1500 WT	\$29,342.00
0276 (SB)	TRUCK 1/2 TON CREW CAB SB 4X4	2017 CHEVROLET SILVERADO 1500 WT	\$29,105.00
0216 (LB)	TRUCK 3/4 TON REGULAR CAB LB 4X2	2017 FORD F250 XL	\$22,975.00
0217 (LB)	TRUCK 3/4 TON REGULAR CAB LB 4X4	2017 FORD F250 XL	\$25,688.25
0218 (LB)	TRUCK 3/4 TON EXTENDED CAB LB 4X2	2017 FORD F250 XL	\$25,218.25
0218 (SB)	TRUCK 3/4 TON EXTENDED CAB SB 4X2	2017 FORD F250 XL	\$25,042.25
0219 (LB)	TRUCK 3/4 TON EXTENDED CAB LB 4X4	2017 FORD F250 XL	\$27,922.25
0219 (SB)	TRUCK 3/4 TON EXTENDED CAB SB 4X4	2017 FORD F250 XL	\$27,716.15
0224 (LB)	TRUCK 3/4 TON CREW CAB LB 4X2	2017 FORD F250 XL	\$26,686.25
0224 (SB)	TRUCK 3/4 TON CREW CAB SB 4X2	2017 FORD F250 XL	\$26,510.25
0225 (LB)	TRUCK 3/4 TON CREW CAB LB 4X4	2017 FORD F250 XL	\$29,390.25
0225 (SB)	TRUCK 3/4 TON CREW CAB SB 4X4	2017 FORD F250 XL	\$29,210.25
0228 (ACC)	TRUCK COMPACT EXTENDED CAB 4X2	TBD	\$
0228 (CRW)	TRUCK COMPACT CREW 4X2	TBD	\$
0229 (ACC)	TRUCK COMPACT EXTENDED CAB 4X4	TBD	\$
0229 (CRW)	TRUCK COMPACT CREW CAB 4X4	TBD	\$

2017 FLEET OPERATIONS CLASS STANDARDS AND SPECIFICATIONS

CLASS	DESCRIPTION	YEAR / MAKE / MODEL	AMOUNT
0601 (GAS)	SEDAN MIDSIZE 4 DOOR	TBD	\$
0601 (HYB)	SEDAN MIDSIZE 4 DOOR HYBRID	TBD	\$
0604 (GAS)	SEDAN COMPACT 4 DOOR	TBD	\$
0604 (HYB)	SEDAN COMPACT 4 DOOR HYBRID	TBD	\$
0605	SEDAN MID/FULLSIZE POLICE PKG UNMRKD	2017 DODGE CHARGER PP V6	\$22,308.62
0607	SEDAN FULLSIZE 4 DOOR	2017 DODGE CHARGER SE	\$20,388.85
0608	SEDAN FULLSIZE POLICE PKG STR APP	TBD	\$
4801	SPORT UTILITY COMPACT 4 DOOR 4X2	2017 JEEP CHEROKEE SPORT	\$22,793.84
4802	SPORT UTILITY COMPACT 4 DOOR 4X4	2017 JEEP CHEROKEE SPORT	\$22,996.34
4804	SPORT UTILITY FULLSIZE 4 DOOR 4X4	2017 CHEVROLET TAHOE	\$38,780.00
4804 EXT	SPORT UTILITY FULLSIZE 4 DOOR 4X4 EXT	2017 CHEVROLET SUBURBAN 1500	\$41,155.00
4811	SPORT UTILITY MIDSIZE 4 DOOR 4X4	TBD	\$
4901	VAN 7-PASSENGER MINI FWD	TBD	\$
4904	VAN CARGO MINI	TBD	\$
4907	VAN 12-PASSENGER FULLSIZE	TBD	\$
4910	VAN CARGO FULLSIZE	TBD	\$
	EXECUTIVE VEHICLE (Allowance)		\$35,000.00

COLOR AVAILABILITY FOR UNMARKED VEHICLES (SEE NEXT SECTION BELOW)

2016 COLOR AVAILABILITY

CLASS 0601:

EXTERIOR

INTERIOR

CLASS 0601:

EXTERIOR

INTERIOR

CLASS 0604:

EXTERIOR

INTERIOR

2016 COLOR AVAILABILITY

CLASS 0604:

EXTERIOR

INTERIOR

CLASS 0605: DODGE CHARGER PP V6 (LDDE48)

EXTERIOR

INTERIOR

BLACK

BILLET CLEARCOAT (PSC)	X
WHITE KNUCKLE (PW7)	X
GRANITE (PAU)	X
CONTUSION BLUE (PBX)	X
MAXIMUM STEEL METALLIC (PAR)	X
PITCH BLACK CLEARCOAT (PX8)	X

CLASS 0607: DODGE CHARGER SE (LDDM48)

EXTERIOR

INTERIOR

BLACK

BILLET CLEARCOAT (PSC)	X
DESTROYER GRAY CLEARCOAT (PDN)	X
OCTANE RED PEARLCOAT (PRV)	X
TORRED CLEARCOAT (PR3)	X
GO MANGO (PVP)	X
YELLOW JACKET CLEARCOAT (PY4)	X
WHITE KNUCKLE CLEARCOAT (PW7)	X
GRANITE PEARLCOAT (PAU)	X
CONTUSION BLUE PEARLCOAT (PBX)	X
MAXIMUM STEEL METALLIC (PAR)	X
PITCH BLACK CLEARCOAT (PX8)	X

2016 COLOR AVAILABILITY

CLASS 4801: JEEP CHEROKEE SPORT (KL7L74)

EXTERIOR	INTERIOR	
	BLACK	LIGHT FROST BEIGE/BLACK
BILLET SILVER METALLIC (PSC)	X	X
BRIGHT WHITE CLEARCOAT (PW7)	X	X
DIAMOND BLACK CRYSTAL PEARL (PXJ)	X	X
DEEP CHERRY RED CRYSTAL PEARL (PRP)	X	X
LIGHT BROWNSTONE PEARLCOAT (PT6)	X	X

CLASS 4802: JEEP CHEROKEE SPORT (KLJL74)

EXTERIOR	INTERIOR	
	BLACK	LIGHT FROST BEIGE/BLACK
BILLET SILVER METALLIC (PSC)	X	X
BRIGHT WHITE CLEARCOAT (PW7)	X	X
DIAMOND BLACK CRYSTAL PEARL (PXJ)	X	X
DEEP CHERRY RED CRYSTAL PEARL (PRP)	X	X
LIGHT BROWNSTONE PEARLCOAT (PT6)	X	X

CLASS 4804: CHEVROLET TAHOE (CK15706)

EXTERIOR	INTERIOR
	BLACK
BLACK (GBA)	X
SUMMIT WHITE (GAZ)	X
SILVER ICE METALLIC (GAN)	X
CHAMPAGNE SILVER METALLIC (GWT)	X
TUNGSTEN METALLIC (GXG)	X
BLUE VELVET METTALIC (G1M)	X
PEPPERDUST METALLIC (GMU)	X

2016 COLOR AVAILABILITY

CLASS 4804 (EXT): CHEVROLET SUBURBAN 1500 (CK15906)

EXTERIOR	INTERIOR
	<u>JET BLACK</u>
BLACK (GBA)	X
BLUE VELVET METALLIC (G1M)	X
PEPPERDUST METALLIC (GMU)	X
SUMMIT WHITE (GAZ)	X
SILVER ICE METALLIC (GAN)	X
CHAMPAGNE SILVER METALLIC (GWT)	X
TUNGSTEN METALLIC (GXG)	X

CLASS 4811:

EXTERIOR	INTERIOR
----------	----------

CLASS 4901:

EXTERIOR	INTERIOR
----------	----------

FOR ANY OTHER CLASS COLOR OPTIONS CONTACT ANNE STEHNO

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0203 LB
Aftermkt in option total

2017 Ford Super Duty F-350 SRW 4WD Reg Cab 8' Box



2017 Ford Super Duty F-350 SRW XL 4WD Reg Cab 8' Box (F3B)

CLASS 0203 LB

TRUCK 1 TON REGULAR CAB 4X4 LB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0203 LB
Aftermkt in option total

Vehicle Information

SELECTED MODEL

Code	Description
F3B	2017 Ford Super Duty F-350 SRW XL 4WD Reg Cab 8' Box

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
996	ENGINE: 6.2L 2-VALVE SOHC EFI NA V8 FLEX-FUEL, (STD)
44P	TRANSMISSION: TORQSHIFT 6-SPEED AUTOMATIC (6R140), -inc: SelectShift (STD)
610A	ORDER CODE 610A
X37	3.73 AXLE RATIO, (STD)
64A	WHEELS: 17" ARGENT PAINTED STEEL, -inc: painted hub covers/center ornaments (STD)
TBM	TIRES: LT245/75RX17E BSW A/T (4)
—	STANDARD PAINT
1S	MEDIUM EARTH GRAY, CLOTH 40/20/40 SPLIT BENCH SEAT, -inc: center armrest, cupholder, storage and driver's side manual lumbar
90L	POWER EQUIPMENT GROUP, -inc: Deletes passenger-side lock cylinder, upgraded door trim panel, Accessory Delay, Remote Keyless Entry, Trailer Tow Mirrors w/Power Heated Glass, manual telescoping, heated convex spotter mirror and integrated clearance lamps/turn signals, Perimeter Alarm, Power Front Seat Windows, 1-touch up/down driver/passenger window, Power Tailgate Lock, Power Locks
213	4X4 ELECTRONIC-SHIFT-ON-THE-FLY (ESOF), -inc: manual-locking hubs and auto rotary control on instrument panel
41P	TRANSFER CASE & FUEL TANK SKID PLATES
942	DAYTIME RUNNING LAMPS (DRL), -inc: The non-controllable 942 Daytime Running Lamps (DRL) replace the standard Daytime Running Lamps (DRL), on/off cluster controllable, (LPO) REQUIRES valid FIN code.
585	RADIO: AM/FM STEREO/SINGLE-CD/MP3, (LPO) w/96V&17S-inc: 4-speakers w/o 17S,96V-inc: 4-speakers and auxiliary audio input jack w/o 17S,96V, REQUIRES valid FIN code.
91M	SYNC COMMUNICATIONS & ENTERTAINMENT SYSTEM, -inc: enhanced voice recognition, 911 Assist, 4.2" LCD screen in center stack, AppLink, 1 smart-charging USB port and steering wheel audio controls, w/585, REQUIRES valid FIN code.
525	STEERING WHEEL-MOUNTED CRUISE CONTROL, (LPO) REQUIRES valid FIN code.

AFTERMARKET OPTIONS

Floormat, rubber, regular cab

Rubber floormat to be used on vinyl flooring. Floormat should not slide around for safety. Option code: AMO.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0203 LB
Aftermkt in option total

Standard Equipment

MECHANICAL

Engine: 6.2L 2-Valve SOHC EFI NA V8 Flex-Fuel
Transmission: TorqShift 6-Speed Automatic (6R140) -inc: SelectShift
3.73 Axle Ratio
GVWR: 10,300 lb Payload Package
50-State Emissions System
Transmission w/Oil Cooler
Manual Transfer Case
Part-Time Four-Wheel Drive
72-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection
157 Amp Alternator
Class V Towing w/Harness, Hitch and Trailer Sway Control
3900# Maximum Payload
HD Shock Absorbers
Front Anti-Roll Bar
Firm Suspension
Hydraulic Power-Assist Steering
34 Gal. Fuel Tank
Single Stainless Steel Exhaust
Manual Locking Hubs
Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 17" Argent Painted Steel -inc: painted hub covers/center ornaments
Tires: LT245/75Rx17E BSW A/S PLUS (4)
Regular Box Style
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks
Black Rear Step Bumper
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Manual Side Mirrors w/Manual Folding
Manual Extendable Trailer Style Mirrors
Fixed Rear Window
Light Tinted Glass
Variable Intermittent Wipers
Aluminum Panels
Black Grille

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0203 LB
Aftermkt in option total

Front License Plate Bracket
Tailgate Rear Cargo Access
Manual Tailgate/Rear Door Lock
Fully Automatic Aero-Composite Halogen Daytime Running Lights Preference Setting Headlamps w/Delay-Off
Cargo Lamp w/High Mount Stop Light

ENTERTAINMENT

Radio: AM/FM Stereo -inc: digital clock and 4-speakers
Fixed Antenna
1 LCD Monitor In The Front

INTERIOR

4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
Manual Air Conditioning
Illuminated Locking Glove Box
Interior Trim -inc: Chrome Interior Accents
Full Cloth Headliner
Urethane Gear Shift Knob
HD Vinyl 40/20/40 Split Bench Seat -inc: center armrest, cupholder, storage and driver's side manual lumbar
Day-Night Rearview Mirror
Passenger Visor Vanity Mirror
2 12V DC Power Outlets
Front Map Lights
Fade-To-Off Interior Lighting
Full Vinyl/Rubber Floor Covering
Underhood And Pickup Cargo Box Lights
Instrument Panel Bin and Covered Dashboard Storage
Manual 1st Row Windows
Systems Monitor
Trip Computer
Outside Temp Gauge
Analog Display
Manual Adjustable Front Head Restraints
Securilock Anti-Theft Ignition (pats) Engine Immobilizer
Air Filtration

SAFETY

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0203 LB
Aftermkt in option total

Dual Stage Driver And Passenger Front Airbags w/Passenger Off Switch

Safety Canopy System Curtain 1st Row Airbags

Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute

Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0203 LB
 Aftermkt in option total

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	6335.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	3744.00 lbs
Base Trim Weight - Rear	2591.00 lbs
Gross Axle Wt Rating - Front	4400 lbs
Gross Axle Wt Rating - Rear	6340 lbs
Curb Weight - Front	3744 lbs
Curb Weight - Rear	2591 lbs
Option Weight - Front	36.00 lbs
Option Weight - Rear	28.00 lbs
Reserve Axle Capacity - Front	620.00 lbs
Reserve Axle Capacity - Rear	3721.00 lbs
As Spec'd Curb Weight	6399.00 lbs
As Spec'd Payload	3901.00 lbs
Maximum Payload Capacity	3965.00 lbs
Gross Combined Wt Rating	N/A lbs
Gross Axle Weight Rating	10740.00 lbs
Curb Weight	6335.00 lbs
Reserve Axle Capacity	4341.00 lbs
Total Option Weight	64.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	10300.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	N/A lbs
Dead Weight Hitch - Max Tongue Wt.	N/A lbs
Wt Distributing Hitch - Max Trailer Wt.	N/A lbs
Wt Distributing Hitch - Max Tongue Wt.	N/A lbs
Maximum Trailering Capacity	N/A lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0203 LB
 Aftermkt in option total

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Other
Suspension Type - Rear	Leaf
Spring Capacity - Front	4400 lbs
Spring Capacity - Rear	6340 lbs
Axle Type - Front	Non-Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	6000 lbs
Axle Capacity - Rear	7280 lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	TBM
Rear Tire Order Code	TBM
Spare Tire Order Code	
Front Tire Size	LT245/75SR17
Rear Tire Size	LT245/75SR17
Spare Tire Size	Full-Size
Front Tire Capacity	6390 lbs
Rear Tire Capacity	6390 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	645
Revolutions/Mile @ 45 mph - Rear	645
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0203 LB
Aftermkt in option total

Wheels

Front Wheel Size	17 X 7.5 in
Rear Wheel Size	17 X 7.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Re-Circulating Ball
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	47.6 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	14.3 in
Rear Brake Rotor Diam x Thickness	14.3 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	34 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	Midship
Aux Fuel Tank Location	Midship

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	N/A
EPA Greenhouse Gas Score	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0203 LB
Aftermkt in option total

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	44P
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	3.97
Second Gear Ratio (:1)	2.32
Third Gear Ratio (:1)	1.52
Fourth Gear Ratio (:1)	1.15
Fifth Gear Ratio (:1)	0.86
Sixth Gear Ratio (:1)	0.67
Reverse Ratio (:1)	3.13
Clutch Size	N/A in
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No

Mileage

EPA Fuel Economy Est - Hwy	N/A MPG
Cruising Range - City	N/A mi
EPA Fuel Economy Est - City	N/A MPG
Fuel Economy Est-Combined	N/A MPG
Cruising Range - Hwy	N/A mi

Engine

Engine Order Code	996-1
Engine Type	Regular Unleaded V-8
Displacement	6.2 L/379
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	385 @ 5750
SAE Net Torque @ RPM	430 @ 3800
Engine Oil Cooler	None

Electrical

Cold Cranking Amps @ 0° F (Primary)	650
Cold Cranking Amps @ 0° F (2nd)	650
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	157

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0203 LB
 Aftermkt in option total

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	3
Front Head Room	40.8 in
Front Leg Room	43.9 in
Front Shoulder Room	66.7 in
Front Hip Room	62.5 in
Second Head Room	N/A in
Second Leg Room	N/A in
Second Shoulder Room	N/A in
Second Hip Room	N/A in

Exterior Dimensions

Wheelbase	142 in
Length, Overall w/o rear bumper	N/A in
Width, Max w/o mirrors	80 in
Height, Overall	80.9 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	56.1 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	38.5 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.2 in
Ground Clearance, Rear	8.2 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	98.1 in
Cargo Box Width @ Top, Rear	66.9 in
Cargo Box Width @ Floor	66.9 in
Cargo Box Width @ Wheelhousings	50.5 in
Cargo Box (Area) Height	21.1 in
Tailgate Width	N/A in
Cargo Volume	78.5 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0203 LB
Aftermkt in option total

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0204 LB
Aftermkt in option total

2017 Ford Super Duty F-350 SRW 2WD SuperCab 8' Box



2017 Ford Super Duty F-350 SRW XL 2WD SuperCab 8' Box (X3A)

CLASS 0204 LB

TRUCK 1 TON EXTENDED CAB 4X2 LB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0204 LB
Aftermkt in option total

Vehicle Information

SELECTED MODEL

Code	Description
X3A	2017 Ford Super Duty F-350 SRW XL 2WD SuperCab 8' Box

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
996	ENGINE: 6.2L 2-VALVE SOHC EFI NA V8 FLEX-FUEL, (STD)
44P	TRANSMISSION: TORQSHIFT 6-SPEED AUTOMATIC (6R140), -inc: SelectShift (STD)
610A	ORDER CODE 610A
X37	3.73 AXLE RATIO, (STD)
64A	WHEELS: 17" ARGENT PAINTED STEEL, -inc: painted hub covers/center ornaments (STD)
TBM	TIRES: LT245/75RX17E BSW A/T (4)
_____	STANDARD PAINT
1S	MEDIUM EARTH GRAY, CLOTH 40/20/40 SPLIT BENCH SEAT, -inc: center armrest, cupholder, storage and driver's side manual lumbar
90L	POWER EQUIPMENT GROUP, -inc: Deletes passenger-side lock cylinder, upgraded door trim panel, Accessory Delay, Remote Keyless Entry, Trailer Tow Mirrors w/Power Heated Glass, manual telescoping, heated convex spotter mirror and integrated clearance lamps/turn signals, Perimeter Alarm, Power Front & Rear Seat Windows, 1-touch up/down driver/passenger window, Power Tailgate Lock, Power Locks
942	DAYTIME RUNNING LAMPS (DRL), -inc: The non-controllable 942 Daytime Running Lamps (DRL) replace the standard Daytime Running Lamps (DRL), on/off cluster controllable, (LPO) REQUIRES valid FIN code.
585	RADIO: AM/FM STEREO/SINGLE-CD/MP3, (LPO) w/96V&17S-inc: 6-speakers w/o 17S,96V-inc: 6-speakers and auxiliary audio input jack w/o 17S,96V, REQUIRES valid FIN code.
91M	SYNC COMMUNICATIONS & ENTERTAINMENT SYSTEM, -inc: enhanced voice recognition, 911 Assist, 4.2" LCD screen in center stack, AppLink, 1 smart-charging USB port and steering wheel audio controls, w/585, REQUIRES valid FIN code.
525	STEERING WHEEL-MOUNTED CRUISE CONTROL, (LPO) REQUIRES valid FIN code.

AFTERMARKET OPTIONS

Ford-MatExtSDuty

Floormat, Truck, Extended Cab, SuperDuty. Option code: AMO.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0204 LB
Aftermkt in option total

Standard Equipment

MECHANICAL

Engine: 6.2L 2-Valve SOHC EFI NA V8 Flex-Fuel
Transmission: TorqShift 6-Speed Automatic (6R140) -inc: SelectShift
3.73 Axle Ratio
GVWR: 10,300 lb Payload Package
50-State Emissions System
Transmission w/Oil Cooler
Rear-Wheel Drive
72-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection
157 Amp Alternator
Class V Towing w/Harness, Hitch and Trailer Sway Control
3990# Maximum Payload
HD Shock Absorbers
Front Anti-Roll Bar
Firm Suspension
Hydraulic Power-Assist Steering
34 Gal. Fuel Tank
Single Stainless Steel Exhaust
Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 17" Argent Painted Steel -inc: painted hub covers/center ornaments
Tires: LT245/75R17E BSW A/S (4) -inc: BSW A/T plus spare tire
Regular Box Style
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks
Black Rear Step Bumper
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Manual Side Mirrors w/Manual Folding
Manual Extendable Trailer Style Mirrors
Fixed Rear Window
Light Tinted Glass
Variable Intermittent Wipers
Aluminum Panels
Black Grille
Front License Plate Bracket
Tailgate Rear Cargo Access

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0204 LB
Aftermkt in option total

Reverse Opening Rear Doors
Manual Tailgate/Rear Door Lock
Fully Automatic Aero-Composite Halogen Daytime Running Lights Preference Setting Headlamps w/Delay-Off
Cargo Lamp w/High Mount Stop Light

ENTERTAINMENT

Radio: AM/FM Stereo -inc: digital clock and 6-speakers
Fixed Antenna
1 LCD Monitor In The Front

INTERIOR

4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
60-40 Folding Split-Bench Front Facing Fold-Up Cushion Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
Fixed Rear Windows
Manual Air Conditioning
HVAC -inc: Underseat Ducts
Illuminated Locking Glove Box
Interior Trim -inc: Chrome Interior Accents
Full Cloth Headliner
Urethane Gear Shift Knob
HD Vinyl 40/20/40 Split Bench Seat -inc: center armrest, cupholder, storage and driver's side manual lumbar
Day-Night Rearview Mirror
Passenger Visor Vanity Mirror
2 12V DC Power Outlets
Full Overhead Console w/Storage and 2 12V DC Power Outlets
Front Map Lights
Fade-To-Off Interior Lighting
Full Vinyl/Rubber Floor Covering
Underhood And Pickup Cargo Box Lights
Instrument Panel Bin and Covered Dashboard Storage
Manual 1st Row Windows
Systems Monitor
Trip Computer
Outside Temp Gauge
Analog Display
Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
Securilock Anti-Theft Ignition (pats) Engine Immobilizer
Air Filtration

SAFETY

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0204 LB
Aftermkt in option total

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags w/Passenger Off Switch
Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute
Safety Canopy System Curtain 1st And 2nd Row Airbags
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point and Height Adjusters

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0204 LB
Aftermkt in option total

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	6241.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	3573.00 lbs
Base Trim Weight - Rear	2668.00 lbs
Gross Axle Wt Rating - Front	4400 lbs
Gross Axle Wt Rating - Rear	6340 lbs
Curb Weight - Front	3573 lbs
Curb Weight - Rear	2668 lbs
Option Weight - Front	21.00 lbs
Option Weight - Rear	9.00 lbs
Reserve Axle Capacity - Front	806.00 lbs
Reserve Axle Capacity - Rear	3663.00 lbs
As Spec'd Curb Weight	6271.00 lbs
As Spec'd Payload	4029.00 lbs
Maximum Payload Capacity	4059.00 lbs
Gross Combined Wt Rating	N/A lbs
Gross Axle Weight Rating	10740.00 lbs
Curb Weight	6241.00 lbs
Reserve Axle Capacity	4469.00 lbs
Total Option Weight	30.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	10300.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	N/A lbs
Dead Weight Hitch - Max Tongue Wt.	N/A lbs
Wt Distributing Hitch - Max Trailer Wt.	N/A lbs
Wt Distributing Hitch - Max Tongue Wt.	N/A lbs
Maximum Trailing Capacity	N/A lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0204 LB
 Aftermkt in option total

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Other
Suspension Type - Rear	Leaf
Spring Capacity - Front	4400 lbs
Spring Capacity - Rear	6340 lbs
Axle Type - Front	Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	5250 lbs
Axle Capacity - Rear	7280 lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	TBM
Rear Tire Order Code	TBM
Spare Tire Order Code	
Front Tire Size	LT245/75SR17
Rear Tire Size	LT245/75SR17
Spare Tire Size	Full-Size
Front Tire Capacity	6390 lbs
Rear Tire Capacity	6390 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	645
Revolutions/Mile @ 45 mph - Rear	645
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0204 LB
Aftermkt in option total

Wheels

Front Wheel Size	17 X 7.5 in
Rear Wheel Size	17 X 7.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Re-Circulating Ball
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	56 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	14.3 in
Rear Brake Rotor Diam x Thickness	14.3 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	34 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	Midship
Aux Fuel Tank Location	Midship

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	N/A
EPA Greenhouse Gas Score	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0204 LB
 Aftermkt in option total

Transmission

Drivetrain	Rear Wheel Drive
Trans Order Code	44P
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	3.97
Second Gear Ratio (:1)	2.32
Third Gear Ratio (:1)	1.52
Fourth Gear Ratio (:1)	1.15
Fifth Gear Ratio (:1)	0.86
Sixth Gear Ratio (:1)	0.67
Reverse Ratio (:1)	3.13
Clutch Size	N/A in
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No

Mileage

EPA Fuel Economy Est - Hwy	N/A MPG
Cruising Range - City	N/A mi
EPA Fuel Economy Est - City	N/A MPG
Fuel Economy Est-Combined	N/A MPG
Cruising Range - Hwy	N/A mi

Engine

Engine Order Code	996-1
Engine Type	Regular Unleaded V-8
Displacement	6.2 L/379
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	385 @ 5750
SAE Net Torque @ RPM	430 @ 3800
Engine Oil Cooler	None

Electrical

Cold Cranking Amps @ 0° F (Primary)	650
Cold Cranking Amps @ 0° F (2nd)	650
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	157

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0204 LB
 Aftermkt in option total

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	40.8 in
Front Leg Room	43.9 in
Front Shoulder Room	66.7 in
Front Hip Room	62.5 in
Second Head Room	40.3 in
Second Leg Room	33.5 in
Second Shoulder Room	65.8 in
Second Hip Room	64.7 in

Exterior Dimensions

Wheelbase	164 in
Length, Overall w/o rear bumper	N/A in
Width, Max w/o mirrors	80 in
Height, Overall	78 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	56.1 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	35 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.5 in
Ground Clearance, Rear	8.5 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	98.1 in
Cargo Box Width @ Top, Rear	66.9 in
Cargo Box Width @ Floor	66.9 in
Cargo Box Width @ Wheelhousings	50.5 in
Cargo Box (Area) Height	21.1 in
Tailgate Width	N/A in
Cargo Volume	78.5 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0204 LB
Aftermkt in option total

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0204 SB
Aftermkt in option total

2017 Ford Super Duty F-350 SRW 2WD SuperCab 6.75' Box



2017 Ford Super Duty F-350 SRW XL 2WD SuperCab 6.75' Box (X3A)

CLASS 0204 SB

TRUCK 1 TON EXTENDED CAB 4X2 SB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0204 SB
Aftermkt in option total

Vehicle Information

SELECTED MODEL

Code	Description
X3A	2017 Ford Super Duty F-350 SRW XL 2WD SuperCab 6.75' Box

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
996	ENGINE: 6.2L 2-VALVE SOHC EFI NA V8 FLEX-FUEL, (STD)
44P	TRANSMISSION: TORQSHIFT 6-SPEED AUTOMATIC (6R140), -inc: SelectShift (STD)
610A	ORDER CODE 610A
X37	3.73 AXLE RATIO, (STD)
64A	WHEELS: 17" ARGENT PAINTED STEEL, -inc: painted hub covers/center ornaments (STD)
TBM	TIRES: LT245/75RX17E BSW A/T (4)
	STANDARD PAINT
1S	MEDIUM EARTH GRAY, CLOTH 40/20/40 SPLIT BENCH SEAT, -inc: center armrest, cupholder, storage and driver's side manual lumbar
90L	POWER EQUIPMENT GROUP, -inc: Deletes passenger-side lock cylinder, upgraded door trim panel, Accessory Delay, Remote Keyless Entry, Trailer Tow Mirrors w/Power Heated Glass, manual telescoping, heated convex spotter mirror and integrated clearance lamps/turn signals, Perimeter Alarm, Power Front & Rear Seat Windows, 1-touch up/down driver/passenger window, Power Tailgate Lock, Power Locks
942	DAYTIME RUNNING LAMPS (DRL), -inc: The non-controllable 942 Daytime Running Lamps (DRL) replace the standard Daytime Running Lamps (DRL), on/off cluster controllable, (LPO) REQUIRES valid FIN code.
585	RADIO: AM/FM STEREO/SINGLE-CD/MP3, (LPO) w/96V&17S-inc: 6-speakers w/o 17S,96V-inc: 6-speakers and auxiliary audio input jack w/o 17S,96V, REQUIRES valid FIN code.
91M	SYNC COMMUNICATIONS & ENTERTAINMENT SYSTEM, -inc: enhanced voice recognition, 911 Assist, 4.2" LCD screen in center stack, AppLink, 1 smart-charging USB port and steering wheel audio controls, w/585, REQUIRES valid FIN code.
525	STEERING WHEEL-MOUNTED CRUISE CONTROL, (LPO) REQUIRES valid FIN code.

AFTERMARKET OPTIONS

Floormat, rubber, extended or double cab

Rubber floormat to be used on vinyl flooring. Floormat should not slide around for safety. Option code: AMO.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0204 SB
Aftermkt in option total

Standard Equipment

MECHANICAL

Engine: 6.2L 2-Valve SOHC EFI NA V8 Flex-Fuel
Transmission: TorqShift 6-Speed Automatic (6R140) -inc: SelectShift
3.73 Axle Ratio
GVWR: 10,000 lb Payload Package
50-State Emissions System
Transmission w/Oil Cooler
Rear-Wheel Drive
72-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection
157 Amp Alternator
Class V Towing w/Harness, Hitch and Trailer Sway Control
3810# Maximum Payload
HD Shock Absorbers
Front Anti-Roll Bar
Firm Suspension
Hydraulic Power-Assist Steering
34 Gal. Fuel Tank
Single Stainless Steel Exhaust
Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 17" Argent Painted Steel -inc: painted hub covers/center ornaments
Tires: LT245/75R17E BSW A/S (4) -inc: BSW A/T plus spare tire
Regular Box Style
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks
Black Rear Step Bumper
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Manual Side Mirrors w/Manual Folding
Manual Extendable Trailer Style Mirrors
Fixed Rear Window
Light Tinted Glass
Variable Intermittent Wipers
Aluminum Panels
Black Grille
Front License Plate Bracket
Tailgate Rear Cargo Access

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0204 SB
Aftermkt in option total

Reverse Opening Rear Doors
Manual Tailgate/Rear Door Lock
Fully Automatic Aero-Composite Halogen Daytime Running Lights Preference Setting Headlamps w/Delay-Off
Cargo Lamp w/High Mount Stop Light

ENTERTAINMENT

Radio: AM/FM Stereo -inc: digital clock and 6-speakers
Fixed Antenna
1 LCD Monitor In The Front

INTERIOR

4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
60-40 Folding Split-Bench Front Facing Fold-Up Cushion Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
Fixed Rear Windows
Manual Air Conditioning
HVAC -inc: Underseat Ducts
Illuminated Locking Glove Box
Interior Trim -inc: Chrome Interior Accents
Full Cloth Headliner
Urethane Gear Shift Knob
HD Vinyl 40/20/40 Split Bench Seat -inc: center armrest, cupholder, storage and driver's side manual lumbar
Day-Night Rearview Mirror
Passenger Visor Vanity Mirror
2 12V DC Power Outlets
Full Overhead Console w/Storage and 2 12V DC Power Outlets
Front Map Lights
Fade-To-Off Interior Lighting
Full Vinyl/Rubber Floor Covering
Underhood And Pickup Cargo Box Lights
Instrument Panel Bin and Covered Dashboard Storage
Manual 1st Row Windows
Systems Monitor
Trip Computer
Outside Temp Gauge
Analog Display
Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
Securilock Anti-Theft Ignition (pats) Engine Immobilizer
Air Filtration

SAFETY

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0204 SB
Aftermkt in option total

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags w/Passenger Off Switch
Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute
Safety Canopy System Curtain 1st And 2nd Row Airbags
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point and Height Adjusters

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0204 SB
 Aftermkt in option total

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	6121.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	3468.00 lbs
Base Trim Weight - Rear	2653.00 lbs
Gross Axle Wt Rating - Front	4250 lbs
Gross Axle Wt Rating - Rear	6340 lbs
Curb Weight - Front	3468 lbs
Curb Weight - Rear	2653 lbs
Option Weight - Front	21.00 lbs
Option Weight - Rear	9.00 lbs
Reserve Axle Capacity - Front	761.00 lbs
Reserve Axle Capacity - Rear	3678.00 lbs
As Spec'd Curb Weight	6151.00 lbs
As Spec'd Payload	3849.00 lbs
Maximum Payload Capacity	3879.00 lbs
Gross Combined Wt Rating	N/A lbs
Gross Axle Weight Rating	10590.00 lbs
Curb Weight	6121.00 lbs
Reserve Axle Capacity	4439.00 lbs
Total Option Weight	30.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	10000.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	N/A lbs
Dead Weight Hitch - Max Tongue Wt.	N/A lbs
Wt Distributing Hitch - Max Trailer Wt.	N/A lbs
Wt Distributing Hitch - Max Tongue Wt.	N/A lbs
Maximum Trailing Capacity	N/A lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0204 SB
 Aftermkt in option total

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Other
Suspension Type - Rear	Leaf
Spring Capacity - Front	4250 lbs
Spring Capacity - Rear	6340 lbs
Axle Type - Front	Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	5250 lbs
Axle Capacity - Rear	7280 lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	TBM
Rear Tire Order Code	TBM
Spare Tire Order Code	
Front Tire Size	LT245/75SR17
Rear Tire Size	LT245/75SR17
Spare Tire Size	Full-Size
Front Tire Capacity	6390 lbs
Rear Tire Capacity	6390 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	645
Revolutions/Mile @ 45 mph - Rear	645
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0204 SB
 Aftermkt in option total

Wheels

Front Wheel Size	17 X 7.5 in
Rear Wheel Size	17 X 7.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Re-Circulating Ball
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	51.1 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	14.3 in
Rear Brake Rotor Diam x Thickness	14.3 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	34 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	Midship
Aux Fuel Tank Location	Midship

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	N/A
EPA Greenhouse Gas Score	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0204 SB
Aftermkt in option total

Transmission

Drivetrain	Rear Wheel Drive
Trans Order Code	44P
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	3.97
Second Gear Ratio (:1)	2.32
Third Gear Ratio (:1)	1.52
Fourth Gear Ratio (:1)	1.15
Fifth Gear Ratio (:1)	0.86
Sixth Gear Ratio (:1)	0.67
Reverse Ratio (:1)	3.13
Clutch Size	N/A in
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No

Mileage

EPA Fuel Economy Est - Hwy	N/A MPG
Cruising Range - City	N/A mi
EPA Fuel Economy Est - City	N/A MPG
Fuel Economy Est-Combined	N/A MPG
Cruising Range - Hwy	N/A mi

Engine

Engine Order Code	996-1
Engine Type	Regular Unleaded V-8
Displacement	6.2 L/379
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	385 @ 5750
SAE Net Torque @ RPM	430 @ 3800
Engine Oil Cooler	None

Electrical

Cold Cranking Amps @ 0° F (Primary)	650
Cold Cranking Amps @ 0° F (2nd)	650
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	157

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0204 SB
 Aftermkt in option total

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	40.8 in
Front Leg Room	43.9 in
Front Shoulder Room	66.7 in
Front Hip Room	62.5 in
Second Head Room	40.3 in
Second Leg Room	33.5 in
Second Shoulder Room	65.8 in
Second Hip Room	64.7 in

Exterior Dimensions

Wheelbase	148 in
Length, Overall w/o rear bumper	N/A in
Width, Max w/o mirrors	80 in
Height, Overall	78.2 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	39.9 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	35.4 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.5 in
Ground Clearance, Rear	8.5 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	81.9 in
Cargo Box Width @ Top, Rear	66.9 in
Cargo Box Width @ Floor	66.9 in
Cargo Box Width @ Wheelhousings	50.5 in
Cargo Box (Area) Height	21.1 in
Tailgate Width	N/A in
Cargo Volume	65.4 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0204 SB
Aftermkt in option total

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0205 LB
Aftermkt in option total

2017 Ford Super Duty F-350 SRW 4WD SuperCab 8' Box



2017 Ford Super Duty F-350 SRW XL 4WD SuperCab 8' Box (X3B)

CLASS 0205 LB

TRUCK 1 TON EXTENDED CAB 4X4 LB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0205 LB
Aftermkt in option total

Vehicle Information

SELECTED MODEL

Code	Description
X3B	2017 Ford Super Duty F-350 SRW XL 4WD SuperCab 8' Box

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
996	ENGINE: 6.2L 2-VALVE SOHC EFI NA V8 FLEX-FUEL, (STD)
44P	TRANSMISSION: TORQSHIFT 6-SPEED AUTOMATIC (6R140), -inc: SelectShift (STD)
610A	ORDER CODE 610A
X37	3.73 AXLE RATIO, (STD)
64A	WHEELS: 17" ARGENT PAINTED STEEL, -inc: painted hub covers/center ornaments (STD)
TBM	TIRES: LT245/75RX17E BSW A/T (4)
	STANDARD PAINT
1S	MEDIUM EARTH GRAY, CLOTH 40/20/40 SPLIT BENCH SEAT, -inc: center armrest, cupholder, storage and driver's side manual lumbar
90L	POWER EQUIPMENT GROUP, -inc: Deletes passenger-side lock cylinder, upgraded door trim panel, Accessory Delay, Remote Keyless Entry, Trailer Tow Mirrors w/Power Heated Glass, manual telescoping, heated convex spotter mirror and integrated clearance lamps/turn signals, Perimeter Alarm, Power Front & Rear Seat Windows, 1-touch up/down driver/passenger window, Power Tailgate Lock, Power Locks
213	4X4 ELECTRONIC-SHIFT-ON-THE-FLY (ESOF), -inc: manual-locking hubs and auto rotary control on instrument panel
41P	TRANSFER CASE & FUEL TANK SKID PLATES
942	DAYTIME RUNNING LAMPS (DRL), -inc: The non-controllable 942 Daytime Running Lamps (DRL) replace the standard Daytime Running Lamps (DRL), on/off cluster controllable, (LPO) REQUIRES valid FIN code.
585	RADIO: AM/FM STEREO/SINGLE-CD/MP3, (LPO) w/96V&17S-inc: 6-speakers w/o 17S,96V-inc: 6-speakers and auxiliary audio input jack w/o 17S,96V, REQUIRES valid FIN code.
91M	SYNC COMMUNICATIONS & ENTERTAINMENT SYSTEM, -inc: enhanced voice recognition, 911 Assist, 4.2" LCD screen in center stack, AppLink, 1 smart-charging USB port and steering wheel audio controls, w/585, REQUIRES valid FIN code.
525	STEERING WHEEL-MOUNTED CRUISE CONTROL, (LPO) REQUIRES valid FIN code.

AFTERMARKET OPTIONS

Floormat, rubber, extended or double cab

Rubber floormat to be used on vinyl flooring. Floormat should not slide around for safety. Option code: AMO.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0205 LB
Aftermkt in option total

Standard Equipment

MECHANICAL

Engine: 6.2L 2-Valve SOHC EFI NA V8 Flex-Fuel
Transmission: TorqShift 6-Speed Automatic (6R140) -inc: SelectShift
3.73 Axle Ratio
GVWR: 10,700 lb Payload Package
50-State Emissions System
Transmission w/Oil Cooler
Manual Transfer Case
Part-Time Four-Wheel Drive
72-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection
157 Amp Alternator
Class V Towing w/Harness, Hitch and Trailer Sway Control
3980# Maximum Payload
HD Shock Absorbers
Front Anti-Roll Bar
Firm Suspension
Hydraulic Power-Assist Steering
34 Gal. Fuel Tank
Single Stainless Steel Exhaust
Manual Locking Hubs
Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 17" Argent Painted Steel -inc: painted hub covers/center ornaments
Tires: LT245/75Rx17E BSW A/S PLUS (4)
Regular Box Style
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks
Black Rear Step Bumper
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Manual Side Mirrors w/Manual Folding
Manual Extendable Trailer Style Mirrors
Fixed Rear Window
Light Tinted Glass
Variable Intermittent Wipers
Aluminum Panels
Black Grille

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0205 LB
Aftermkt in option total

Front License Plate Bracket
Tailgate Rear Cargo Access
Reverse Opening Rear Doors
Manual Tailgate/Rear Door Lock
Fully Automatic Aero-Composite Halogen Daytime Running Lights Preference Setting Headlamps w/Delay-Off
Cargo Lamp w/High Mount Stop Light

ENTERTAINMENT

Radio: AM/FM Stereo -inc: digital clock and 6-speakers
Fixed Antenna
1 LCD Monitor In The Front

INTERIOR

4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
60-40 Folding Split-Bench Front Facing Fold-Up Cushion Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
Fixed Rear Windows
Manual Air Conditioning
HVAC -inc: Underseat Ducts
Illuminated Locking Glove Box
Interior Trim -inc: Chrome Interior Accents
Full Cloth Headliner
Urethane Gear Shift Knob
HD Vinyl 40/20/40 Split Bench Seat -inc: center armrest, cupholder, storage and driver's side manual lumbar
Day-Night Rearview Mirror
Passenger Visor Vanity Mirror
2 12V DC Power Outlets
Full Overhead Console w/Storage and 2 12V DC Power Outlets
Front Map Lights
Fade-To-Off Interior Lighting
Full Vinyl/Rubber Floor Covering
Underhood And Pickup Cargo Box Lights
Instrument Panel Bin and Covered Dashboard Storage
Manual 1st Row Windows
Systems Monitor
Trip Computer
Outside Temp Gauge
Analog Display
Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
Securilock Anti-Theft Ignition (pats) Engine Immobilizer
Air Filtration

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0205 LB
Aftermkt in option total

SAFETY

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags w/Passenger Off Switch
Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute
Safety Canopy System Curtain 1st And 2nd Row Airbags
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point and Height Adjusters

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0205 LB
 Aftermkt in option total

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	6652.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	3940.00 lbs
Base Trim Weight - Rear	2712.00 lbs
Gross Axle Wt Rating - Front	4800 lbs
Gross Axle Wt Rating - Rear	6340 lbs
Curb Weight - Front	3940 lbs
Curb Weight - Rear	2712 lbs
Option Weight - Front	39.00 lbs
Option Weight - Rear	31.00 lbs
Reserve Axle Capacity - Front	821.00 lbs
Reserve Axle Capacity - Rear	3597.00 lbs
As Spec'd Curb Weight	6722.00 lbs
As Spec'd Payload	3978.00 lbs
Maximum Payload Capacity	4048.00 lbs
Gross Combined Wt Rating	N/A lbs
Gross Axle Weight Rating	11140.00 lbs
Curb Weight	6652.00 lbs
Reserve Axle Capacity	4418.00 lbs
Total Option Weight	70.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	10700.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	N/A lbs
Dead Weight Hitch - Max Tongue Wt.	N/A lbs
Wt Distributing Hitch - Max Trailer Wt.	N/A lbs
Wt Distributing Hitch - Max Tongue Wt.	N/A lbs
Maximum Trailing Capacity	N/A lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0205 LB
 Aftermkt in option total

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Other
Suspension Type - Rear	Leaf
Spring Capacity - Front	4800 lbs
Spring Capacity - Rear	6340 lbs
Axle Type - Front	Non-Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	6000 lbs
Axle Capacity - Rear	7280 lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	TBM
Rear Tire Order Code	TBM
Spare Tire Order Code	
Front Tire Size	LT245/75SR17
Rear Tire Size	LT245/75SR17
Spare Tire Size	Full-Size
Front Tire Capacity	6390 lbs
Rear Tire Capacity	6390 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	645
Revolutions/Mile @ 45 mph - Rear	645
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0205 LB
Aftermkt in option total

Wheels

Front Wheel Size	17 X 7.5 in
Rear Wheel Size	17 X 7.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Re-Circulating Ball
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	54.3 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	14.3 in
Rear Brake Rotor Diam x Thickness	14.3 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	34 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	Midship
Aux Fuel Tank Location	Midship

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	N/A
EPA Greenhouse Gas Score	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0205 LB
 Aftermkt in option total

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	44P
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	3.97
Second Gear Ratio (:1)	2.32
Third Gear Ratio (:1)	1.52
Fourth Gear Ratio (:1)	1.15
Fifth Gear Ratio (:1)	0.86
Sixth Gear Ratio (:1)	0.67
Reverse Ratio (:1)	3.13
Clutch Size	N/A in
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No

Mileage

EPA Fuel Economy Est - Hwy	N/A MPG
Cruising Range - City	N/A mi
EPA Fuel Economy Est - City	N/A MPG
Fuel Economy Est-Combined	N/A MPG
Cruising Range - Hwy	N/A mi

Engine

Engine Order Code	996-1
Engine Type	Regular Unleaded V-8
Displacement	6.2 L/379
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	385 @ 5750
SAE Net Torque @ RPM	430 @ 3800
Engine Oil Cooler	None

Electrical

Cold Cranking Amps @ 0° F (Primary)	650
Cold Cranking Amps @ 0° F (2nd)	650
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	157

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0205 LB
 Aftermkt in option total

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	40.8 in
Front Leg Room	43.9 in
Front Shoulder Room	66.7 in
Front Hip Room	62.5 in
Second Head Room	40.3 in
Second Leg Room	33.5 in
Second Shoulder Room	65.8 in
Second Hip Room	64.7 in

Exterior Dimensions

Wheelbase	164 in
Length, Overall w/o rear bumper	N/A in
Width, Max w/o mirrors	80 in
Height, Overall	81.2 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	56.1 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	37.9 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.2 in
Ground Clearance, Rear	8.2 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	98.1 in
Cargo Box Width @ Top, Rear	66.9 in
Cargo Box Width @ Floor	66.9 in
Cargo Box Width @ Wheelhousings	50.5 in
Cargo Box (Area) Height	21.1 in
Tailgate Width	N/A in
Cargo Volume	78.5 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0205 LB
Aftermkt in option total

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0205 SB
Aftermkt in option total

2017 Ford Super Duty F-350 SRW 4WD SuperCab 6.75' Box



2017 Ford Super Duty F-350 SRW XL 4WD SuperCab 6.75' Box (X3B)

CLASS 0205 SB

TRUCK 1 TON EXTENDED CAB 4X4 SB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0205 SB
Aftermkt in option total

Vehicle Information

SELECTED MODEL

Code	Description
X3B	2017 Ford Super Duty F-350 SRW XL 4WD SuperCab 6.75' Box

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
996	ENGINE: 6.2L 2-VALVE SOHC EFI NA V8 FLEX-FUEL, (STD)
44P	TRANSMISSION: TORQSHIFT 6-SPEED AUTOMATIC (6R140), -inc: SelectShift (STD)
610A	ORDER CODE 610A
X37	3.73 AXLE RATIO, (STD)
64A	WHEELS: 17" ARGENT PAINTED STEEL, -inc: painted hub covers/center ornaments (STD)
TBM	TIRES: LT245/75RX17E BSW A/T (4)
1S	MEDIUM EARTH GRAY, CLOTH 40/20/40 SPLIT BENCH SEAT, -inc: center armrest, cupholder, storage and driver's side manual lumbar
90L	POWER EQUIPMENT GROUP, -inc: Deletes passenger-side lock cylinder, upgraded door trim panel, Accessory Delay, Remote Keyless Entry, Trailer Tow Mirrors w/Power Heated Glass, manual telescoping, heated convex spotter mirror and integrated clearance lamps/turn signals, Perimeter Alarm, Power Front & Rear Seat Windows, 1-touch up/down driver/passenger window, Power Tailgate Lock, Power Locks
213	4X4 ELECTRONIC-SHIFT-ON-THE-FLY (ESOF), -inc: manual-locking hubs and auto rotary control on instrument panel
41P	TRANSFER CASE & FUEL TANK SKID PLATES
942	DAYTIME RUNNING LAMPS (DRL), -inc: The non-controllable 942 Daytime Running Lamps (DRL) replace the standard Daytime Running Lamps (DRL), on/off cluster controllable, (LPO) REQUIRES valid FIN code.
585	RADIO: AM/FM STEREO/SINGLE-CD/MP3, (LPO) w/96V&17S-inc: 6-speakers w/o 17S,96V-inc: 6-speakers and auxiliary audio input jack w/o 17S,96V, REQUIRES valid FIN code.
91M	SYNC COMMUNICATIONS & ENTERTAINMENT SYSTEM, -inc: enhanced voice recognition, 911 Assist, 4.2" LCD screen in center stack, AppLink, 1 smart-charging USB port and steering wheel audio controls, w/585, REQUIRES valid FIN code.
525	STEERING WHEEL-MOUNTED CRUISE CONTROL, (LPO) REQUIRES valid FIN code.

AFTERMARKET OPTIONS

Floormat, rubber, extended or double cab

Rubber floormat to be used on vinyl flooring. Floormat should not slide around for safety. Option code: AMO.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0205 SB
Aftermkt in option total

Standard Equipment

MECHANICAL

Engine: 6.2L 2-Valve SOHC EFI NA V8 Flex-Fuel
Transmission: TorqShift 6-Speed Automatic (6R140) -inc: SelectShift
3.73 Axle Ratio
GVWR: 10,400 lb Payload Package
50-State Emissions System
Transmission w/Oil Cooler
Manual Transfer Case
Part-Time Four-Wheel Drive
72-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection
157 Amp Alternator
Class V Towing w/Harness, Hitch and Trailer Sway Control
3790# Maximum Payload
HD Shock Absorbers
Front Anti-Roll Bar
Firm Suspension
Hydraulic Power-Assist Steering
34 Gal. Fuel Tank
Single Stainless Steel Exhaust
Manual Locking Hubs
Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 17" Argent Painted Steel -inc: painted hub covers/center ornaments
Tires: LT245/75R17E BSW A/S PLUS (4)
Regular Box Style
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks
Black Rear Step Bumper
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Manual Side Mirrors w/Manual Folding
Manual Extendable Trailer Style Mirrors
Fixed Rear Window
Light Tinted Glass
Variable Intermittent Wipers
Aluminum Panels
Black Grille

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0205 SB
Aftermkt in option total

Front License Plate Bracket
Tailgate Rear Cargo Access
Reverse Opening Rear Doors
Manual Tailgate/Rear Door Lock
Fully Automatic Aero-Composite Halogen Daytime Running Lights Preference Setting Headlamps w/Delay-Off
Cargo Lamp w/High Mount Stop Light

ENTERTAINMENT

Radio: AM/FM Stereo -inc: digital clock and 6-speakers
Fixed Antenna
1 LCD Monitor In The Front

INTERIOR

4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
60-40 Folding Split-Bench Front Facing Fold-Up Cushion Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
Fixed Rear Windows
Manual Air Conditioning
HVAC -inc: Underseat Ducts
Illuminated Locking Glove Box
Interior Trim -inc: Chrome Interior Accents
Full Cloth Headliner
Urethane Gear Shift Knob
HD Vinyl 40/20/40 Split Bench Seat -inc: center armrest, cupholder, storage and driver's side manual lumbar
Day-Night Rearview Mirror
Passenger Visor Vanity Mirror
2 12V DC Power Outlets
Full Overhead Console w/Storage and 2 12V DC Power Outlets
Front Map Lights
Fade-To-Off Interior Lighting
Full Vinyl/Rubber Floor Covering
Underhood And Pickup Cargo Box Lights
Instrument Panel Bin and Covered Dashboard Storage
Manual 1st Row Windows
Systems Monitor
Trip Computer
Outside Temp Gauge
Analog Display
Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
Securilock Anti-Theft Ignition (pats) Engine Immobilizer
Air Filtration

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0205 SB
Aftermkt in option total

SAFETY

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags w/Passenger Off Switch
Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute
Safety Canopy System Curtain 1st And 2nd Row Airbags
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point and Height Adjusters

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0205 SB
 Aftermkt in option total

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	7543.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	3822.00 lbs
Base Trim Weight - Rear	3721.00 lbs
Gross Axle Wt Rating - Front	4800 lbs
Gross Axle Wt Rating - Rear	6340 lbs
Curb Weight - Front	3822 lbs
Curb Weight - Rear	3721 lbs
Option Weight - Front	39.00 lbs
Option Weight - Rear	31.00 lbs
Reserve Axle Capacity - Front	939.00 lbs
Reserve Axle Capacity - Rear	2588.00 lbs
As Spec'd Curb Weight	7613.00 lbs
As Spec'd Payload	2787.00 lbs
Maximum Payload Capacity	2857.00 lbs
Gross Combined Wt Rating	N/A lbs
Gross Axle Weight Rating	11140.00 lbs
Curb Weight	7543.00 lbs
Reserve Axle Capacity	3527.00 lbs
Total Option Weight	70.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	10400.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	N/A lbs
Dead Weight Hitch - Max Tongue Wt.	N/A lbs
Wt Distributing Hitch - Max Trailer Wt.	N/A lbs
Wt Distributing Hitch - Max Tongue Wt.	N/A lbs
Maximum Trailing Capacity	N/A lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0205 SB
 Aftermkt in option total

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Other
Suspension Type - Rear	Leaf
Spring Capacity - Front	4800 lbs
Spring Capacity - Rear	6340 lbs
Axle Type - Front	Non-Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	6000 lbs
Axle Capacity - Rear	7280 lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	TBM
Rear Tire Order Code	TBM
Spare Tire Order Code	
Front Tire Size	LT245/75SR17
Rear Tire Size	LT245/75SR17
Spare Tire Size	Full-Size
Front Tire Capacity	6390 lbs
Rear Tire Capacity	6390 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	645
Revolutions/Mile @ 45 mph - Rear	645
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0205 SB
Aftermkt in option total

Wheels

Front Wheel Size	17 X 7.5 in
Rear Wheel Size	17 X 7.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Re-Circulating Ball
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	49.5 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	14.3 in
Rear Brake Rotor Diam x Thickness	14.3 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	34 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	Midship
Aux Fuel Tank Location	Midship

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	N/A
EPA Greenhouse Gas Score	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0205 SB
Aftermkt in option total

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	44P
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	3.97
Second Gear Ratio (:1)	2.32
Third Gear Ratio (:1)	1.52
Fourth Gear Ratio (:1)	1.15
Fifth Gear Ratio (:1)	0.86
Sixth Gear Ratio (:1)	0.67
Reverse Ratio (:1)	3.13
Clutch Size	N/A in
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No

Mileage

EPA Fuel Economy Est - Hwy	N/A MPG
Cruising Range - City	N/A mi
EPA Fuel Economy Est - City	N/A MPG
Fuel Economy Est-Combined	N/A MPG
Cruising Range - Hwy	N/A mi

Engine

Engine Order Code	996-1
Engine Type	Regular Unleaded V-8
Displacement	6.2 L/379
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	385 @ 5750
SAE Net Torque @ RPM	430 @ 3800
Engine Oil Cooler	None

Electrical

Cold Cranking Amps @ 0° F (Primary)	650
Cold Cranking Amps @ 0° F (2nd)	650
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	157

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0205 SB
 Aftermkt in option total

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	40.8 in
Front Leg Room	43.9 in
Front Shoulder Room	66.7 in
Front Hip Room	62.5 in
Second Head Room	40.3 in
Second Leg Room	33.5 in
Second Shoulder Room	65.8 in
Second Hip Room	64.7 in

Exterior Dimensions

Wheelbase	148 in
Length, Overall w/o rear bumper	N/A in
Width, Max w/o mirrors	80 in
Height, Overall	81.3 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	39.9 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	38.1 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.2 in
Ground Clearance, Rear	8.2 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	81.9 in
Cargo Box Width @ Top, Rear	66.9 in
Cargo Box Width @ Floor	66.9 in
Cargo Box Width @ Wheelhousings	50.5 in
Cargo Box (Area) Height	21.1 in
Tailgate Width	N/A in
Cargo Volume	65.4 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0205 SB
Aftermkt in option total

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0214 LB
Aftermkt in option total

2017 Ford F-150 2WD SuperCab 8' Box



2017 Ford F-150 XL 2WD SuperCab 8' Box (X1C)

CLASS 0214 LB

TRUCK 1/2 TON EXTENDED CAB 4X2 LB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0214 LB
Aftermkt in option total

Vehicle Information

SELECTED MODEL

Code	Description
X1C	2017 Ford F-150 XL 2WD SuperCab 8' Box

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
99F	ENGINE: 5.0L V8 FFV, -inc: 3.31 Axle Ratio, GVWR: 7,000 lbs Payload Package
446	TRANSMISSION: ELECTRONIC 6-SPEED AUTOMATIC, -inc: tow/haul and sport mode (STD)
100A	EQUIPMENT GROUP 100A BASE
X27	3.31 AXLE RATIO
64C	WHEELS: 17" SILVER STEEL, (STD)
T7C	TIRES: LT245/70R17E BSW A/T, w/o 627, REQUIRES valid FIN code.
—	STANDARD PAINT
CG	DARK EARTH GRAY, CLOTH 40/20/40 FRONT SEAT, -inc: 2-way manual driver/passenger adjustment and armrest
85A	XL POWER EQUIPMENT GROUP, -inc: Power Glass Sideview Mirrors w/Black Skull Caps, manual-folding, Power Door Locks, flip key and integrated key transmitter keyless-entry (includes Autolock), Illuminated Entry, Power Front & Rear Windows, Perimeter Alarm, Power Tailgate Lock, MyKey Owner controls feature, w/100A, REQUIRES valid FIN code., *GROSS*
53A	TRAILER TOW PACKAGE, -inc: Towing capability up to 11,100 lbs, Note: Ordering the Trailer Tow Package does not include Trailer Tow Mirrors, Trailer Tow Mirrors are a standalone option and must be ordered separately, (Option Code: 54M or 54Y/59S), Auxiliary Transmission Oil Cooler, Class IV Trailer Hitch Receiver, towing capability up to 5,000 lbs, on 3.5L Ti-VCT engine (998) and 2.7L EcoBoost engine (99P) or up to 7,000 lbs, on 3.5L EcoBoost engine (99G) and 5.0L V8 engine (99F), smart trailer tow connector and 4-pin/7-pin wiring harness, Upgraded Front Stabilizer Bar
425	50 STATE EMISSIONS, AVAILABLE ONLY to Commercial and Government Fleet.
53B	CLASS IV TRAILER HITCH RECEIVER, -inc: towing capability up to 5,000 lbs, on 3.5L Ti-VCT engine (998) and 2.7L EcoBoost engine (99P) or up to 7,000 lbs, on 3.5L EcoBoost engine (99G) and 5.0L V8 engine (99F), smart trailer tow connector and 4-pin/7-pin wiring harness
—	GVWR: 7,000 LBS PAYLOAD PACKAGE
153	FRONT LICENSE PLATE BRACKET, -inc: Standard in states requiring 2 license plates, optional to all others
942	DAYTIME RUNNING LAMPS, -inc: Non-controllable, REQUIRES valid FIN code.
58B	RADIO: AM/FM STEREO/SINGLE-CD PLAYER, -inc: 6 speakers, w/100A, REQUIRES valid FIN code.
52B	SYNC, -inc: enhanced voice recognition communication and entertainment system, 911 assist, 4.2" LCD display in center stack, Applink and 1 smart charging USB port, DELETES auxiliary audio input jack
50S	CRUISE CONTROL, w/100A, REQUIRES valid FIN code.
—	XL POWER EQUIPMENT GROUP SAVINGS, *DISCOUNT*

AFTERMARKET OPTIONS

Floormat, rubber, regular cab

Rubber floormat to be used on vinyl flooring. Floormat should not slide around for safety. Option code: AMO.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0214 LB
Aftermkt in option total

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0214 LB
Aftermkt in option total

Standard Equipment

MECHANICAL

Engine: 2.7L V6 EcoBoost -inc: auto start/stop
Transmission: Electronic 6-Speed Automatic -inc: tow/haul and sport mode
3.15 Axle Ratio
GVWR: 6,500 lbs Payload Package
Transmission w/SelectShift Sequential Shift Control
Rear-Wheel Drive
70-Amp/Hr 610CCA Maintenance-Free Battery w/Run Down Protection
200 Amp Alternator
Towing w/Harness and Trailer Sway Control
1910# Maximum Payload
Gas-Pressurized Shock Absorbers
Front Anti-Roll Bar
Electric Power-Assist Speed-Sensing Steering
23 Gal. Fuel Tank
Single Stainless Steel Exhaust
Double Wishbone Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 17" Silver Steel
Tires: P245/70R17 BSW A/S
Regular Box Style
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Front Bumper w/Black Rub Strip/Fascia Accent
Black Rear Step Bumper
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Manual Side Mirrors w/Convex Spotter and Manual Folding
Fixed Rear Window
Light Tinted Glass
Variable Intermittent Wipers
Aluminum Panels
Black Grille
Tailgate Rear Cargo Access
Reverse Opening Rear Doors
Manual Tailgate/Rear Door Lock
Fully Automatic Aero-Composite Halogen Daytime Running Headlamps w/Delay-Off
Cargo Lamp w/High Mount Stop Light

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0214 LB
Aftermkt in option total

ENTERTAINMENT

Radio: AM/FM Stereo w/6 Speakers -inc: auxiliary audio input jack (not available w/SYNC)
Radio w/Aux Audio Input Jack
Fixed Antenna
1 LCD Monitor In The Front

INTERIOR

Cloth 40/20/40 Front Seat -inc: 2-way manual driver/passenger adjustment and armrest
4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
60-40 Folding Split-Bench Front Facing Fold-Up Cushion Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp and Trip Odometer
Fixed Rear Windows
Front Cupholder
Rear Cupholder
Manual Air Conditioning
HVAC -inc: Underseat Ducts
Glove Box
Interior Trim -inc: Cabback Insulator and Chrome Interior Accents
Full Cloth Headliner
Urethane Gear Shift Knob
Day-Night Rearview Mirror
Passenger Visor Vanity Mirror
3 12V DC Power Outlets
Fade-To-Off Interior Lighting
Full Vinyl/Rubber Floor Covering
Pickup Cargo Box Lights
Instrument Panel Bin, Dashboard Storage, Driver / Passenger And Rear Door Bins
Manual 1st Row Windows
Outside Temp Gauge
Analog Display
Front Center Armrest
Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
Securilock Anti-Theft Ignition (pats) Engine Immobilizer

SAFETY

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags
Airbag Occupancy Sensor

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0214 LB
Aftermkt in option total

Safety Canopy System Curtain 1st And 2nd Row Airbags
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0214 LB
Aftermkt in option total

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	4539.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	2674.00 lbs
Base Trim Weight - Rear	1865.00 lbs
Gross Axle Wt Rating - Front	3450 lbs
Gross Axle Wt Rating - Rear	3300 lbs
Curb Weight - Front	2674 lbs
Curb Weight - Rear	1865 lbs
Option Weight - Front	89.00 lbs
Option Weight - Rear	51.00 lbs
Reserve Axle Capacity - Front	687.00 lbs
Reserve Axle Capacity - Rear	1384.00 lbs
As Spec'd Curb Weight	4679.00 lbs
As Spec'd Payload	2071.00 lbs
Maximum Payload Capacity	2461.00 lbs
Gross Combined Wt Rating	12600 lbs
Gross Axle Weight Rating	6750.00 lbs
Curb Weight	4539.00 lbs
Reserve Axle Capacity	2071.00 lbs
Total Option Weight	140.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	6750.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	7500 lbs
Dead Weight Hitch - Max Tongue Wt.	750 lbs
Wt Distributing Hitch - Max Trailer Wt.	7500 lbs
Wt Distributing Hitch - Max Tongue Wt.	750 lbs
Maximum Trailing Capacity	7500 lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0214 LB
Aftermkt in option total

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Double Wishbone
Suspension Type - Rear	Leaf
Spring Capacity - Front	3450 lbs
Spring Capacity - Rear	3300 lbs
Axle Type - Front	Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	N/A lbs
Axle Capacity - Rear	N/A lbs
Axle Ratio (:1) - Front	3.31
Axle Ratio (:1) - Rear	3.31
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	T7C
Rear Tire Order Code	T7C
Spare Tire Order Code	
Front Tire Size	LT245/70SR17
Rear Tire Size	LT245/70SR17
Spare Tire Size	Full-Size
Front Tire Capacity	3650 lbs
Rear Tire Capacity	4050 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0214 LB
 Aftermkt in option total

Wheels

Front Wheel Size	17 X 7.5 in
Rear Wheel Size	17 X 7.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	53 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	13.8 in
Rear Brake Rotor Diam x Thickness	13.7 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	23 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	Midship
Aux Fuel Tank Location	Midship

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	9.8 (Est)
EPA Greenhouse Gas Score	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0214 LB
Aftermkt in option total

Transmission

Drivetrain	Rear Wheel Drive
Trans Order Code	446
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.17
Second Gear Ratio (:1)	2.34
Third Gear Ratio (:1)	1.52
Fourth Gear Ratio (:1)	1.14
Fifth Gear Ratio (:1)	0.86
Sixth Gear Ratio (:1)	0.69
Reverse Ratio (:1)	3.40
Clutch Size	N/A in
Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No

Mileage

EPA Fuel Economy Est - Hwy	22 (Est) MPG
Cruising Range - City	345.00 mi
EPA Fuel Economy Est - City	15 (Est) MPG
Fuel Economy Est-Combined	18 (Est) MPG
Cruising Range - Hwy	506.00 mi

Engine

Engine Order Code	99F
Engine Type	Regular Unleaded V-8
Displacement	5.0 L/302
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	385 @ 5750
SAE Net Torque @ RPM	387 @ 3850
Engine Oil Cooler	None

Electrical

Cold Cranking Amps @ 0° F (Primary)	610
Cold Cranking Amps @ 0° F (2nd)	610
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	200

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0214 LB
 Aftermkt in option total

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	40.8 in
Front Leg Room	43.9 in
Front Shoulder Room	66.7 in
Front Hip Room	62.5 in
Second Head Room	40.3 in
Second Leg Room	33.5 in
Second Shoulder Room	65.8 in
Second Hip Room	64.7 in

Exterior Dimensions

Wheelbase	163 in
Length, Overall w/o rear bumper	N/A in
Width, Max w/o mirrors	79.9 in
Height, Overall	75.5 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	35.9 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.6 in
Ground Clearance, Rear	8.6 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	96 in
Cargo Box Width @ Top, Rear	65.2 in
Cargo Box Width @ Floor	65.2 in
Cargo Box Width @ Wheelhousings	50.6 in
Cargo Box (Area) Height	21.4 in
Tailgate Width	N/A in
Cargo Volume	77.4 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0214 LB
Aftermkt in option total

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0214SB
Aftermkt in option total

2017 Chevrolet Silverado 1500 2WD Double Cab 143.5"



**2017 Chevrolet Silverado 1500 2WD Double Cab 143.5" Work
Truck (CC15753)**

CLASS 0214 SB

TRUCK 1/2 TON EXTENDED CAB 4X2 SB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0214SB
Aftermkt in option total

Vehicle Information

SELECTED MODEL

Code	Description
CC15753	2017 Chevrolet Silverado 1500 2WD Double Cab 143.5" Work Truck

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
FE9	EMISSIONS, FEDERAL REQUIREMENTS
L83	ENGINE, 5.3L ECOTEC3 V8 WITH ACTIVE FUEL MANAGEMENT, DIRECT INJECTION AND VARIABLE VALVE TIMING, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm; more than 300 lb-ft of torque from 2000 to 5600 rpm)
MYC	TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED, with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)
C5W	GVWR, 7000 LBS. (3175 KG), (Crew Cab and Double Cab Requires 2WD models and (L83) 5.3L EcoTec3 V8 engine or (L86) 6.2L EcoTec3 V8 engine. Not available with (NHT) Max Trailering Package.)
GU6	REAR AXLE, 3.42 RATIO, (Standard on 4WD (LV3) 4.3L EcoTec3 V6 engine. Available with (L83) 5.3L EcoTec3 V8 engine.)
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP, includes standard equipment
RD6	WHEELS, 17" X 8" (43.2 CM X 20.3 CM) PAINTED STEEL, (STD)
RC3	TIRES, P265/70R17 ALL-TERRAIN, BLACKWALL
ZY1	PAINT, SOLID
AZ3	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, AVAILABLE IN CLOTH, includes driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Also includes manually adjustable driver lumbar, lockable storage compartment in seat cushion, and storage pockets. Includes (AG1) driver 10-way power seat-adjuster. (Requires (IOB) 7" diagonal color display radio with Chevrolet MyLink. and requires (H2R) or (H0U) interior trim. Not Available with (H0U) Jet Black interior trim on Double Cab.)
H2R	DARK ASH WITH JET BLACK INTERIOR ACCENTS, CLOTH SEAT TRIM
IOB	AUDIO SYSTEM, CHEVROLET MYLINK RADIO WITH 7" DIAGONAL COLOR TOUCH-SCREEN, AM/FM STEREO, with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones (Includes (UQ3) 6-speaker audio system.)
PCR	WT FLEET CONVENIENCE PACKAGE, All cabs include (DL8) outside heated power-adjustable mirrors, (A91) remote locking tailgate and (AQQ) Remote Keyless Entry., ((DL8) outside heated power-adjustable mirrors can be upgraded to (DPN) power camper mirrors. If (ZW9) pickup box delete is ordered (A91) remote locking tailgate will not be included.)
Z82	TRAILERING PACKAGE, includes trailer hitch, 7-pin and 4-pin connectors
FHS	E85 FLEXFUEL CAPABLE OF RUNNING ON UNLEADED OR UP TO 85% ETHANOL, (Optional with (L83) 5.3L EcoTec3 V8 engine with (MYC) 6-speed automatic transmission or included with (LV3) 4.3L EcoTec3 V6 engine. Not available with (ZW9) pickup box delete.)
KNP	COOLING, AUXILIARY EXTERNAL TRANSMISSION OIL COOLER, (Included and only available with (L83) 5.3L EcoTec3 V8 engine.)
—	BATTERY, HEAVY-DUTY 720 COLD-CRANKING AMPS/80 AMP-HR, MAINTENANCE-FREE, with rundown protection and retained accessory power, (Included and only available with V8 engines.)
RC4	TIRE, SPARE P265/70R17 ALL-SEASON, BLACKWALL, (Included and only available with (RC3), (QSS), (QT0), (R18) or (RC7).)
DL8	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE, (includes driver's side spotter mirror) (Black., Included and only available with (PCR) WT Fleet Convenience Package.)
VK3	LICENSE PLATE KIT, FRONT, (will be shipped to orders with ship-to states that require front license plate)

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0214SB
Aftermkt in option total

Code	Description
A91	REMOTE LOCKING TAILGATE, (Included and only available with (AQQ) Remote Keyless Entry. Not available with (ZW9) pickup box delete.)
—	BLUETOOTH FOR PHONE, PERSONAL CELL PHONE CONNECTIVITY TO VEHICLE AUDIO SYSTEM, (Included and only available with (IOB) 7" diagonal color touch screen display radio with Chevrolet MyLink.)
AG1	SEAT ADJUSTER, DRIVER 10-WAY POWER, (Included and only available with (AZ3) bench seat. Requires (H2R) Dark Ash or (H0U) Jet Black seat trim.)
AQQ	REMOTE KEYLESS ENTRY, WITH 2 TRANSMITTERS, Includes (A91) remote locking tailgate.), (Included and only available with (PCR) WT Fleet Convenience Package.
R9Y	FLEET FREE MAINTENANCE CREDIT, This option code provides a credit in lieu of the free oil changes, tire rotations and inspections (2 maximum), during the first 24 months and 24,000 miles period for this ordered vehicle. The invoice will detail the applicable credit. The customer will be responsible for all oil change, tire rotations and inspections costs for this vehicle., (Requires one of the following Fleet or Government order types: FBC, FBN, FCA, FCN, FEF, FLS, FNR, FRC or FGO. Not available with FDR order types.), *CREDIT*

AFTERMARKET OPTIONS

Floormat, rubber, extended or double cab

Rubber floormat to be used on vinyl flooring. Floormat should not slide around for safety. Option code: AMO.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0214SB
Aftermkt in option total

Standard Equipment

MECHANICAL

Engine, 4.3L FlexFuel EcoTec3 V6 with Active Fuel Management, Direct Injection and Variable Valve Timing includes aluminum block construction with (FHS) E85 FlexFuel capability, capable of running on unleaded or up to 85% ethanol (285 hp [212 kW] @ 5300 rpm, 305 lb-ft of torque [413 Nm] @ 3900 rpm) (Includes (FHS) E85 FlexFuel capability. Not available on C*15743 models.)

Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking

Rear axle, 3.23 ratio (Standard and only available on (LV3) 4.3L EcoTec3 V6 engine with 2WD models.)

Pickup box

GVWR, 6900 lbs. (3130 kg) (Crew Cab and Double Cab requires 2WD models and (LV3) 4.3L EcoTec3 V6 engine.)

Rear wheel drive

Cooling, external engine oil cooler

Battery, heavy-duty 730 cold-cranking amps/70 Amp-hr, maintenance-free with rundown protection and retained accessory power

Alternator, 150 amps

Frame, fully-boxed, hydroformed front section

Steering, Electric Power Steering (EPS) assist, rack-and-pinion

Brakes, 4-wheel disc with DURALIFE rotors, 4-wheel antilock

Capless Fuel Fill

Exhaust, aluminized stainless-steel muffler and tailpipe

EXTERIOR

Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel

Tires, P255/70R17 all-season, blackwall

Wheel, full-size spare, 17" (43.2 cm) steel

Tire, spare P255/70R17 all-season, blackwall (Included and only available with (RBZ) P255/70R17 all-season, blackwall tires.)

Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door

Bumpers, front, Black

Bumpers, rear, Black

Lamps, cargo area, cab mounted with switch on center switch bank

CornerStep, rear bumper

Grille surround, chrome

Active aero shutters, front

Headlamps, high intensity discharge (HID) projector-beam with LED signature DRL

Mirrors, outside manual, Black

Glass, solar absorbing, tinted

Door handles, Black

Tailgate and bed rail protection cap, top

Tailgate, locking utilizes same key as ignition and door (Not available with (AQQ) Remote Keyless Entry.) (Not available with (AQQ) Remote Keyless Entry. Not available with (ZW9) pickup box delete.)

ENTERTAINMENT

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0214SB
Aftermkt in option total

Audio system, 4.2" diagonal color display, AM/FM stereo with USB port and auxiliary jack with USB ports and auxiliary jack (Not available with (AZ3) 40/20/40 split-bench seat.)

SiriusXM Satellite Radio, delete

6-speaker audio system (Standard on Crew Cab and Double Cab models.)

INTERIOR

Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manual adjustable driver lumbar.

Seat, rear full-width folding bench, 3-passenger (includes child seat top tether anchor) (Requires Double Cab models.)

Floor covering, Graphite-colored rubberized-vinyl, no floor mats included

Steering column, Tilt-Wheel, manual with theft-deterrent locking feature

Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure

Driver Information Center, 3.5-inch diagonal monochromatic display provides warning messages and basic vehicle information

Windows, power front and rear with driver express up and down and express down on all other windows (Standard on Crew Cab and Double Cab.)

Door locks, power

Cruise control, electronic with set and resume speed, steering wheel-mounted

Air conditioning, single-zone

Assist handle, front passenger on A-pillar

SAFETY

StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist

Daytime Running Lamps with automatic exterior lamp control

Air bags, dual-stage frontal and side-impact, driver and front passenger and head-curtain and seat-mounted side-impact, front and rear outboard seating positions with Passenger Sensing System (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

Teen Driver mode a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behavior. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report gives you information on your teen's driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System (does not apply to spare tire)

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0214SB
 Aftermkt in option total

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	N/A lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	N/A lbs
Base Trim Weight - Rear	N/A lbs
Gross Axle Wt Rating - Front	3850 lbs
Gross Axle Wt Rating - Rear	3950 lbs
Curb Weight - Front	N/A lbs
Curb Weight - Rear	N/A lbs
Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs
Reserve Axle Capacity - Front	N/A lbs
Reserve Axle Capacity - Rear	N/A lbs
As Spec'd Curb Weight	N/A lbs
As Spec'd Payload	N/A lbs
Maximum Payload Capacity	N/A lbs
Gross Combined Wt Rating	15000 lbs
Gross Axle Weight Rating	7800.00 lbs
Curb Weight	N/A lbs
Reserve Axle Capacity	N/A lbs
Total Option Weight	0.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	7000.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	5000 lbs
Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	9400 lbs
Wt Distributing Hitch - Max Tongue Wt.	940 lbs
Maximum Trailing Capacity	11100 lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0214SB
 Aftermkt in option total

Frame	
Frame Type	Hydroformed
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Independent
Suspension Type - Rear	2-Stage Multi-Leaf
Spring Capacity - Front	3650 lbs
Spring Capacity - Rear	3950 lbs
Axle Type - Front	N/A
Axle Type - Rear	N/A
Axle Capacity - Front	3650 lbs
Axle Capacity - Rear	3950 lbs
Axle Ratio (:1) - Front	
Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	1.81 mm
Shock Absorber Diameter - Rear	1.38 mm
Stabilizer Bar Diameter - Front	1.35 in
Stabilizer Bar Diameter - Rear	

Tires	
Front Tire Order Code	RC3
Rear Tire Order Code	RC3
Spare Tire Order Code	RC4
Front Tire Size	P265/70R17
Rear Tire Size	P265/70R17
Spare Tire Size	P265/70R17
Front Tire Capacity	N/A lbs
Rear Tire Capacity	N/A lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0214SB
 Aftermkt in option total

Wheels

Front Wheel Size	17 x 8.0 in
Rear Wheel Size	17 x 8.0 in
Spare Wheel Size	17 x -TBD- in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Electric Rack & Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	16.3
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	46.9 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	Pwr
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	13.0 x 1.18 in
Rear Brake Rotor Diam x Thickness	13.6 x 0.79 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	26 gal
Aux Fuel Tank Capacity, Approx	
Fuel Tank Location	N/A
Aux Fuel Tank Location	

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	9.3
EPA Greenhouse Gas Score	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0214SB
 Aftermkt in option total

Transmission

Drivetrain	Rear Wheel Drive
Trans Order Code	MYC
Trans Type	6
Trans Description Cont.	Automatic
Trans Description Cont. Again	
First Gear Ratio (:1)	4.03
Second Gear Ratio (:1)	2.36
Third Gear Ratio (:1)	1.53
Fourth Gear Ratio (:1)	1.15
Fifth Gear Ratio (:1)	0.85
Sixth Gear Ratio (:1)	0.67
Reverse Ratio (:1)	3.06
Clutch Size	
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	
Transfer Case Gear Ratio (:1), High	
Transfer Case Gear Ratio (:1), Low	
Transfer Case Power Take Off	

Mileage

EPA Fuel Economy Est - Hwy	23 MPG
Cruising Range - City	416.00 mi
EPA Fuel Economy Est - City	16 MPG
Fuel Economy Est-Combined	19 MPG
Cruising Range - Hwy	598.00 mi

Engine

Engine Order Code	L83
Engine Type	Gas/Ethanol V8
Displacement	5.3L/325
Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600
SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	Yes

Electrical

Cold Cranking Amps @ 0° F (Primary)	720
Cold Cranking Amps @ 0° F (2nd)	
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	150

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0214SB
 Aftermkt in option total

Cooling System

Total Cooling System Capacity	15.6 qts
-------------------------------	----------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	42.80 in
Front Leg Room	45.27 in
Front Shoulder Room	65.93 in
Front Hip Room	60.73 in
Second Head Room	38.67 in
Second Leg Room	34.63 in
Second Shoulder Room	65.80 in
Second Hip Room	60.23 in

Exterior Dimensions

Wheelbase	143.5 in
Length, Overall w/o rear bumper	230.03 in
Width, Max w/o mirrors	80.0 in
Height, Overall	73.87 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	141.37 in
Cab to Axle	41.50 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	34.8 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.47 in
Ground Clearance, Rear	8.47 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	78.87 in
Cargo Box Width @ Top, Rear	N/A in
Cargo Box Width @ Floor	64.9 in
Cargo Box Width @ Wheelhousings	51.03 in
Cargo Box (Area) Height	21.10 in
Tailgate Width	62.2 in
Cargo Volume	61.0 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0214SB
Aftermkt in option total

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215 LB
Aftermkt in option total

2017 Ford F-150 4WD SuperCab 8' Box



2017 Ford F-150 XL 4WD SuperCab 8' Box (X1E)

CLASS 0215 LB

TRUCK 1/2 TON EXTENDED CAB 4X4 LB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215 LB
Aftermkt in option total

Vehicle Information

SELECTED MODEL

Code	Description
X1E	2017 Ford F-150 XL 4WD SuperCab 8' Box

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
99F	ENGINE: 5.0L V8 FFV, (STD)
446	TRANSMISSION: ELECTRONIC 6-SPEED AUTOMATIC, -inc: tow/haul and sport mode (STD)
100A	EQUIPMENT GROUP 100A BASE
X27	3.31 AXLE RATIO, (STD)
64C	WHEELS: 17" SILVER STEEL, (STD)
T7C	TIRES: LT245/70R17E BSW A/T, w/o 627, REQUIRES valid FIN code.
—	STANDARD PAINT
CG	DARK EARTH GRAY, CLOTH 40/20/40 FRONT SEAT, -inc: 2-way manual driver/passenger adjustment and armrest
85A	XL POWER EQUIPMENT GROUP, -inc: Power Glass Sideview Mirrors w/Black Skull Caps, manual-folding, Power Door Locks, flip key and integrated key transmitter keyless-entry (includes Autolock), Illuminated Entry, Power Front & Rear Windows, Perimeter Alarm, Power Tailgate Lock, MyKey Owner controls feature, w/100A, REQUIRES valid FIN code., *GROSS*
53A	TRAILER TOW PACKAGE, -inc: Towing capability up to 11,100 lbs, Note: Ordering the Trailer Tow Package does not include Trailer Tow Mirrors, Trailer Tow Mirrors are a standalone option and must be ordered separately, (Option Code: 54M or 54Y/59S), Auxiliary Transmission Oil Cooler, Class IV Trailer Hitch Receiver, towing capability up to 5,000 lbs, on 3.5L Ti-VCT engine (998) and 2.7L EcoBoost engine (99P) or up to 7,000 lbs, on 3.5L EcoBoost engine (99G) and 5.0L V8 engine (99F), smart trailer tow connector and 4-pin/7-pin wiring harness, Upgraded Front Stabilizer Bar
425	50 STATE EMISSIONS, AVAILABLE ONLY to Commercial and Government Fleet.
53B	CLASS IV TRAILER HITCH RECEIVER, -inc: towing capability up to 5,000 lbs, on 3.5L Ti-VCT engine (998) and 2.7L EcoBoost engine (99P) or up to 7,000 lbs, on 3.5L EcoBoost engine (99G) and 5.0L V8 engine (99F), smart trailer tow connector and 4-pin/7-pin wiring harness
413	SKID PLATES, -inc: fuel tank, transfer case and front differential
153	FRONT LICENSE PLATE BRACKET, -inc: Standard in states requiring 2 license plates, optional to all others
942	DAYTIME RUNNING LAMPS, -inc: Non-controllable, REQUIRES valid FIN code.
58B	RADIO: AM/FM STEREO/SINGLE-CD PLAYER, -inc: 6 speakers, w/100A, REQUIRES valid FIN code.
52B	SYNC, -inc: enhanced voice recognition communication and entertainment system, 911 assist, 4.2" LCD display in center stack, Applink and 1 smart charging USB port, DELETES auxiliary audio input jack
50S	CRUISE CONTROL, w/100A, REQUIRES valid FIN code.
—	XL POWER EQUIPMENT GROUP SAVINGS, *DISCOUNT*

AFTERMARKET OPTIONS

Floormat, rubber, extended or double cab

Rubber floormat to be used on vinyl flooring. Floormat should not slide around for safety. Option code: AMO.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215 LB
Aftermkt in option total

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215 LB
Aftermkt in option total

Standard Equipment

MECHANICAL

Engine: 5.0L V8 FFV
Transmission: Electronic 6-Speed Automatic -inc: tow/haul and sport mode
3.31 Axle Ratio
GVWR: 7,000 lbs Payload Package
Transmission w/SelectShift Sequential Shift Control
Electronic Transfer Case
Part-Time Four-Wheel Drive
70-Amp/Hr 610CCA Maintenance-Free Battery w/Run Down Protection
200 Amp Alternator
Towing w/Harness and Trailer Sway Control
2060# Maximum Payload
Gas-Pressurized Shock Absorbers
Front Anti-Roll Bar
Electric Power-Assist Speed-Sensing Steering
23 Gal. Fuel Tank
Single Stainless Steel Exhaust
Auto Locking Hubs
Double Wishbone Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 17" Silver Steel
Tires: P265/70R17 OWL A/T
Regular Box Style
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Rear Step Bumper
Black Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Manual Side Mirrors w/Convex Spotter and Manual Folding
Fixed Rear Window
Light Tinted Glass
Variable Intermittent Wipers
Aluminum Panels
Black Grille
Tailgate Rear Cargo Access
Reverse Opening Rear Doors
Manual Tailgate/Rear Door Lock

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215 LB
Aftermkt in option total

Fully Automatic Aero-Composite Halogen Daytime Running Headlamps w/Delay-Off
Cargo Lamp w/High Mount Stop Light

ENTERTAINMENT

Radio: AM/FM Stereo w/6 Speakers -inc: auxiliary audio input jack (not available w/SYNC)
Radio w/Aux Audio Input Jack
Fixed Antenna
1 LCD Monitor In The Front

INTERIOR

Cloth 40/20/40 Front Seat -inc: 2-way manual driver/passenger adjustment and armrest
4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
60-40 Folding Split-Bench Front Facing Fold-Up Cushion Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp and Trip Odometer
Fixed Rear Windows
Front Cupholder
Rear Cupholder
Manual Air Conditioning
HVAC -inc: Underseat Ducts
Glove Box
Interior Trim -inc: Cabback Insulator and Chrome Interior Accents
Full Cloth Headliner
Urethane Gear Shift Knob
Day-Night Rearview Mirror
Passenger Visor Vanity Mirror
3 12V DC Power Outlets
Fade-To-Off Interior Lighting
Full Vinyl/Rubber Floor Covering
Pickup Cargo Box Lights
Instrument Panel Bin, Dashboard Storage, Driver / Passenger And Rear Door Bins
Manual 1st Row Windows
Outside Temp Gauge
Analog Display
Front Center Armrest
Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
Securilock Anti-Theft Ignition (pats) Engine Immobilizer

SAFETY

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215 LB
Aftermkt in option total

Dual Stage Driver And Passenger Front Airbags
Airbag Occupancy Sensor
Safety Canopy System Curtain 1st And 2nd Row Airbags
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0215 LB
 Aftermkt in option total

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	4930.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	2898.00 lbs
Base Trim Weight - Rear	2032.00 lbs
Gross Axle Wt Rating - Front	3650 lbs
Gross Axle Wt Rating - Rear	3800 lbs
Curb Weight - Front	2898 lbs
Curb Weight - Rear	2032 lbs
Option Weight - Front	47.00 lbs
Option Weight - Rear	39.00 lbs
Reserve Axle Capacity - Front	705.00 lbs
Reserve Axle Capacity - Rear	1729.00 lbs
As Spec'd Curb Weight	5016.00 lbs
As Spec'd Payload	1984.00 lbs
Maximum Payload Capacity	2070.00 lbs
Gross Combined Wt Rating	14300 lbs
Gross Axle Weight Rating	7450.00 lbs
Curb Weight	4930.00 lbs
Reserve Axle Capacity	2434.00 lbs
Total Option Weight	86.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	7000.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	8800 lbs
Dead Weight Hitch - Max Tongue Wt.	880 lbs
Wt Distributing Hitch - Max Trailer Wt.	8800 lbs
Wt Distributing Hitch - Max Tongue Wt.	880 lbs
Maximum Trailing Capacity	8800 lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0215 LB
 Aftermkt in option total

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Double Wishbone
Suspension Type - Rear	Leaf
Spring Capacity - Front	3650 lbs
Spring Capacity - Rear	3800 lbs
Axle Type - Front	Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	N/A lbs
Axle Capacity - Rear	N/A lbs
Axle Ratio (:1) - Front	3.31
Axle Ratio (:1) - Rear	3.31
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	T7C
Rear Tire Order Code	T7C
Spare Tire Order Code	
Front Tire Size	LT245/70SR17
Rear Tire Size	LT245/70SR17
Spare Tire Size	Full-Size
Front Tire Capacity	3650 lbs
Rear Tire Capacity	4050 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0215 LB
 Aftermkt in option total

Wheels

Front Wheel Size	17 X 7.5 in
Rear Wheel Size	17 X 7.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	53 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	13.8 in
Rear Brake Rotor Diam x Thickness	13.7 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	23 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	Midship
Aux Fuel Tank Location	Midship

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	10.3 (Est)
EPA Greenhouse Gas Score	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215 LB
Aftermkt in option total

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	446
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.17
Second Gear Ratio (:1)	2.34
Third Gear Ratio (:1)	1.52
Fourth Gear Ratio (:1)	1.14
Fifth Gear Ratio (:1)	0.86
Sixth Gear Ratio (:1)	0.69
Reverse Ratio (:1)	3.40
Clutch Size	N/A in
Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No

Mileage

EPA Fuel Economy Est - Hwy	21 (Est) MPG
Cruising Range - City	345.00 mi
EPA Fuel Economy Est - City	15 (Est) MPG
Fuel Economy Est-Combined	17 (Est) MPG
Cruising Range - Hwy	483.00 mi

Engine

Engine Order Code	99F
Engine Type	Regular Unleaded V-8
Displacement	5.0 L/302
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	385 @ 5750
SAE Net Torque @ RPM	387 @ 3850
Engine Oil Cooler	None

Electrical

Cold Cranking Amps @ 0° F (Primary)	610
Cold Cranking Amps @ 0° F (2nd)	610
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	200

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0215 LB
 Aftermkt in option total

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	40.8 in
Front Leg Room	43.9 in
Front Shoulder Room	66.7 in
Front Hip Room	62.5 in
Second Head Room	40.3 in
Second Leg Room	33.5 in
Second Shoulder Room	65.8 in
Second Hip Room	64.7 in

Exterior Dimensions

Wheelbase	163 in
Length, Overall w/o rear bumper	N/A in
Width, Max w/o mirrors	79.9 in
Height, Overall	77 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	35.7 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	9.3 in
Ground Clearance, Rear	9.3 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	96 in
Cargo Box Width @ Top, Rear	65.2 in
Cargo Box Width @ Floor	65.2 in
Cargo Box Width @ Wheelhousings	50.6 in
Cargo Box (Area) Height	21.4 in
Tailgate Width	N/A in
Cargo Volume	77.4 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215 LB
Aftermkt in option total

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215 SB
Aftermkt in option total

2017 Ford F-150 4WD SuperCab 6.5' Box



2017 Ford F-150 XL 4WD SuperCab 6.5' Box (X1E)

CLASS 0215 SB

TRUCK 1/2 TON EXTENDED CAB 4X4 SB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215 SB
Aftermkt in option total

Vehicle Information

SELECTED MODEL

Code	Description
X1E	2017 Ford F-150 XL 4WD SuperCab 6.5' Box

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
99F	ENGINE: 5.0L V8 FFV, -inc: 3.31 Axle Ratio, GVWR: 7,050 lbs Payload Package
446	TRANSMISSION: ELECTRONIC 6-SPEED AUTOMATIC, -inc: tow/haul and sport mode (STD)
100A	EQUIPMENT GROUP 100A BASE
X27	3.31 AXLE RATIO
64C	WHEELS: 17" SILVER STEEL, (STD)
T7C	TIRES: LT245/70R17E BSW A/T, REQUIRES valid FIN code.
—	STANDARD PAINT
CG	DARK EARTH GRAY, CLOTH 40/20/40 FRONT SEAT, -inc: 2-way manual driver/passenger adjustment and armrest
85A	XL POWER EQUIPMENT GROUP, -inc: Power Glass Sideview Mirrors w/Black Skull Caps, manual-folding, Power Door Locks, flip key and integrated key transmitter keyless-entry (includes Autolock), Illuminated Entry, Power Front & Rear Windows, Perimeter Alarm, Power Tailgate Lock, MyKey Owner controls feature, w/100A, REQUIRES valid FIN code., *GROSS*
53A	TRAILER TOW PACKAGE, -inc: Towing capability up to 11,100 lbs, Note: Ordering the Trailer Tow Package does not include Trailer Tow Mirrors, Trailer Tow Mirrors are a standalone option and must be ordered separately, (Option Code: 54M or 54Y/59S), Auxiliary Transmission Oil Cooler, Class IV Trailer Hitch Receiver, towing capability up to 5,000 lbs, on 3.5L Ti-VCT engine (998) and 2.7L EcoBoost engine (99P) or up to 7,000 lbs, on 3.5L EcoBoost engine (99G) and 5.0L V8 engine (99F), smart trailer tow connector and 4-pin/7-pin wiring harness, Upgraded Front Stabilizer Bar, w/998-inc: Engine Oil Cooler
425	50 STATE EMISSIONS, AVAILABLE ONLY to Commercial and Government Fleet.
53B	CLASS IV TRAILER HITCH RECEIVER, -inc: towing capability up to 5,000 lbs, on 3.5L Ti-VCT engine (998) and 2.7L EcoBoost engine (99P) or up to 7,000 lbs, on 3.5L EcoBoost engine (99G) and 5.0L V8 engine (99F), smart trailer tow connector and 4-pin/7-pin wiring harness
413	SKID PLATES, -inc: fuel tank, transfer case and front differential
—	GVWR: 7,050 LBS PAYLOAD PACKAGE
153	FRONT LICENSE PLATE BRACKET, -inc: Standard in states requiring 2 license plates, optional to all others
942	DAYTIME RUNNING LAMPS, -inc: Non-controllable, REQUIRES valid FIN code.
58B	RADIO: AM/FM STEREO/SINGLE-CD PLAYER, -inc: 6 speakers, w/100A, REQUIRES valid FIN code.
52B	SYNC, -inc: enhanced voice recognition communication and entertainment system, 911 assist, 4.2" LCD display in center stack, Applink and 1 smart charging USB port, DELETES auxiliary audio input jack
50S	CRUISE CONTROL, w/100A, REQUIRES valid FIN code.
—	XL POWER EQUIPMENT GROUP SAVINGS, *DISCOUNT*

AFTERMARKET OPTIONS

Floormat, rubber, extended or double cab

Rubber floormat to be used on vinyl flooring. Floormat should not slide around for safety. Option code: AMO.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215 SB
Aftermkt in option total

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215 SB
Aftermkt in option total

Standard Equipment

MECHANICAL

Engine: 3.5L V6 Ti-VCT FFV
Transmission: Electronic 6-Speed Automatic -inc: tow/haul and sport mode
3.73 Axle Ratio
GVWR: 6,300 lbs Payload Package
Electronic Transfer Case
Part-Time Four-Wheel Drive
70-Amp/Hr 610CCA Maintenance-Free Battery w/Run Down Protection
200 Amp Alternator
Towing w/Harness and Trailer Sway Control
1660# Maximum Payload
Gas-Pressurized Shock Absorbers
Front Anti-Roll Bar
Electric Power-Assist Speed-Sensing Steering
23 Gal. Fuel Tank
Single Stainless Steel Exhaust
Auto Locking Hubs
Double Wishbone Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake

EXTERIOR

Wheels: 17" Silver Steel
Tires: P265/70R17 OWL A/T
Regular Box Style
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Rear Step Bumper
Black Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Manual Side Mirrors w/Convex Spotter and Manual Folding
Fixed Rear Window
Light Tinted Glass
Variable Intermittent Wipers
Aluminum Panels
Black Grille
Tailgate Rear Cargo Access
Reverse Opening Rear Doors
Manual Tailgate/Rear Door Lock
Fully Automatic Aero-Composite Halogen Daytime Running Headlamps w/Delay-Off

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215 SB
Aftermkt in option total

Cargo Lamp w/High Mount Stop Light

ENTERTAINMENT

Radio: AM/FM Stereo w/6 Speakers -inc: auxiliary audio input jack (not available w/SYNC)
Radio w/Aux Audio Input Jack
Fixed Antenna
1 LCD Monitor In The Front

INTERIOR

Cloth 40/20/40 Front Seat -inc: 2-way manual driver/passenger adjustment and armrest
4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
60-40 Folding Split-Bench Front Facing Fold-Up Cushion Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp and Trip Odometer
Fixed Rear Windows
Front Cupholder
Rear Cupholder
Manual Air Conditioning
HVAC -inc: Underseat Ducts
Glove Box
Interior Trim -inc: Cabback Insulator and Chrome Interior Accents
Full Cloth Headliner
Urethane Gear Shift Knob
Day-Night Rearview Mirror
Passenger Visor Vanity Mirror
3 12V DC Power Outlets
Fade-To-Off Interior Lighting
Full Vinyl/Rubber Floor Covering
Pickup Cargo Box Lights
Instrument Panel Bin, Dashboard Storage, Driver / Passenger And Rear Door Bins
Manual 1st Row Windows
Outside Temp Gauge
Analog Display
Front Center Armrest
Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
Securilock Anti-Theft Ignition (pats) Engine Immobilizer

SAFETY

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215 SB
Aftermkt in option total

Airbag Occupancy Sensor
Safety Canopy System Curtain 1st And 2nd Row Airbags
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0215 SB
 Aftermkt in option total

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	4645.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	2780.00 lbs
Base Trim Weight - Rear	1865.00 lbs
Gross Axle Wt Rating - Front	3450 lbs
Gross Axle Wt Rating - Rear	3300 lbs
Curb Weight - Front	2780 lbs
Curb Weight - Rear	1865 lbs
Option Weight - Front	164.00 lbs
Option Weight - Rear	76.00 lbs
Reserve Axle Capacity - Front	506.00 lbs
Reserve Axle Capacity - Rear	1359.00 lbs
As Spec'd Curb Weight	4885.00 lbs
As Spec'd Payload	1865.00 lbs
Maximum Payload Capacity	2405.00 lbs
Gross Combined Wt Rating	12200 lbs
Gross Axle Weight Rating	6750.00 lbs
Curb Weight	4645.00 lbs
Reserve Axle Capacity	1865.00 lbs
Total Option Weight	240.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	6750.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	7200 lbs
Dead Weight Hitch - Max Tongue Wt.	720 lbs
Wt Distributing Hitch - Max Trailer Wt.	7200 lbs
Wt Distributing Hitch - Max Tongue Wt.	720 lbs
Maximum Trailering Capacity	7200 lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0215 SB
 Aftermkt in option total

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in
Suspension	
Suspension Type - Front	Double Wishbone
Suspension Type - Rear	Leaf
Spring Capacity - Front	3450 lbs
Spring Capacity - Rear	3300 lbs
Axle Type - Front	Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	N/A lbs
Axle Capacity - Rear	N/A lbs
Axle Ratio (:1) - Front	3.31
Axle Ratio (:1) - Rear	3.31
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in
Tires	
Front Tire Order Code	T7C
Rear Tire Order Code	T7C
Spare Tire Order Code	
Front Tire Size	LT245/70SR17
Rear Tire Size	LT245/70SR17
Spare Tire Size	Full-Size
Front Tire Capacity	3650 lbs
Rear Tire Capacity	4050 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0215 SB
 Aftermkt in option total

Wheels

Front Wheel Size	17 X 7.5 in
Rear Wheel Size	17 X 7.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	47.1 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	13.8 in
Rear Brake Rotor Diam x Thickness	13.7 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	23 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	Midship
Aux Fuel Tank Location	Midship

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	10.3 (Est)
EPA Greenhouse Gas Score	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0215 SB
 Aftermkt in option total

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	446
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.17
Second Gear Ratio (:1)	2.34
Third Gear Ratio (:1)	1.52
Fourth Gear Ratio (:1)	1.14
Fifth Gear Ratio (:1)	0.86
Sixth Gear Ratio (:1)	0.69
Reverse Ratio (:1)	3.40
Clutch Size	N/A in
Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No

Mileage

EPA Fuel Economy Est - Hwy	21 (Est) MPG
Cruising Range - City	345.00 mi
EPA Fuel Economy Est - City	15 (Est) MPG
Fuel Economy Est-Combined	17 (Est) MPG
Cruising Range - Hwy	483.00 mi

Engine

Engine Order Code	99F
Engine Type	Regular Unleaded V-8
Displacement	5.0 L/302
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	385 @ 5750
SAE Net Torque @ RPM	387 @ 3850
Engine Oil Cooler	Regular Duty

Electrical

Cold Cranking Amps @ 0° F (Primary)	610
Cold Cranking Amps @ 0° F (2nd)	610
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	200

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0215 SB
 Aftermkt in option total

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	40.8 in
Front Leg Room	43.9 in
Front Shoulder Room	66.7 in
Front Hip Room	62.5 in
Second Head Room	40.3 in
Second Leg Room	33.5 in
Second Shoulder Room	65.8 in
Second Hip Room	64.7 in

Exterior Dimensions

Wheelbase	145 in
Length, Overall w/o rear bumper	N/A in
Width, Max w/o mirrors	79.9 in
Height, Overall	77.2 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	34.5 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	9.3 in
Ground Clearance, Rear	9.3 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	78 in
Cargo Box Width @ Top, Rear	65.2 in
Cargo Box Width @ Floor	65.2 in
Cargo Box Width @ Wheelhousings	50.6 in
Cargo Box (Area) Height	21.4 in
Tailgate Width	N/A in
Cargo Volume	62.3 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215 SB
Aftermkt in option total

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0216 LB
Aftermkt in option total

2017 Ford Super Duty F-250 SRW 2WD Reg Cab 8' Box



2017 Ford Super Duty F-250 SRW XL 2WD Reg Cab 8' Box (F2A)

CLASS 0216 LB

TRUCK 3/4 TON REGULAR CAB 4X2 LB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0216 LB
Aftermkt in option total

Vehicle Information

SELECTED MODEL

Code	Description
F2A	2017 Ford Super Duty F-250 SRW XL 2WD Reg Cab 8' Box

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
996	ENGINE: 6.2L 2-VALVE SOHC EFI NA V8 FLEX-FUEL, (STD)
44S	TRANSMISSION: TORQSHIFT-G 6-SPD AUTO W/SELECTSHIFT, (STD)
600A	ORDER CODE 600A
X37	3.73 AXLE RATIO, (STD)
64A	WHEELS: 17" ARGENT PAINTED STEEL, -inc: painted hub covers/center ornaments (STD)
TBM	TIRES: LT245/75RX17E BSW A/T
—	STANDARD PAINT
1S	MEDIUM EARTH GRAY, CLOTH 40/20/40 SPLIT BENCH SEAT, -inc: center armrest, cupholder, storage and driver's side manual lumbar
90L	POWER EQUIPMENT GROUP, -inc: Deletes passenger-side lock cylinder, upgraded door trim panel, Accessory Delay, Remote Keyless Entry, Trailer Tow Mirrors w/Power Heated Glass, manual telescoping, heated convex spotter mirror and integrated clearance lamps/turn signals, Perimeter Alarm, Power Front Seat Windows, 1-touch up/down driver/passenger window, Power Tailgate Lock, Power Locks
942	DAYTIME RUNNING LAMPS (DRL), -inc: The non-controllable 942 Daytime Running Lamps (DRL) replace the standard Daytime Running Lamps (DRL), on/off cluster controllable, (LPO) REQUIRES Valid FIN Code.
585	RADIO: AM/FM STEREO/SINGLE-CD/MP3, (LPO) w/o 17S,96V-inc: aux audio input jack and 4 speakers w/96V&17S-inc: 4 speakers w/o 17S,96V, REQUIRES Valid FIN Code.
91M	SYNC COMMUNICATIONS & ENTERTAINMENT SYSTEM, -inc: enhanced voice recognition, 911 Assist, 4.2" LCD screen in center stack, AppLink, 1 smart-charging USB port and steering wheel audio controls, w/585&!(17S,96V), REQUIRES Valid FIN Code.
525	STEERING WHEEL-MOUNTED CRUISE CONTROL, (LPO) w/o 17S,96V, REQUIRES Valid FIN Code.

AFTERMARKET OPTIONS

Floormat, rubber, regular cab

Rubber floormat to be used on vinyl flooring. Floormat should not slide around for safety. Option code: AMO.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0216 LB
Aftermkt in option total

Standard Equipment

MECHANICAL

Engine: 6.2L 2-Valve SOHC EFI NA V8 Flex-Fuel
Transmission: TorqShift-G 6-Spd Auto w/SelectShift
3.73 Axle Ratio
GVWR: 9,950 lb Payload Package
50-State Emissions System
Transmission w/Oil Cooler
Rear-Wheel Drive
72-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection
157 Amp Alternator
Class V Towing w/Harness, Hitch and Trailer Sway Control
4200# Maximum Payload
HD Shock Absorbers
Front Anti-Roll Bar
Firm Suspension
Hydraulic Power-Assist Steering
34 Gal. Fuel Tank
Single Stainless Steel Exhaust
Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 17" Argent Painted Steel -inc: painted hub covers/center ornaments
Tires: LT245/75R17E BSW A/S
Regular Box Style
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks
Black Rear Step Bumper
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Manual Side Mirrors w/Manual Folding
Manual Extendable Trailer Style Mirrors
Fixed Rear Window
Light Tinted Glass
Variable Intermittent Wipers
Aluminum Panels
Black Grille
Front License Plate Bracket
Tailgate Rear Cargo Access

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0216 LB
Aftermkt in option total

Manual Tailgate/Rear Door Lock
Fully Automatic Aero-Composite Halogen Daytime Running Lights Preference Setting Headlamps w/Delay-Off
Cargo Lamp w/High Mount Stop Light

ENTERTAINMENT

Radio: AM/FM Stereo -inc: digital clock and 4-speakers
Fixed Antenna
1 LCD Monitor In The Front

INTERIOR

4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
Manual Air Conditioning
Illuminated Locking Glove Box
Interior Trim -inc: Chrome Interior Accents
Full Cloth Headliner
Urethane Gear Shift Knob
HD Vinyl 40/20/40 Split Bench Seat -inc: center armrest, cupholder, storage and driver's side manual lumbar
Day-Night Rearview Mirror
Passenger Visor Vanity Mirror
2 12V DC Power Outlets
Front Map Lights
Fade-To-Off Interior Lighting
Full Vinyl/Rubber Floor Covering
Underhood And Pickup Cargo Box Lights
Instrument Panel Bin and Covered Dashboard Storage
Manual 1st Row Windows
Systems Monitor
Trip Computer
Outside Temp Gauge
Analog Display
Manual Adjustable Front Head Restraints
Securilock Anti-Theft Ignition (pats) Engine Immobilizer
Air Filtration

SAFETY

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags w/Passenger Off Switch
Safety Canopy System Curtain 1st Row Airbags

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0216 LB
Aftermkt in option total

Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute

Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0216 LB
 Aftermkt in option total

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	5683.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	3281.00 lbs
Base Trim Weight - Rear	2402.00 lbs
Gross Axle Wt Rating - Front	3950 lbs
Gross Axle Wt Rating - Rear	6340 lbs
Curb Weight - Front	3281 lbs
Curb Weight - Rear	2402 lbs
Option Weight - Front	18.00 lbs
Option Weight - Rear	6.00 lbs
Reserve Axle Capacity - Front	651.00 lbs
Reserve Axle Capacity - Rear	3932.00 lbs
As Spec'd Curb Weight	5707.00 lbs
As Spec'd Payload	4243.00 lbs
Maximum Payload Capacity	4267.00 lbs
Gross Combined Wt Rating	N/A lbs
Gross Axle Weight Rating	10290.00 lbs
Curb Weight	5683.00 lbs
Reserve Axle Capacity	4583.00 lbs
Total Option Weight	24.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	9950.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	N/A lbs
Dead Weight Hitch - Max Tongue Wt.	N/A lbs
Wt Distributing Hitch - Max Trailer Wt.	N/A lbs
Wt Distributing Hitch - Max Tongue Wt.	N/A lbs
Maximum Trailing Capacity	N/A lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0216 LB
 Aftermkt in option total

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Other
Suspension Type - Rear	Leaf
Spring Capacity - Front	3950 lbs
Spring Capacity - Rear	6340 lbs
Axle Type - Front	Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	5250 lbs
Axle Capacity - Rear	6200 lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	TBM
Rear Tire Order Code	TBM
Spare Tire Order Code	
Front Tire Size	LT245/75SR17
Rear Tire Size	LT245/75SR17
Spare Tire Size	Full-Size
Front Tire Capacity	6390 lbs
Rear Tire Capacity	6390 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	645
Revolutions/Mile @ 45 mph - Rear	645
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0216 LB
 Aftermkt in option total

Wheels

Front Wheel Size	17 X 7.5 in
Rear Wheel Size	17 X 7.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Re-Circulating Ball
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	49.1 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	14.3 in
Rear Brake Rotor Diam x Thickness	14.3 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	34 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	Midship
Aux Fuel Tank Location	Midship

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	N/A
EPA Greenhouse Gas Score	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0216 LB
Aftermkt in option total

Transmission

Drivetrain	Rear Wheel Drive
Trans Order Code	44S
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.17
Second Gear Ratio (:1)	2.34
Third Gear Ratio (:1)	1.52
Fourth Gear Ratio (:1)	1.14
Fifth Gear Ratio (:1)	0.87
Sixth Gear Ratio (:1)	0.69
Reverse Ratio (:1)	3.40
Clutch Size	N/A in
Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No

Mileage

EPA Fuel Economy Est - Hwy	N/A MPG
Cruising Range - City	N/A mi
EPA Fuel Economy Est - City	N/A MPG
Fuel Economy Est-Combined	N/A MPG
Cruising Range - Hwy	N/A mi

Engine

Engine Order Code	996
Engine Type	Regular Unleaded V-8
Displacement	6.2 L/379
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	385 @ 5750
SAE Net Torque @ RPM	430 @ 3800
Engine Oil Cooler	None

Electrical

Cold Cranking Amps @ 0° F (Primary)	650
Cold Cranking Amps @ 0° F (2nd)	650
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	157

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0216 LB
 Aftermkt in option total

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	3
Front Head Room	40.8 in
Front Leg Room	43.9 in
Front Shoulder Room	66.7 in
Front Hip Room	62.5 in
Second Head Room	N/A in
Second Leg Room	N/A in
Second Shoulder Room	N/A in
Second Hip Room	N/A in

Exterior Dimensions

Wheelbase	142 in
Length, Overall w/o rear bumper	N/A in
Width, Max w/o mirrors	80 in
Height, Overall	77.9 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	56.1 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	36.1 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.5 in
Ground Clearance, Rear	8.5 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	98.1 in
Cargo Box Width @ Top, Rear	66.9 in
Cargo Box Width @ Floor	66.9 in
Cargo Box Width @ Wheelhousings	50.5 in
Cargo Box (Area) Height	21.1 in
Tailgate Width	N/A in
Cargo Volume	78.5 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0216 LB
Aftermkt in option total

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0217 LB
Aftermkt in option total

2017 Ford Super Duty F-250 SRW 4WD Reg Cab 8' Box



2017 Ford Super Duty F-250 SRW XL 4WD Reg Cab 8' Box (F2B)

CLASS 0217 LB

TRUCK 3/4 TON REGULAR CAB 4X4 LB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0217 LB
Aftermkt in option total

Vehicle Information

SELECTED MODEL

Code	Description
F2B	2017 Ford Super Duty F-250 SRW XL 4WD Reg Cab 8' Box

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
996	ENGINE: 6.2L 2-VALVE SOHC EFI NA V8 FLEX-FUEL, (STD)
44S	TRANSMISSION: TORQSHIFT-G 6-SPD AUTO W/SELECTSHIFT, (STD)
600A	ORDER CODE 600A
X37	3.73 AXLE RATIO, (STD)
64A	WHEELS: 17" ARGENT PAINTED STEEL, -inc: painted hub covers/center ornaments (STD)
TBM	TIRES: LT245/75RX17E BSW A/T
—	STANDARD PAINT
1S	MEDIUM EARTH GRAY, CLOTH 40/20/40 SPLIT BENCH SEAT, -inc: center armrest, cupholder, storage and driver's side manual lumbar
—	HEAVY-DUTY 157 AMP ALTERNATOR
90L	POWER EQUIPMENT GROUP, -inc: Deletes passenger-side lock cylinder, upgraded door trim panel, Accessory Delay, Remote Keyless Entry, Trailer Tow Mirrors w/Power Heated Glass, manual telescoping, heated convex spotter mirror and integrated clearance lamps/turn signals, Perimeter Alarm, Power Front Seat Windows, 1-touch up/down driver/passenger window, Power Tailgate Lock, Power Locks
213	4X4 ELECTRONIC-SHIFT-ON-THE-FLY (ESOF), -inc: manual-locking hubs and auto rotary control on instrument panel
41P	TRANSFER CASE & FUEL TANK SKID PLATES
942	DAYTIME RUNNING LAMPS (DRL), -inc: The non-controllable 942 Daytime Running Lamps (DRL) replace the standard Daytime Running Lamps (DRL), on/off cluster controllable, (LPO) REQUIRES Valid FIN Code.
585	RADIO: AM/FM STEREO/SINGLE-CD/MP3, (LPO) w/o 17S,96V-inc: aux audio input jack and 4 speakers w/96V&17S-inc: 4 speakers w/o 17S,96V, REQUIRES Valid FIN Code.
91M	SYNC COMMUNICATIONS & ENTERTAINMENT SYSTEM, -inc: enhanced voice recognition, 911 Assist, 4.2" LCD screen in center stack, AppLink, 1 smart-charging USB port and steering wheel audio controls, w/585&! (17S,96V), REQUIRES Valid FIN Code.
525	STEERING WHEEL-MOUNTED CRUISE CONTROL, (LPO) w/o 17S,96V, REQUIRES Valid FIN Code.

AFTERMARKET OPTIONS

Floormat, rubber, regular cab

Rubber floormat to be used on vinyl flooring. Floormat should not slide around for safety. Option code: AMO.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0217 LB
Aftermkt in option total

Standard Equipment

MECHANICAL

Engine: 6.2L 2-Valve SOHC EFI NA V8 Flex-Fuel
Transmission: TorqShift-G 6-Spd Auto w/SelectShift
3.73 Axle Ratio
GVWR: 10,000 lb Payload Package
50-State Emissions System
Transmission w/Oil Cooler
Manual Transfer Case
Part-Time Four-Wheel Drive
72-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection
Class V Towing w/Harness, Hitch and Trailer Sway Control
3830# Maximum Payload
HD Shock Absorbers
Front Anti-Roll Bar
Firm Suspension
Hydraulic Power-Assist Steering
34 Gal. Fuel Tank
Single Stainless Steel Exhaust
Manual Locking Hubs
Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 17" Argent Painted Steel -inc: painted hub covers/center ornaments
Tires: LT245/75R17E BSW A/S PLUS (4)
Regular Box Style
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks
Black Rear Step Bumper
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Manual Side Mirrors w/Manual Folding
Manual Extendable Trailer Style Mirrors
Fixed Rear Window
Light Tinted Glass
Variable Intermittent Wipers
Aluminum Panels
Black Grille
Front License Plate Bracket

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0217 LB
Aftermkt in option total

Tailgate Rear Cargo Access
Manual Tailgate/Rear Door Lock
Fully Automatic Aero-Composite Halogen Daytime Running Lights Preference Setting Headlamps w/Delay-Off
Cargo Lamp w/High Mount Stop Light

ENTERTAINMENT

Radio: AM/FM Stereo -inc: digital clock and 4-speakers
Fixed Antenna
1 LCD Monitor In The Front

INTERIOR

4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
Manual Air Conditioning
Illuminated Locking Glove Box
Interior Trim -inc: Chrome Interior Accents
Full Cloth Headliner
Urethane Gear Shift Knob
HD Vinyl 40/20/40 Split Bench Seat -inc: center armrest, cupholder, storage and driver's side manual lumbar
Day-Night Rearview Mirror
Passenger Visor Vanity Mirror
2 12V DC Power Outlets
Front Map Lights
Fade-To-Off Interior Lighting
Full Vinyl/Rubber Floor Covering
Underhood And Pickup Cargo Box Lights
Instrument Panel Bin and Covered Dashboard Storage
Manual 1st Row Windows
Systems Monitor
Trip Computer
Outside Temp Gauge
Analog Display
Manual Adjustable Front Head Restraints
Securilock Anti-Theft Ignition (pats) Engine Immobilizer
Air Filtration

SAFETY

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags w/Passenger Off Switch

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0217 LB
Aftermkt in option total

Safety Canopy System Curtain 1st Row Airbags

Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute

Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0217 LB
 Aftermkt in option total

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	6106.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	3626.00 lbs
Base Trim Weight - Rear	2480.00 lbs
Gross Axle Wt Rating - Front	4400 lbs
Gross Axle Wt Rating - Rear	6340 lbs
Curb Weight - Front	3626 lbs
Curb Weight - Rear	2480 lbs
Option Weight - Front	36.00 lbs
Option Weight - Rear	28.00 lbs
Reserve Axle Capacity - Front	738.00 lbs
Reserve Axle Capacity - Rear	3832.00 lbs
As Spec'd Curb Weight	6170.00 lbs
As Spec'd Payload	3830.00 lbs
Maximum Payload Capacity	3894.00 lbs
Gross Combined Wt Rating	N/A lbs
Gross Axle Weight Rating	10740.00 lbs
Curb Weight	6106.00 lbs
Reserve Axle Capacity	4570.00 lbs
Total Option Weight	64.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	10000.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	N/A lbs
Dead Weight Hitch - Max Tongue Wt.	N/A lbs
Wt Distributing Hitch - Max Trailer Wt.	N/A lbs
Wt Distributing Hitch - Max Tongue Wt.	N/A lbs
Maximum Trailing Capacity	N/A lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0217 LB
 Aftermkt in option total

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Other
Suspension Type - Rear	Leaf
Spring Capacity - Front	4400 lbs
Spring Capacity - Rear	6340 lbs
Axle Type - Front	Non-Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	6000 lbs
Axle Capacity - Rear	6200 lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	TBM
Rear Tire Order Code	TBM
Spare Tire Order Code	
Front Tire Size	LT245/75SR17
Rear Tire Size	LT245/75SR17
Spare Tire Size	Full-Size
Front Tire Capacity	6390 lbs
Rear Tire Capacity	6390 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	645
Revolutions/Mile @ 45 mph - Rear	645
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0217 LB
 Aftermkt in option total

Wheels

Front Wheel Size	17 X 7.5 in
Rear Wheel Size	17 X 7.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Re-Circulating Ball
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	47.6 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	14.3 in
Rear Brake Rotor Diam x Thickness	14.3 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	34 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	Midship
Aux Fuel Tank Location	Midship

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	N/A
EPA Greenhouse Gas Score	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0217 LB
Aftermkt in option total

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	44S
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.17
Second Gear Ratio (:1)	2.34
Third Gear Ratio (:1)	1.52
Fourth Gear Ratio (:1)	1.14
Fifth Gear Ratio (:1)	0.87
Sixth Gear Ratio (:1)	0.69
Reverse Ratio (:1)	3.40
Clutch Size	N/A in
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No

Mileage

EPA Fuel Economy Est - Hwy	N/A MPG
Cruising Range - City	N/A mi
EPA Fuel Economy Est - City	N/A MPG
Fuel Economy Est-Combined	N/A MPG
Cruising Range - Hwy	N/A mi

Engine

Engine Order Code	996
Engine Type	Regular Unleaded V-8
Displacement	6.2 L/379
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	385 @ 5750
SAE Net Torque @ RPM	430 @ 3800
Engine Oil Cooler	None

Electrical

Cold Cranking Amps @ 0° F (Primary)	650
Cold Cranking Amps @ 0° F (2nd)	650
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	157

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0217 LB
 Aftermkt in option total

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	3
Front Head Room	40.8 in
Front Leg Room	43.9 in
Front Shoulder Room	66.7 in
Front Hip Room	62.5 in
Second Head Room	N/A in
Second Leg Room	N/A in
Second Shoulder Room	N/A in
Second Hip Room	N/A in

Exterior Dimensions

Wheelbase	142 in
Length, Overall w/o rear bumper	N/A in
Width, Max w/o mirrors	80 in
Height, Overall	81.1 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	56.1 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	38.7 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.3 in
Ground Clearance, Rear	8.3 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	98.1 in
Cargo Box Width @ Top, Rear	66.9 in
Cargo Box Width @ Floor	66.9 in
Cargo Box Width @ Wheelhousings	50.5 in
Cargo Box (Area) Height	21.1 in
Tailgate Width	N/A in
Cargo Volume	78.5 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0217 LB
Aftermkt in option total

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0218 LB
Aftermkt in option total

2017 Ford Super Duty F-250 SRW 2WD SuperCab 8' Box



2017 Ford Super Duty F-250 SRW XL 2WD SuperCab 8' Box (X2A)

CLASS 0218 LB

TRUCK 3/4 TON EXTENDED CAB 4X2 LB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0218 LB
Aftermkt in option total

Vehicle Information

SELECTED MODEL

Code	Description
X2A	2017 Ford Super Duty F-250 SRW XL 2WD SuperCab 8' Box

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
996	ENGINE: 6.2L 2-VALVE SOHC EFI NA V8 FLEX-FUEL, (STD)
44S	TRANSMISSION: TORQSHIFT-G 6-SPD AUTO W/SELECTSHIFT, (STD)
600A	ORDER CODE 600A
X37	3.73 AXLE RATIO, (STD)
64A	WHEELS: 17" ARGENT PAINTED STEEL, -inc: painted hub covers/center ornaments (STD)
TBM	TIRES: LT245/75RX17E BSW A/T
—	STANDARD PAINT
1S	MEDIUM EARTH GRAY, CLOTH 40/20/40 SPLIT BENCH SEAT, -inc: center armrest, cupholder, storage and driver's side manual lumbar
90L	POWER EQUIPMENT GROUP, -inc: Deletes passenger-side lock cylinder, upgraded door trim panel, Accessory Delay, Remote Keyless Entry, Trailer Tow Mirrors w/Power Heated Glass, manual telescoping, heated convex spotter mirror and integrated clearance lamps/turn signals, Perimeter Alarm, Power Front & Rear Seat Windows, 1-touch up/down driver/passenger window, Power Tailgate Lock, Power Locks
942	DAYTIME RUNNING LAMPS (DRL), -inc: The non-controllable 942 Daytime Running Lamps (DRL) replace the standard Daytime Running Lamps (DRL), on/off cluster controllable, (LPO) REQUIRES Valid FIN Code.
585	RADIO: AM/FM STEREO/SINGLE-CD/MP3, (LPO) w/o 17S,96V-inc: aux audio input jack and 6 speakers w/96V&17S-inc: 6 speakers w/o 17S,96V, REQUIRES Valid FIN Code.
91M	SYNC COMMUNICATIONS & ENTERTAINMENT SYSTEM, -inc: enhanced voice recognition, 911 Assist, 4.2" LCD screen in center stack, AppLink, 1 smart-charging USB port and steering wheel audio controls
525	STEERING WHEEL-MOUNTED CRUISE CONTROL, (LPO) w/o 17S,96V, REQUIRES Valid FIN Code.

AFTERMARKET OPTIONS

Floormat, rubber, extended or double cab

Rubber floormat to be used on vinyl flooring. Floormat should not slide around for safety. Option code: AMO.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0218 LB
Aftermkt in option total

Standard Equipment

MECHANICAL

Engine: 6.2L 2-Valve SOHC EFI NA V8 Flex-Fuel
Transmission: TorqShift-G 6-Spd Auto w/SelectShift
3.73 Axle Ratio
GVWR: 10,000 lb Payload Package
50-State Emissions System
Transmission w/Oil Cooler
Rear-Wheel Drive
72-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection
157 Amp Alternator
Class V Towing w/Harness, Hitch and Trailer Sway Control
3910# Maximum Payload
HD Shock Absorbers
Front Anti-Roll Bar
Firm Suspension
Hydraulic Power-Assist Steering
34 Gal. Fuel Tank
Single Stainless Steel Exhaust
Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 17" Argent Painted Steel -inc: painted hub covers/center ornaments
Tires: LT245/75R17E BSW A/S
Regular Box Style
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks
Black Rear Step Bumper
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Manual Side Mirrors w/Manual Folding
Manual Extendable Trailer Style Mirrors
Fixed Rear Window
Light Tinted Glass
Variable Intermittent Wipers
Aluminum Panels
Black Grille
Front License Plate Bracket
Tailgate Rear Cargo Access

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0218 LB
Aftermkt in option total

Reverse Opening Rear Doors
Manual Tailgate/Rear Door Lock
Fully Automatic Aero-Composite Halogen Daytime Running Lights Preference Setting Headlamps w/Delay-Off
Cargo Lamp w/High Mount Stop Light

ENTERTAINMENT

Radio: AM/FM Stereo -inc: digital clock and 6-speakers
Fixed Antenna
1 LCD Monitor In The Front

INTERIOR

4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
60-40 Folding Split-Bench Front Facing Fold-Up Cushion Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
Fixed Rear Windows
Manual Air Conditioning
HVAC -inc: Underseat Ducts
Illuminated Locking Glove Box
Interior Trim -inc: Chrome Interior Accents
Full Cloth Headliner
Urethane Gear Shift Knob
HD Vinyl 40/20/40 Split Bench Seat -inc: center armrest, cupholder, storage and driver's side manual lumbar
Day-Night Rearview Mirror
Passenger Visor Vanity Mirror
2 12V DC Power Outlets
Full Overhead Console w/Storage and 2 12V DC Power Outlets
Front Map Lights
Fade-To-Off Interior Lighting
Full Vinyl/Rubber Floor Covering
Underhood And Pickup Cargo Box Lights
Instrument Panel Bin and Covered Dashboard Storage
Manual 1st Row Windows
Systems Monitor
Trip Computer
Outside Temp Gauge
Analog Display
Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
Securilock Anti-Theft Ignition (pats) Engine Immobilizer
Air Filtration

SAFETY

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0218 LB
Aftermkt in option total

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags w/Passenger Off Switch
Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute
Safety Canopy System Curtain 1st And 2nd Row Airbags
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point and Height Adjusters

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0218 LB
 Aftermkt in option total

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	6027.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	3467.00 lbs
Base Trim Weight - Rear	2560.00 lbs
Gross Axle Wt Rating - Front	4400 lbs
Gross Axle Wt Rating - Rear	6340 lbs
Curb Weight - Front	3467 lbs
Curb Weight - Rear	2560 lbs
Option Weight - Front	21.00 lbs
Option Weight - Rear	9.00 lbs
Reserve Axle Capacity - Front	912.00 lbs
Reserve Axle Capacity - Rear	3771.00 lbs
As Spec'd Curb Weight	6057.00 lbs
As Spec'd Payload	3943.00 lbs
Maximum Payload Capacity	3973.00 lbs
Gross Combined Wt Rating	N/A lbs
Gross Axle Weight Rating	10740.00 lbs
Curb Weight	6027.00 lbs
Reserve Axle Capacity	4683.00 lbs
Total Option Weight	30.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	10000.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	N/A lbs
Dead Weight Hitch - Max Tongue Wt.	N/A lbs
Wt Distributing Hitch - Max Trailer Wt.	N/A lbs
Wt Distributing Hitch - Max Tongue Wt.	N/A lbs
Maximum Trailing Capacity	N/A lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0218 LB
 Aftermkt in option total

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Other
Suspension Type - Rear	Leaf
Spring Capacity - Front	4400 lbs
Spring Capacity - Rear	6340 lbs
Axle Type - Front	Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	5250 lbs
Axle Capacity - Rear	6200 lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	TBM
Rear Tire Order Code	TBM
Spare Tire Order Code	
Front Tire Size	LT245/75SR17
Rear Tire Size	LT245/75SR17
Spare Tire Size	Full-Size
Front Tire Capacity	6390 lbs
Rear Tire Capacity	6390 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	645
Revolutions/Mile @ 45 mph - Rear	645
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0218 LB
 Aftermkt in option total

Wheels

Front Wheel Size	17 X 7.5 in
Rear Wheel Size	17 X 7.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Re-Circulating Ball
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	56 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	14.3 in
Rear Brake Rotor Diam x Thickness	14.3 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	34 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	Midship
Aux Fuel Tank Location	Midship

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	N/A
EPA Greenhouse Gas Score	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0218 LB
Aftermkt in option total

Transmission

Drivetrain	Rear Wheel Drive
Trans Order Code	44S
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.17
Second Gear Ratio (:1)	2.34
Third Gear Ratio (:1)	1.52
Fourth Gear Ratio (:1)	1.14
Fifth Gear Ratio (:1)	0.87
Sixth Gear Ratio (:1)	0.69
Reverse Ratio (:1)	3.40
Clutch Size	N/A in
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No

Mileage

EPA Fuel Economy Est - Hwy	N/A MPG
Cruising Range - City	N/A mi
EPA Fuel Economy Est - City	N/A MPG
Fuel Economy Est-Combined	N/A MPG
Cruising Range - Hwy	N/A mi

Engine

Engine Order Code	996
Engine Type	Regular Unleaded V-8
Displacement	6.2 L/379
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	385 @ 5750
SAE Net Torque @ RPM	430 @ 3800
Engine Oil Cooler	None

Electrical

Cold Cranking Amps @ 0° F (Primary)	650
Cold Cranking Amps @ 0° F (2nd)	650
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	157

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0218 LB
 Aftermkt in option total

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	40.8 in
Front Leg Room	43.9 in
Front Shoulder Room	66.7 in
Front Hip Room	62.5 in
Second Head Room	40.3 in
Second Leg Room	33.5 in
Second Shoulder Room	65.8 in
Second Hip Room	64.7 in

Exterior Dimensions

Wheelbase	164 in
Length, Overall w/o rear bumper	N/A in
Width, Max w/o mirrors	80 in
Height, Overall	78.1 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	56.1 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	35.3 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.5 in
Ground Clearance, Rear	8.5 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	98.1 in
Cargo Box Width @ Top, Rear	66.9 in
Cargo Box Width @ Floor	66.9 in
Cargo Box Width @ Wheelhousings	50.5 in
Cargo Box (Area) Height	21.1 in
Tailgate Width	N/A in
Cargo Volume	78.5 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0218 LB
Aftermkt in option total

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0218 SB
Aftermkt in option total

2017 Ford Super Duty F-250 SRW 2WD SuperCab 6.75' Box



2017 Ford Super Duty F-250 SRW XL 2WD SuperCab 6.75' Box (X2A)

CLASS 0218 SB

TRUCK 3/4 TON EXTENDED CAB 4X2 SB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0218 SB
Aftermkt in option total

Vehicle Information

SELECTED MODEL

Code	Description
X2A	2017 Ford Super Duty F-250 SRW XL 2WD SuperCab 6.75' Box

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
996	ENGINE: 6.2L 2-VALVE SOHC EFI NA V8 FLEX-FUEL, (STD)
44S	TRANSMISSION: TORQSHIFT-G 6-SPD AUTO W/SELECTSHIFT, (STD)
600A	ORDER CODE 600A
X37	3.73 AXLE RATIO, (STD)
64A	WHEELS: 17" ARGENT PAINTED STEEL, -inc: painted hub covers/center ornaments (STD)
TBM	TIRES: LT245/75RX17E BSW A/T
—	STANDARD PAINT
1S	MEDIUM EARTH GRAY, CLOTH 40/20/40 SPLIT BENCH SEAT, -inc: center armrest, cupholder, storage and driver's side manual lumbar
90L	POWER EQUIPMENT GROUP, -inc: Deletes passenger-side lock cylinder, upgraded door trim panel, Accessory Delay, Remote Keyless Entry, Trailer Tow Mirrors w/Power Heated Glass, manual telescoping, heated convex spotter mirror and integrated clearance lamps/turn signals, Perimeter Alarm, Power Front & Rear Seat Windows, 1-touch up/down driver/passenger window, Power Tailgate Lock, Power Locks
942	DAYTIME RUNNING LAMPS (DRL), -inc: The non-controllable 942 Daytime Running Lamps (DRL) replace the standard Daytime Running Lamps (DRL), on/off cluster controllable, (LPO) REQUIRES Valid FIN Code.
585	RADIO: AM/FM STEREO/SINGLE-CD/MP3, (LPO) w/o 17S,96V-inc: aux audio input jack and 6 speakers w/96V&17S-inc: 6 speakers w/o 17S,96V, REQUIRES Valid FIN Code.
91M	SYNC COMMUNICATIONS & ENTERTAINMENT SYSTEM, -inc: enhanced voice recognition, 911 Assist, 4.2" LCD screen in center stack, AppLink, 1 smart-charging USB port and steering wheel audio controls
525	STEERING WHEEL-MOUNTED CRUISE CONTROL, (LPO) w/o 17S,96V, REQUIRES Valid FIN Code.

AFTERMARKET OPTIONS

Floormat, rubber, extended or double cab

Rubber floormat to be used on vinyl flooring. Floormat should not slide around for safety. Option code: AMO.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0218 SB
Aftermkt in option total

Standard Equipment

MECHANICAL

Engine: 6.2L 2-Valve SOHC EFI NA V8 Flex-Fuel
Transmission: TorqShift-G 6-Spd Auto w/SelectShift
3.73 Axle Ratio
GVWR: 10,000 lb Payload Package
50-State Emissions System
Transmission w/Oil Cooler
Rear-Wheel Drive
72-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection
157 Amp Alternator
Class V Towing w/Harness, Hitch and Trailer Sway Control
4000# Maximum Payload
HD Shock Absorbers
Front Anti-Roll Bar
Firm Suspension
Hydraulic Power-Assist Steering
34 Gal. Fuel Tank
Single Stainless Steel Exhaust
Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 17" Argent Painted Steel -inc: painted hub covers/center ornaments
Tires: LT245/75R17E BSW A/S
Regular Box Style
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks
Black Rear Step Bumper
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Manual Side Mirrors w/Manual Folding
Manual Extendable Trailer Style Mirrors
Fixed Rear Window
Light Tinted Glass
Variable Intermittent Wipers
Aluminum Panels
Black Grille
Front License Plate Bracket
Tailgate Rear Cargo Access

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0218 SB
Aftermkt in option total

Reverse Opening Rear Doors
Manual Tailgate/Rear Door Lock
Fully Automatic Aero-Composite Halogen Daytime Running Lights Preference Setting Headlamps w/Delay-Off
Cargo Lamp w/High Mount Stop Light

ENTERTAINMENT

Radio: AM/FM Stereo -inc: digital clock and 6-speakers
Fixed Antenna
1 LCD Monitor In The Front

INTERIOR

4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
60-40 Folding Split-Bench Front Facing Fold-Up Cushion Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
Fixed Rear Windows
Manual Air Conditioning
HVAC -inc: Underseat Ducts
Illuminated Locking Glove Box
Interior Trim -inc: Chrome Interior Accents
Full Cloth Headliner
Urethane Gear Shift Knob
HD Vinyl 40/20/40 Split Bench Seat -inc: center armrest, cupholder, storage and driver's side manual lumbar
Day-Night Rearview Mirror
Passenger Visor Vanity Mirror
2 12V DC Power Outlets
Full Overhead Console w/Storage and 2 12V DC Power Outlets
Front Map Lights
Fade-To-Off Interior Lighting
Full Vinyl/Rubber Floor Covering
Underhood And Pickup Cargo Box Lights
Instrument Panel Bin and Covered Dashboard Storage
Manual 1st Row Windows
Systems Monitor
Trip Computer
Outside Temp Gauge
Analog Display
Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
Securilock Anti-Theft Ignition (pats) Engine Immobilizer
Air Filtration

SAFETY

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0218 SB
Aftermkt in option total

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags w/Passenger Off Switch
Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute
Safety Canopy System Curtain 1st And 2nd Row Airbags
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point and Height Adjusters

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0218 SB
 Aftermkt in option total

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	5932.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	3370.00 lbs
Base Trim Weight - Rear	2562.00 lbs
Gross Axle Wt Rating - Front	4100 lbs
Gross Axle Wt Rating - Rear	6340 lbs
Curb Weight - Front	3370 lbs
Curb Weight - Rear	2562 lbs
Option Weight - Front	21.00 lbs
Option Weight - Rear	9.00 lbs
Reserve Axle Capacity - Front	709.00 lbs
Reserve Axle Capacity - Rear	3769.00 lbs
As Spec'd Curb Weight	5962.00 lbs
As Spec'd Payload	4038.00 lbs
Maximum Payload Capacity	4068.00 lbs
Gross Combined Wt Rating	N/A lbs
Gross Axle Weight Rating	10440.00 lbs
Curb Weight	5932.00 lbs
Reserve Axle Capacity	4478.00 lbs
Total Option Weight	30.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	10000.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	N/A lbs
Dead Weight Hitch - Max Tongue Wt.	N/A lbs
Wt Distributing Hitch - Max Trailer Wt.	N/A lbs
Wt Distributing Hitch - Max Tongue Wt.	N/A lbs
Maximum Trailering Capacity	N/A lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0218 SB
 Aftermkt in option total

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Other
Suspension Type - Rear	Leaf
Spring Capacity - Front	4100 lbs
Spring Capacity - Rear	6340 lbs
Axle Type - Front	Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	5250 lbs
Axle Capacity - Rear	6200 lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	TBM
Rear Tire Order Code	TBM
Spare Tire Order Code	
Front Tire Size	LT245/75SR17
Rear Tire Size	LT245/75SR17
Spare Tire Size	Full-Size
Front Tire Capacity	6390 lbs
Rear Tire Capacity	6390 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	645
Revolutions/Mile @ 45 mph - Rear	645
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0218 SB
Aftermkt in option total

Wheels

Front Wheel Size	17 X 7.5 in
Rear Wheel Size	17 X 7.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Re-Circulating Ball
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	51.1 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	14.3 in
Rear Brake Rotor Diam x Thickness	14.3 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	34 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	Midship
Aux Fuel Tank Location	Midship

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	N/A
EPA Greenhouse Gas Score	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0218 SB
Aftermkt in option total

Transmission

Drivetrain	Rear Wheel Drive
Trans Order Code	44S
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.17
Second Gear Ratio (:1)	2.34
Third Gear Ratio (:1)	1.52
Fourth Gear Ratio (:1)	1.14
Fifth Gear Ratio (:1)	0.87
Sixth Gear Ratio (:1)	0.69
Reverse Ratio (:1)	3.40
Clutch Size	N/A in
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No

Mileage

EPA Fuel Economy Est - Hwy	N/A MPG
Cruising Range - City	N/A mi
EPA Fuel Economy Est - City	N/A MPG
Fuel Economy Est-Combined	N/A MPG
Cruising Range - Hwy	N/A mi

Engine

Engine Order Code	996
Engine Type	Regular Unleaded V-8
Displacement	6.2 L/379
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	385 @ 5750
SAE Net Torque @ RPM	430 @ 3800
Engine Oil Cooler	None

Electrical

Cold Cranking Amps @ 0° F (Primary)	650
Cold Cranking Amps @ 0° F (2nd)	650
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	157

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0218 SB
 Aftermkt in option total

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	40.8 in
Front Leg Room	43.9 in
Front Shoulder Room	66.7 in
Front Hip Room	62.5 in
Second Head Room	40.3 in
Second Leg Room	33.5 in
Second Shoulder Room	65.8 in
Second Hip Room	64.7 in

Exterior Dimensions

Wheelbase	148 in
Length, Overall w/o rear bumper	N/A in
Width, Max w/o mirrors	80 in
Height, Overall	78.4 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	39.9 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	35.6 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.5 in
Ground Clearance, Rear	8.5 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	81.9 in
Cargo Box Width @ Top, Rear	66.9 in
Cargo Box Width @ Floor	66.9 in
Cargo Box Width @ Wheelhousings	50.5 in
Cargo Box (Area) Height	21.1 in
Tailgate Width	N/A in
Cargo Volume	65.4 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0218 SB
Aftermkt in option total

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219 LB
Aftermkt in option total

2017 Ford Super Duty F-250 SRW 4WD SuperCab 8' Box



2017 Ford Super Duty F-250 SRW XL 4WD SuperCab 8' Box (X2B)

CLASS 0219 LB

TRUCK 3/4 TON EXTENDED CAB 4X4 LB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219 LB
Aftermkt in option total

Vehicle Information

SELECTED MODEL

Code	Description
X2B	2017 Ford Super Duty F-250 SRW XL 4WD SuperCab 8' Box

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
996	ENGINE: 6.2L 2-VALVE SOHC EFI NA V8 FLEX-FUEL, (STD)
44S	TRANSMISSION: TORQSHIFT-G 6-SPD AUTO W/SELECTSHIFT, (STD)
600A	ORDER CODE 600A
X37	3.73 AXLE RATIO, (STD)
64A	WHEELS: 17" ARGENT PAINTED STEEL, -inc: painted hub covers/center ornaments (STD)
TBM	TIRES: LT245/75RX17E BSW A/T
—	STANDARD PAINT
1S	MEDIUM EARTH GRAY, CLOTH 40/20/40 SPLIT BENCH SEAT, -inc: center armrest, cupholder, storage and driver's side manual lumbar
—	HEAVY-DUTY 157 AMP ALTERNATOR
90L	POWER EQUIPMENT GROUP, -inc: Deletes passenger-side lock cylinder, upgraded door trim panel, Accessory Delay, Remote Keyless Entry, Trailer Tow Mirrors w/Power Heated Glass, manual telescoping, heated convex spotter mirror and integrated clearance lamps/turn signals, Perimeter Alarm, Power Front & Rear Seat Windows, 1-touch up/down driver/passenger window, Power Tailgate Lock, Power Locks
213	4X4 ELECTRONIC-SHIFT-ON-THE-FLY (ESOF), -inc: manual-locking hubs and auto rotary control on instrument panel
41P	TRANSFER CASE & FUEL TANK SKID PLATES
942	DAYTIME RUNNING LAMPS (DRL), -inc: The non-controllable 942 Daytime Running Lamps (DRL) replace the standard Daytime Running Lamps (DRL), on/off cluster controllable, (LPO) REQUIRES Valid FIN Code.
585	RADIO: AM/FM STEREO/SINGLE-CD/MP3, (LPO) w/o 17S,96V-inc: aux audio input jack and 6 speakers w/96V&17S-inc: 6 speakers w/o 17S,96V, REQUIRES Valid FIN Code.
91M	SYNC COMMUNICATIONS & ENTERTAINMENT SYSTEM, -inc: enhanced voice recognition, 911 Assist, 4.2" LCD screen in center stack, AppLink, 1 smart-charging USB port and steering wheel audio controls
525	STEERING WHEEL-MOUNTED CRUISE CONTROL, (LPO) w/o 17S,96V, REQUIRES Valid FIN Code.

AFTERMARKET OPTIONS

Floormat, rubber, extended or double cab

Rubber floormat to be used on vinyl flooring. Floormat should not slide around for safety. Option code: AMO.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219 LB
Aftermkt in option total

Standard Equipment

MECHANICAL

Engine: 6.2L 2-Valve SOHC EFI NA V8 Flex-Fuel
Transmission: TorqShift-G 6-Spd Auto w/SelectShift
3.73 Axle Ratio
GVWR: 10,000 lb Payload Package
50-State Emissions System
Transmission w/Oil Cooler
Manual Transfer Case
Part-Time Four-Wheel Drive
72-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection
Class V Towing w/Harness, Hitch and Trailer Sway Control
3490# Maximum Payload
HD Shock Absorbers
Front Anti-Roll Bar
Firm Suspension
Hydraulic Power-Assist Steering
34 Gal. Fuel Tank
Single Stainless Steel Exhaust
Manual Locking Hubs
Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 17" Argent Painted Steel -inc: painted hub covers/center ornaments
Tires: LT245/75R17E BSW A/S PLUS (4)
Regular Box Style
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks
Black Rear Step Bumper
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Manual Side Mirrors w/Manual Folding
Manual Extendable Trailer Style Mirrors
Fixed Rear Window
Light Tinted Glass
Variable Intermittent Wipers
Aluminum Panels
Black Grille
Front License Plate Bracket

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219 LB
Aftermkt in option total

Tailgate Rear Cargo Access
Reverse Opening Rear Doors
Manual Tailgate/Rear Door Lock
Fully Automatic Aero-Composite Halogen Daytime Running Lights Preference Setting Headlamps w/Delay-Off
Cargo Lamp w/High Mount Stop Light

ENTERTAINMENT

Radio: AM/FM Stereo -inc: digital clock and 6-speakers
Fixed Antenna
1 LCD Monitor In The Front

INTERIOR

4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
60-40 Folding Split-Bench Front Facing Fold-Up Cushion Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
Fixed Rear Windows
Manual Air Conditioning
HVAC -inc: Underseat Ducts
Illuminated Locking Glove Box
Interior Trim -inc: Chrome Interior Accents
Full Cloth Headliner
Urethane Gear Shift Knob
HD Vinyl 40/20/40 Split Bench Seat -inc: center armrest, cupholder, storage and driver's side manual lumbar
Day-Night Rearview Mirror
Passenger Visor Vanity Mirror
2 12V DC Power Outlets
Full Overhead Console w/Storage and 2 12V DC Power Outlets
Front Map Lights
Fade-To-Off Interior Lighting
Full Vinyl/Rubber Floor Covering
Underhood And Pickup Cargo Box Lights
Instrument Panel Bin and Covered Dashboard Storage
Manual 1st Row Windows
Systems Monitor
Trip Computer
Outside Temp Gauge
Analog Display
Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
Securilock Anti-Theft Ignition (pats) Engine Immobilizer
Air Filtration

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219 LB
Aftermkt in option total

SAFETY

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags w/Passenger Off Switch
Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute
Safety Canopy System Curtain 1st And 2nd Row Airbags
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point and Height Adjusters

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0219 LB
 Aftermkt in option total

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	6441.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	3824.00 lbs
Base Trim Weight - Rear	2617.00 lbs
Gross Axle Wt Rating - Front	4800 lbs
Gross Axle Wt Rating - Rear	6340 lbs
Curb Weight - Front	3824 lbs
Curb Weight - Rear	2617 lbs
Option Weight - Front	39.00 lbs
Option Weight - Rear	31.00 lbs
Reserve Axle Capacity - Front	937.00 lbs
Reserve Axle Capacity - Rear	3692.00 lbs
As Spec'd Curb Weight	6511.00 lbs
As Spec'd Payload	3489.00 lbs
Maximum Payload Capacity	3559.00 lbs
Gross Combined Wt Rating	N/A lbs
Gross Axle Weight Rating	11140.00 lbs
Curb Weight	6441.00 lbs
Reserve Axle Capacity	4629.00 lbs
Total Option Weight	70.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	10000.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	N/A lbs
Dead Weight Hitch - Max Tongue Wt.	N/A lbs
Wt Distributing Hitch - Max Trailer Wt.	N/A lbs
Wt Distributing Hitch - Max Tongue Wt.	N/A lbs
Maximum Trailing Capacity	N/A lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0219 LB
 Aftermkt in option total

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Other
Suspension Type - Rear	Leaf
Spring Capacity - Front	4800 lbs
Spring Capacity - Rear	6340 lbs
Axle Type - Front	Non-Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	6000 lbs
Axle Capacity - Rear	6200 lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	TBM
Rear Tire Order Code	TBM
Spare Tire Order Code	
Front Tire Size	LT245/75SR17
Rear Tire Size	LT245/75SR17
Spare Tire Size	Full-Size
Front Tire Capacity	6390 lbs
Rear Tire Capacity	6390 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	645
Revolutions/Mile @ 45 mph - Rear	645
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0219 LB
 Aftermkt in option total

Wheels

Front Wheel Size	17 X 7.5 in
Rear Wheel Size	17 X 7.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Re-Circulating Ball
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	54.3 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	14.3 in
Rear Brake Rotor Diam x Thickness	14.3 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	34 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	Midship
Aux Fuel Tank Location	Midship

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	N/A
EPA Greenhouse Gas Score	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219 LB
Aftermkt in option total

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	44S
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.17
Second Gear Ratio (:1)	2.34
Third Gear Ratio (:1)	1.52
Fourth Gear Ratio (:1)	1.14
Fifth Gear Ratio (:1)	0.87
Sixth Gear Ratio (:1)	0.69
Reverse Ratio (:1)	3.40
Clutch Size	N/A in
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No

Mileage

EPA Fuel Economy Est - Hwy	N/A MPG
Cruising Range - City	N/A mi
EPA Fuel Economy Est - City	N/A MPG
Fuel Economy Est-Combined	N/A MPG
Cruising Range - Hwy	N/A mi

Engine

Engine Order Code	996
Engine Type	Regular Unleaded V-8
Displacement	6.2 L/379
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	385 @ 5750
SAE Net Torque @ RPM	430 @ 3800
Engine Oil Cooler	None

Electrical

Cold Cranking Amps @ 0° F (Primary)	650
Cold Cranking Amps @ 0° F (2nd)	650
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	157

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0219 LB
 Aftermkt in option total

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	40.8 in
Front Leg Room	43.9 in
Front Shoulder Room	66.7 in
Front Hip Room	62.5 in
Second Head Room	40.3 in
Second Leg Room	33.5 in
Second Shoulder Room	65.8 in
Second Hip Room	64.7 in

Exterior Dimensions

Wheelbase	164 in
Length, Overall w/o rear bumper	N/A in
Width, Max w/o mirrors	80 in
Height, Overall	81.4 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	56.1 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	38.1 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.2 in
Ground Clearance, Rear	8.2 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	98.1 in
Cargo Box Width @ Top, Rear	66.9 in
Cargo Box Width @ Floor	66.9 in
Cargo Box Width @ Wheelhousings	50.5 in
Cargo Box (Area) Height	21.1 in
Tailgate Width	N/A in
Cargo Volume	78.5 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219 LB
Aftermkt in option total

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219 SB
Aftermkt in option total

2017 Ford Super Duty F-250 SRW 4WD SuperCab 6.75' Box



2017 Ford Super Duty F-250 SRW XL 4WD SuperCab 6.75' Box (X2B)

CLASS 0219 SB

TRUCK 3/4 TON EXTENDED CAB 4X4 SB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219 SB
Aftermkt in option total

Vehicle Information

SELECTED MODEL

Code	Description
X2B	2017 Ford Super Duty F-250 SRW XL 4WD SuperCab 6.75' Box

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
996	ENGINE: 6.2L 2-VALVE SOHC EFI NA V8 FLEX-FUEL, (STD)
44S	TRANSMISSION: TORQSHIFT-G 6-SPD AUTO W/SELECTSHIFT, (STD)
600A	ORDER CODE 600A
X37	3.73 AXLE RATIO, (STD)
64A	WHEELS: 17" ARGENT PAINTED STEEL, -inc: painted hub covers/center ornaments (STD)
TBM	TIRES: LT245/75RX17E BSW A/T
—	STANDARD PAINT
1S	MEDIUM EARTH GRAY, CLOTH 40/20/40 SPLIT BENCH SEAT, -inc: center armrest, cupholder, storage and driver's side manual lumbar
—	HEAVY-DUTY 157 AMP ALTERNATOR
90L	POWER EQUIPMENT GROUP, -inc: Deletes passenger-side lock cylinder, upgraded door trim panel, Accessory Delay, Remote Keyless Entry, Trailer Tow Mirrors w/Power Heated Glass, manual telescoping, heated convex spotter mirror and integrated clearance lamps/turn signals, Perimeter Alarm, Power Front & Rear Seat Windows, 1-touch up/down driver/passenger window, Power Tailgate Lock, Power Locks
213	4X4 ELECTRONIC-SHIFT-ON-THE-FLY (ESOF), -inc: manual-locking hubs and auto rotary control on instrument panel
41P	TRANSFER CASE & FUEL TANK SKID PLATES
942	DAYTIME RUNNING LAMPS (DRL), -inc: The non-controllable 942 Daytime Running Lamps (DRL) replace the standard Daytime Running Lamps (DRL), on/off cluster controllable, (LPO) REQUIRES Valid FIN Code.
585	RADIO: AM/FM STEREO/SINGLE-CD/MP3, (LPO) w/o 17S,96V-inc: aux audio input jack and 6 speakers w/96V&17S-inc: 6 speakers w/o 17S,96V, REQUIRES Valid FIN Code.
91M	SYNC COMMUNICATIONS & ENTERTAINMENT SYSTEM, -inc: enhanced voice recognition, 911 Assist, 4.2" LCD screen in center stack, AppLink, 1 smart-charging USB port and steering wheel audio controls
525	STEERING WHEEL-MOUNTED CRUISE CONTROL, (LPO) w/o 17S,96V, REQUIRES Valid FIN Code.

AFTERMARKET OPTIONS

Floormat, rubber, extended or double cab

Rubber floormat to be used on vinyl flooring. Floormat should not slide around for safety. Option code: AMO.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219 SB
Aftermkt in option total

Standard Equipment

MECHANICAL

Engine: 6.2L 2-Valve SOHC EFI NA V8 Flex-Fuel
Transmission: TorqShift-G 6-Spd Auto w/SelectShift
3.73 Axle Ratio
GVWR: 10,000 lb Payload Package
50-State Emissions System
Transmission w/Oil Cooler
Manual Transfer Case
Part-Time Four-Wheel Drive
72-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection
Class V Towing w/Harness, Hitch and Trailer Sway Control
3560# Maximum Payload
HD Shock Absorbers
Front Anti-Roll Bar
Firm Suspension
Hydraulic Power-Assist Steering
34 Gal. Fuel Tank
Single Stainless Steel Exhaust
Manual Locking Hubs
Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 17" Argent Painted Steel -inc: painted hub covers/center ornaments
Tires: LT245/75R17E BSW A/S PLUS (4)
Regular Box Style
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks
Black Rear Step Bumper
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Manual Side Mirrors w/Manual Folding
Manual Extendable Trailer Style Mirrors
Fixed Rear Window
Light Tinted Glass
Variable Intermittent Wipers
Aluminum Panels
Black Grille
Front License Plate Bracket

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219 SB
Aftermkt in option total

Tailgate Rear Cargo Access
Reverse Opening Rear Doors
Manual Tailgate/Rear Door Lock
Fully Automatic Aero-Composite Halogen Daytime Running Lights Preference Setting Headlamps w/Delay-Off
Cargo Lamp w/High Mount Stop Light

ENTERTAINMENT

Radio: AM/FM Stereo -inc: digital clock and 6-speakers
Fixed Antenna
1 LCD Monitor In The Front

INTERIOR

4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
60-40 Folding Split-Bench Front Facing Fold-Up Cushion Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
Fixed Rear Windows
Manual Air Conditioning
HVAC -inc: Underseat Ducts
Illuminated Locking Glove Box
Interior Trim -inc: Chrome Interior Accents
Full Cloth Headliner
Urethane Gear Shift Knob
HD Vinyl 40/20/40 Split Bench Seat -inc: center armrest, cupholder, storage and driver's side manual lumbar
Day-Night Rearview Mirror
Passenger Visor Vanity Mirror
2 12V DC Power Outlets
Full Overhead Console w/Storage and 2 12V DC Power Outlets
Front Map Lights
Fade-To-Off Interior Lighting
Full Vinyl/Rubber Floor Covering
Underhood And Pickup Cargo Box Lights
Instrument Panel Bin and Covered Dashboard Storage
Manual 1st Row Windows
Systems Monitor
Trip Computer
Outside Temp Gauge
Analog Display
Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
Securilock Anti-Theft Ignition (pats) Engine Immobilizer
Air Filtration

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219 SB
Aftermkt in option total

SAFETY

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags w/Passenger Off Switch
Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute
Safety Canopy System Curtain 1st And 2nd Row Airbags
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point and Height Adjusters

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219 SB
Aftermkt in option total

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	6372.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	3728.00 lbs
Base Trim Weight - Rear	2644.00 lbs
Gross Axle Wt Rating - Front	4800 lbs
Gross Axle Wt Rating - Rear	6340 lbs
Curb Weight - Front	3728 lbs
Curb Weight - Rear	2644 lbs
Option Weight - Front	39.00 lbs
Option Weight - Rear	31.00 lbs
Reserve Axle Capacity - Front	1033.00 lbs
Reserve Axle Capacity - Rear	3665.00 lbs
As Spec'd Curb Weight	6442.00 lbs
As Spec'd Payload	3558.00 lbs
Maximum Payload Capacity	3628.00 lbs
Gross Combined Wt Rating	N/A lbs
Gross Axle Weight Rating	11140.00 lbs
Curb Weight	6372.00 lbs
Reserve Axle Capacity	4698.00 lbs
Total Option Weight	70.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	10000.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	N/A lbs
Dead Weight Hitch - Max Tongue Wt.	N/A lbs
Wt Distributing Hitch - Max Trailer Wt.	N/A lbs
Wt Distributing Hitch - Max Tongue Wt.	N/A lbs
Maximum Trailing Capacity	N/A lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0219 SB
 Aftermkt in option total

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Other
Suspension Type - Rear	Leaf
Spring Capacity - Front	4800 lbs
Spring Capacity - Rear	6340 lbs
Axle Type - Front	Non-Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	6000 lbs
Axle Capacity - Rear	6200 lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	TBM
Rear Tire Order Code	TBM
Spare Tire Order Code	
Front Tire Size	LT245/75SR17
Rear Tire Size	LT245/75SR17
Spare Tire Size	Full-Size
Front Tire Capacity	6390 lbs
Rear Tire Capacity	6390 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	645
Revolutions/Mile @ 45 mph - Rear	645
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0219 SB
 Aftermkt in option total

Wheels	
Front Wheel Size	17 X 7.5 in
Rear Wheel Size	17 X 7.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering	
Steering Type	Re-Circulating Ball
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	49.5 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes	
Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	14.3 in
Rear Brake Rotor Diam x Thickness	14.3 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank	
Fuel Tank Capacity, Approx	34 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	Midship
Aux Fuel Tank Location	Midship

VEHICLE	
Tons/yr of CO2 Emissions @ 15K mi/year	N/A
EPA Greenhouse Gas Score	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219 SB
Aftermkt in option total

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	44S
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.17
Second Gear Ratio (:1)	2.34
Third Gear Ratio (:1)	1.52
Fourth Gear Ratio (:1)	1.14
Fifth Gear Ratio (:1)	0.87
Sixth Gear Ratio (:1)	0.69
Reverse Ratio (:1)	3.40
Clutch Size	N/A in
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No

Mileage

EPA Fuel Economy Est - Hwy	N/A MPG
Cruising Range - City	N/A mi
EPA Fuel Economy Est - City	N/A MPG
Fuel Economy Est-Combined	N/A MPG
Cruising Range - Hwy	N/A mi

Engine

Engine Order Code	996
Engine Type	Regular Unleaded V-8
Displacement	6.2 L/379
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	385 @ 5750
SAE Net Torque @ RPM	430 @ 3800
Engine Oil Cooler	None

Electrical

Cold Cranking Amps @ 0° F (Primary)	650
Cold Cranking Amps @ 0° F (2nd)	650
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	157

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0219 SB
 Aftermkt in option total

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	40.8 in
Front Leg Room	43.9 in
Front Shoulder Room	66.7 in
Front Hip Room	62.5 in
Second Head Room	40.3 in
Second Leg Room	33.5 in
Second Shoulder Room	65.8 in
Second Hip Room	64.7 in

Exterior Dimensions

Wheelbase	148 in
Length, Overall w/o rear bumper	N/A in
Width, Max w/o mirrors	80 in
Height, Overall	81.5 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	39.9 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	38.3 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.2 in
Ground Clearance, Rear	8.2 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	81.9 in
Cargo Box Width @ Top, Rear	66.9 in
Cargo Box Width @ Floor	66.9 in
Cargo Box Width @ Wheelhousings	50.5 in
Cargo Box (Area) Height	21.1 in
Tailgate Width	N/A in
Cargo Volume	65.4 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219 SB
Aftermkt in option total

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0224 LB
Aftermkt in option total

2017 Ford Super Duty F-250 SRW 2WD Crew Cab 8' Box



2017 Ford Super Duty F-250 SRW XL 2WD Crew Cab 8' Box (W2A)

CLASS 0224 LB

TRUCK 3/4 TON CREW CAB 4X2 LB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0224 LB
Aftermkt in option total

Vehicle Information

SELECTED MODEL

Code	Description
W2A	2017 Ford Super Duty F-250 SRW XL 2WD Crew Cab 8' Box

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
996	ENGINE: 6.2L 2-VALVE SOHC EFI NA V8 FLEX-FUEL, (STD)
44S	TRANSMISSION: TORQSHIFT-G 6-SPD AUTO W/SELECTSHIFT, (STD)
600A	ORDER CODE 600A
X37	3.73 AXLE RATIO, (STD)
64A	WHEELS: 17" ARGENT PAINTED STEEL, -inc: painted hub covers/center ornaments (STD)
TBM	TIRES: LT245/75RX17E BSW A/T
—	STANDARD PAINT
1S	MEDIUM EARTH GRAY, CLOTH 40/20/40 SPLIT BENCH SEAT, -inc: center armrest, cupholder, storage and driver's side manual lumbar
90L	POWER EQUIPMENT GROUP, -inc: Deletes passenger-side lock cylinder, upgraded door trim panel, Accessory Delay, Remote Keyless Entry, Trailer Tow Mirrors w/Power Heated Glass, manual telescoping, heated convex spotter mirror and integrated clearance lamps/turn signals, Perimeter Alarm, Power Front & Rear Seat Windows, 1-touch up/down driver/passenger window, Power Tailgate Lock, Power Locks
942	DAYTIME RUNNING LAMPS (DRL), -inc: The non-controllable 942 Daytime Running Lamps (DRL) replace the standard Daytime Running Lamps (DRL), on/off cluster controllable, (LPO) REQUIRES Valid FIN Code.
585	RADIO: AM/FM STEREO/SINGLE-CD/MP3, (LPO) w/o 17S,96V-inc: aux audio input jack and 6 speakers w/96V&17S-inc: 6 speakers w/o 17S,96V, REQUIRES Valid FIN Code.
91M	SYNC COMMUNICATIONS & ENTERTAINMENT SYSTEM, -inc: enhanced voice recognition, 911 Assist, 4.2" LCD screen in center stack, AppLink, 1 smart-charging USB port and steering wheel audio controls
525	STEERING WHEEL-MOUNTED CRUISE CONTROL, (LPO) w/o 17S,96V, REQUIRES Valid FIN Code.

AFTERMARKET OPTIONS

Floormat, rubber, crew cab

Rubber floormat to be used on vinyl flooring. Floormat should not slide around for safety. Option code: AMO.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0224 LB
Aftermkt in option total

Standard Equipment

MECHANICAL

Engine: 6.2L 2-Valve SOHC EFI NA V8 Flex-Fuel
Transmission: TorqShift-G 6-Spd Auto w/SelectShift
3.73 Axle Ratio
GVWR: 10,000 lb Payload Package
50-State Emissions System
Transmission w/Oil Cooler
Rear-Wheel Drive
72-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection
157 Amp Alternator
Class V Towing w/Harness, Hitch and Trailer Sway Control
3640# Maximum Payload
HD Shock Absorbers
Front Anti-Roll Bar
Firm Suspension
Hydraulic Power-Assist Steering
Single Stainless Steel Exhaust
48 Gal. Fuel Tank
Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 17" Argent Painted Steel -inc: painted hub covers/center ornaments
Tires: LT245/75R17E BSW A/S
Regular Box Style
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks
Black Rear Step Bumper
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Manual Side Mirrors w/Manual Folding
Manual Extendable Trailer Style Mirrors
Fixed Rear Window
Light Tinted Glass
Variable Intermittent Wipers
Aluminum Panels
Black Grille
Front License Plate Bracket
Tailgate Rear Cargo Access

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0224 LB
Aftermkt in option total

Manual Tailgate/Rear Door Lock
Fully Automatic Aero-Composite Halogen Daytime Running Lights Preference Setting Headlamps w/Delay-Off
Cargo Lamp w/High Mount Stop Light

ENTERTAINMENT

Radio: AM/FM Stereo -inc: digital clock and 6-speakers
Fixed Antenna
1 LCD Monitor In The Front

INTERIOR

4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
60-40 Folding Split-Bench Front Facing Flip Forward Cushion/Seatback Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
Manual Rear Windows
Manual Air Conditioning
HVAC -inc: Underseat Ducts
Illuminated Locking Glove Box
Interior Trim -inc: Chrome Interior Accents
Full Cloth Headliner
Urethane Gear Shift Knob
HD Vinyl 40/20/40 Split Bench Seat -inc: center armrest, cupholder, storage and driver's side manual lumbar
Day-Night Rearview Mirror
Passenger Visor Vanity Mirror
2 12V DC Power Outlets
Full Overhead Console w/Storage and 2 12V DC Power Outlets
Fade-To-Off Interior Lighting
Front And Rear Map Lights
Full Vinyl/Rubber Floor Covering
Underhood And Pickup Cargo Box Lights
Instrument Panel Bin and Covered Dashboard Storage
Manual 1st Row Windows
Systems Monitor
Trip Computer
Outside Temp Gauge
Analog Display
Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
Securilock Anti-Theft Ignition (pats) Engine Immobilizer
Air Filtration

SAFETY

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0224 LB
Aftermkt in option total

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning
Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute
Safety Canopy System Curtain 1st And 2nd Row Airbags
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point and Height Adjusters
Dual Stage Driver And Passenger Front Airbags

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0224 LB
 Aftermkt in option total

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	6291.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	3561.00 lbs
Base Trim Weight - Rear	2730.00 lbs
Gross Axle Wt Rating - Front	4550 lbs
Gross Axle Wt Rating - Rear	6340 lbs
Curb Weight - Front	3561 lbs
Curb Weight - Rear	2730 lbs
Option Weight - Front	21.00 lbs
Option Weight - Rear	9.00 lbs
Reserve Axle Capacity - Front	968.00 lbs
Reserve Axle Capacity - Rear	3601.00 lbs
As Spec'd Curb Weight	6321.00 lbs
As Spec'd Payload	3679.00 lbs
Maximum Payload Capacity	3709.00 lbs
Gross Combined Wt Rating	N/A lbs
Gross Axle Weight Rating	10890.00 lbs
Curb Weight	6291.00 lbs
Reserve Axle Capacity	4569.00 lbs
Total Option Weight	30.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	10000.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	N/A lbs
Dead Weight Hitch - Max Tongue Wt.	N/A lbs
Wt Distributing Hitch - Max Trailer Wt.	N/A lbs
Wt Distributing Hitch - Max Tongue Wt.	N/A lbs
Maximum Trailing Capacity	N/A lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0224 LB
 Aftermkt in option total

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Other
Suspension Type - Rear	Leaf
Spring Capacity - Front	4550 lbs
Spring Capacity - Rear	6340 lbs
Axle Type - Front	Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	5250 lbs
Axle Capacity - Rear	6200 lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	TBM
Rear Tire Order Code	TBM
Spare Tire Order Code	
Front Tire Size	LT245/75SR17
Rear Tire Size	LT245/75SR17
Spare Tire Size	Full-Size
Front Tire Capacity	6390 lbs
Rear Tire Capacity	6390 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	645
Revolutions/Mile @ 45 mph - Rear	645
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0224 LB
 Aftermkt in option total

Wheels

Front Wheel Size	17 X 7.5 in
Rear Wheel Size	17 X 7.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Re-Circulating Ball
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	59.6 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	14.3 in
Rear Brake Rotor Diam x Thickness	14.3 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	48 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	Midship
Aux Fuel Tank Location	Midship

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	N/A
EPA Greenhouse Gas Score	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0224 LB
Aftermkt in option total

Transmission

Drivetrain	Rear Wheel Drive
Trans Order Code	44S
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.17
Second Gear Ratio (:1)	2.34
Third Gear Ratio (:1)	1.52
Fourth Gear Ratio (:1)	1.14
Fifth Gear Ratio (:1)	0.87
Sixth Gear Ratio (:1)	0.69
Reverse Ratio (:1)	3.40
Clutch Size	N/A in
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No

Mileage

EPA Fuel Economy Est - Hwy	N/A MPG
Cruising Range - City	N/A mi
EPA Fuel Economy Est - City	N/A MPG
Fuel Economy Est-Combined	N/A MPG
Cruising Range - Hwy	N/A mi

Engine

Engine Order Code	996
Engine Type	Regular Unleaded V-8
Displacement	6.2 L/379
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	385 @ 5750
SAE Net Torque @ RPM	430 @ 3800
Engine Oil Cooler	None

Electrical

Cold Cranking Amps @ 0° F (Primary)	650
Cold Cranking Amps @ 0° F (2nd)	650
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	157

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0224 LB
 Aftermkt in option total

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	40.8 in
Front Leg Room	43.9 in
Front Shoulder Room	66.7 in
Front Hip Room	62.5 in
Second Head Room	40.4 in
Second Leg Room	43.6 in
Second Shoulder Room	65.9 in
Second Hip Room	64.7 in

Exterior Dimensions

Wheelbase	176 in
Length, Overall w/o rear bumper	N/A in
Width, Max w/o mirrors	80 in
Height, Overall	78 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	56.1 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	34.8 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.5 in
Ground Clearance, Rear	8.5 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	98.1 in
Cargo Box Width @ Top, Rear	66.9 in
Cargo Box Width @ Floor	66.9 in
Cargo Box Width @ Wheelhousings	50.5 in
Cargo Box (Area) Height	21.1 in
Tailgate Width	N/A in
Cargo Volume	78.5 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0224 LB
Aftermkt in option total

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0224 SB
Aftermkt in option total

2017 Ford Super Duty F-250 SRW 2WD Crew Cab 6.75' Box



2017 Ford Super Duty F-250 SRW XL 2WD Crew Cab 6.75' Box (W2A)

CLASS 0224 SB

TRUCK 3/4 TON CREW CAB 4X2 SB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0224 SB
Aftermkt in option total

Vehicle Information

SELECTED MODEL

Code	Description
W2A	2017 Ford Super Duty F-250 SRW XL 2WD Crew Cab 6.75' Box

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
996	ENGINE: 6.2L 2-VALVE SOHC EFI NA V8 FLEX-FUEL, (STD)
44S	TRANSMISSION: TORQSHIFT-G 6-SPD AUTO W/SELECTSHIFT, (STD)
600A	ORDER CODE 600A
X37	3.73 AXLE RATIO, (STD)
64A	WHEELS: 17" ARGENT PAINTED STEEL, -inc: painted hub covers/center ornaments (STD)
TBM	TIRES: LT245/75RX17E BSW A/T
—	STANDARD PAINT
1S	MEDIUM EARTH GRAY, CLOTH 40/20/40 SPLIT BENCH SEAT, -inc: center armrest, cupholder, storage and driver's side manual lumbar
90L	POWER EQUIPMENT GROUP, -inc: Deletes passenger-side lock cylinder, upgraded door trim panel, Accessory Delay, Remote Keyless Entry, Trailer Tow Mirrors w/Power Heated Glass, manual telescoping, heated convex spotter mirror and integrated clearance lamps/turn signals, Perimeter Alarm, Power Front & Rear Seat Windows, 1-touch up/down driver/passenger window, Power Tailgate Lock, Power Locks
942	DAYTIME RUNNING LAMPS (DRL), -inc: The non-controllable 942 Daytime Running Lamps (DRL) replace the standard Daytime Running Lamps (DRL), on/off cluster controllable, (LPO) REQUIRES Valid FIN Code.
585	RADIO: AM/FM STEREO/SINGLE-CD/MP3, (LPO) w/o 17S,96V-inc: aux audio input jack and 6 speakers w/96V&17S-inc: 6 speakers w/o 17S,96V, REQUIRES Valid FIN Code.
91M	SYNC COMMUNICATIONS & ENTERTAINMENT SYSTEM, -inc: enhanced voice recognition, 911 Assist, 4.2" LCD screen in center stack, AppLink, 1 smart-charging USB port and steering wheel audio controls
525	STEERING WHEEL-MOUNTED CRUISE CONTROL, (LPO) w/o 17S,96V, REQUIRES Valid FIN Code.

AFTERMARKET OPTIONS

Ford-MatCrewSDuty

Floormat, Truck Crew Cab, SuperDuty. Option code: AMO.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0224 SB
Aftermkt in option total

Standard Equipment

MECHANICAL

Engine: 6.2L 2-Valve SOHC EFI NA V8 Flex-Fuel
Transmission: TorqShift-G 6-Spd Auto w/SelectShift
3.73 Axle Ratio
GVWR: 10,000 lb Payload Package
50-State Emissions System
Transmission w/Oil Cooler
Rear-Wheel Drive
72-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection
157 Amp Alternator
Class V Towing w/Harness, Hitch and Trailer Sway Control
3880# Maximum Payload
HD Shock Absorbers
Front Anti-Roll Bar
Firm Suspension
Hydraulic Power-Assist Steering
34 Gal. Fuel Tank
Single Stainless Steel Exhaust
Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 17" Argent Painted Steel -inc: painted hub covers/center ornaments
Tires: LT245/75R17E BSW A/S
Regular Box Style
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks
Black Rear Step Bumper
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Manual Side Mirrors w/Manual Folding
Manual Extendable Trailer Style Mirrors
Fixed Rear Window
Light Tinted Glass
Variable Intermittent Wipers
Aluminum Panels
Black Grille
Front License Plate Bracket
Tailgate Rear Cargo Access

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0224 SB
Aftermkt in option total

Manual Tailgate/Rear Door Lock
Fully Automatic Aero-Composite Halogen Daytime Running Lights Preference Setting Headlamps w/Delay-Off
Cargo Lamp w/High Mount Stop Light

ENTERTAINMENT

Radio: AM/FM Stereo -inc: digital clock and 6-speakers
Fixed Antenna
1 LCD Monitor In The Front

INTERIOR

4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
60-40 Folding Split-Bench Front Facing Flip Forward Cushion/Seatback Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
Manual Rear Windows
Manual Air Conditioning
HVAC -inc: Underseat Ducts
Illuminated Locking Glove Box
Interior Trim -inc: Chrome Interior Accents
Full Cloth Headliner
Urethane Gear Shift Knob
HD Vinyl 40/20/40 Split Bench Seat -inc: center armrest, cupholder, storage and driver's side manual lumbar
Day-Night Rearview Mirror
Passenger Visor Vanity Mirror
2 12V DC Power Outlets
Full Overhead Console w/Storage and 2 12V DC Power Outlets
Fade-To-Off Interior Lighting
Front And Rear Map Lights
Full Vinyl/Rubber Floor Covering
Underhood And Pickup Cargo Box Lights
Instrument Panel Bin and Covered Dashboard Storage
Manual 1st Row Windows
Systems Monitor
Trip Computer
Outside Temp Gauge
Analog Display
Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
Securilock Anti-Theft Ignition (pats) Engine Immobilizer
Air Filtration

SAFETY

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0224 SB
Aftermkt in option total

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning
Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute
Safety Canopy System Curtain 1st And 2nd Row Airbags
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point and Height Adjusters
Dual Stage Driver And Passenger Front Airbags

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0224 SB
 Aftermkt in option total

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	6052.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	3452.00 lbs
Base Trim Weight - Rear	2600.00 lbs
Gross Axle Wt Rating - Front	4250 lbs
Gross Axle Wt Rating - Rear	6340 lbs
Curb Weight - Front	3452 lbs
Curb Weight - Rear	2600 lbs
Option Weight - Front	21.00 lbs
Option Weight - Rear	9.00 lbs
Reserve Axle Capacity - Front	777.00 lbs
Reserve Axle Capacity - Rear	3731.00 lbs
As Spec'd Curb Weight	6082.00 lbs
As Spec'd Payload	3918.00 lbs
Maximum Payload Capacity	3948.00 lbs
Gross Combined Wt Rating	N/A lbs
Gross Axle Weight Rating	10590.00 lbs
Curb Weight	6052.00 lbs
Reserve Axle Capacity	4508.00 lbs
Total Option Weight	30.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	10000.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	N/A lbs
Dead Weight Hitch - Max Tongue Wt.	N/A lbs
Wt Distributing Hitch - Max Trailer Wt.	N/A lbs
Wt Distributing Hitch - Max Tongue Wt.	N/A lbs
Maximum Trailing Capacity	N/A lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0224 SB
 Aftermkt in option total

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Other
Suspension Type - Rear	Leaf
Spring Capacity - Front	4250 lbs
Spring Capacity - Rear	6340 lbs
Axle Type - Front	Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	5250 lbs
Axle Capacity - Rear	6200 lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	TBM
Rear Tire Order Code	TBM
Spare Tire Order Code	
Front Tire Size	LT245/75SR17
Rear Tire Size	LT245/75SR17
Spare Tire Size	Full-Size
Front Tire Capacity	6390 lbs
Rear Tire Capacity	6390 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	645
Revolutions/Mile @ 45 mph - Rear	645
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0224 SB
Aftermkt in option total

Wheels

Front Wheel Size	17 X 7.5 in
Rear Wheel Size	17 X 7.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Re-Circulating Ball
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	54.7 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	14.3 in
Rear Brake Rotor Diam x Thickness	14.3 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	34 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	Midship
Aux Fuel Tank Location	Midship

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	N/A
EPA Greenhouse Gas Score	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0224 SB
Aftermkt in option total

Transmission

Drivetrain	Rear Wheel Drive
Trans Order Code	44S
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.17
Second Gear Ratio (:1)	2.34
Third Gear Ratio (:1)	1.52
Fourth Gear Ratio (:1)	1.14
Fifth Gear Ratio (:1)	0.87
Sixth Gear Ratio (:1)	0.69
Reverse Ratio (:1)	3.40
Clutch Size	N/A in
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No

Mileage

EPA Fuel Economy Est - Hwy	N/A MPG
Cruising Range - City	N/A mi
EPA Fuel Economy Est - City	N/A MPG
Fuel Economy Est-Combined	N/A MPG
Cruising Range - Hwy	N/A mi

Engine

Engine Order Code	996
Engine Type	Regular Unleaded V-8
Displacement	6.2 L/379
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	385 @ 5750
SAE Net Torque @ RPM	430 @ 3800
Engine Oil Cooler	None

Electrical

Cold Cranking Amps @ 0° F (Primary)	650
Cold Cranking Amps @ 0° F (2nd)	650
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	157

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0224 SB
 Aftermkt in option total

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	40.8 in
Front Leg Room	43.9 in
Front Shoulder Room	66.7 in
Front Hip Room	62.5 in
Second Head Room	40.4 in
Second Leg Room	43.6 in
Second Shoulder Room	65.9 in
Second Hip Room	64.7 in

Exterior Dimensions

Wheelbase	160 in
Length, Overall w/o rear bumper	N/A in
Width, Max w/o mirrors	80 in
Height, Overall	78.3 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	39.9 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	35.3 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.5 in
Ground Clearance, Rear	8.5 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	81.9 in
Cargo Box Width @ Top, Rear	66.9 in
Cargo Box Width @ Floor	66.9 in
Cargo Box Width @ Wheelhousings	50.5 in
Cargo Box (Area) Height	21.1 in
Tailgate Width	N/A in
Cargo Volume	65.4 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0224 SB
Aftermkt in option total

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0225 LB
Aftermkt in option total

2017 Ford Super Duty F-250 SRW 4WD Crew Cab 8' Box



2017 Ford Super Duty F-250 SRW XL 4WD Crew Cab 8' Box (W2B)

CLASS 0225 LB

TRUCK 3/4 TON CREW CAB 4X4 LB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0225 LB
Aftermkt in option total

Vehicle Information

SELECTED MODEL

Code	Description
W2B	2017 Ford Super Duty F-250 SRW XL 4WD Crew Cab 8' Box

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
996	ENGINE: 6.2L 2-VALVE SOHC EFI NA V8 FLEX-FUEL, (STD)
44S	TRANSMISSION: TORQSHIFT-G 6-SPD AUTO W/SELECTSHIFT, (STD)
600A	ORDER CODE 600A
X37	3.73 AXLE RATIO, (STD)
64A	WHEELS: 17" ARGENT PAINTED STEEL, -inc: painted hub covers/center ornaments (STD)
TBM	TIRES: LT245/75RX17E BSW A/T
—	STANDARD PAINT
1S	MEDIUM EARTH GRAY, CLOTH 40/20/40 SPLIT BENCH SEAT, -inc: center armrest, cupholder, storage and driver's side manual lumbar
—	HEAVY-DUTY 157 AMP ALTERNATOR
90L	POWER EQUIPMENT GROUP, -inc: Deletes passenger-side lock cylinder, upgraded door trim panel, Accessory Delay, Remote Keyless Entry, Trailer Tow Mirrors w/Power Heated Glass, manual telescoping, heated convex spotter mirror and integrated clearance lamps/turn signals, Perimeter Alarm, Power Front & Rear Seat Windows, 1-touch up/down driver/passenger window, Power Tailgate Lock, Power Locks
213	4X4 ELECTRONIC-SHIFT-ON-THE-FLY (ESOF), -inc: manual-locking hubs and auto rotary control on instrument panel
41P	TRANSFER CASE & FUEL TANK SKID PLATES
942	DAYTIME RUNNING LAMPS (DRL), -inc: The non-controllable 942 Daytime Running Lamps (DRL) replace the standard Daytime Running Lamps (DRL), on/off cluster controllable, (LPO) REQUIRES Valid FIN Code.
585	RADIO: AM/FM STEREO/SINGLE-CD/MP3, (LPO) w/o 17S,96V-inc: aux audio input jack and 6 speakers w/96V&17S-inc: 6 speakers w/o 17S,96V, REQUIRES Valid FIN Code.
91M	SYNC COMMUNICATIONS & ENTERTAINMENT SYSTEM, -inc: enhanced voice recognition, 911 Assist, 4.2" LCD screen in center stack, AppLink, 1 smart-charging USB port and steering wheel audio controls
525	STEERING WHEEL-MOUNTED CRUISE CONTROL, (LPO) w/o 17S,96V, REQUIRES Valid FIN Code.

AFTERMARKET OPTIONS

Floormat, rubber, crew cab

Rubber floormat to be used on vinyl flooring. Floormat should not slide around for safety. Option code: AMO.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0225 LB
Aftermkt in option total

Standard Equipment

MECHANICAL

Engine: 6.2L 2-Valve SOHC EFI NA V8 Flex-Fuel
Transmission: TorqShift-G 6-Spd Auto w/SelectShift
3.73 Axle Ratio
GVWR: 10,000 lb Payload Package
50-State Emissions System
Transmission w/Oil Cooler
Manual Transfer Case
Part-Time Four-Wheel Drive
72-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection
Class V Towing w/Harness, Hitch and Trailer Sway Control
3230# Maximum Payload
HD Shock Absorbers
Front Anti-Roll Bar
Firm Suspension
Hydraulic Power-Assist Steering
Single Stainless Steel Exhaust
48 Gal. Fuel Tank
Manual Locking Hubs
Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 17" Argent Painted Steel -inc: painted hub covers/center ornaments
Tires: LT245/75R17E BSW A/S PLUS (4)
Regular Box Style
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks
Black Rear Step Bumper
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Manual Side Mirrors w/Manual Folding
Manual Extendable Trailer Style Mirrors
Fixed Rear Window
Light Tinted Glass
Variable Intermittent Wipers
Aluminum Panels
Black Grille
Front License Plate Bracket

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0225 LB
Aftermkt in option total

Tailgate Rear Cargo Access
Manual Tailgate/Rear Door Lock
Fully Automatic Aero-Composite Halogen Daytime Running Lights Preference Setting Headlamps w/Delay-Off
Cargo Lamp w/High Mount Stop Light

ENTERTAINMENT

Radio: AM/FM Stereo -inc: digital clock and 6-speakers
Fixed Antenna
1 LCD Monitor In The Front

INTERIOR

4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
60-40 Folding Split-Bench Front Facing Flip Forward Cushion/Seatback Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
Manual Rear Windows
Manual Air Conditioning
HVAC -inc: Underseat Ducts
Illuminated Locking Glove Box
Interior Trim -inc: Chrome Interior Accents
Full Cloth Headliner
Urethane Gear Shift Knob
HD Vinyl 40/20/40 Split Bench Seat -inc: center armrest, cupholder, storage and driver's side manual lumbar
Day-Night Rearview Mirror
Passenger Visor Vanity Mirror
2 12V DC Power Outlets
Full Overhead Console w/Storage and 2 12V DC Power Outlets
Fade-To-Off Interior Lighting
Front And Rear Map Lights
Full Vinyl/Rubber Floor Covering
Underhood And Pickup Cargo Box Lights
Instrument Panel Bin and Covered Dashboard Storage
Manual 1st Row Windows
Systems Monitor
Trip Computer
Outside Temp Gauge
Analog Display
Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
Securilock Anti-Theft Ignition (pats) Engine Immobilizer
Air Filtration

SAFETY

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0225 LB
Aftermkt in option total

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning
Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute
Safety Canopy System Curtain 1st And 2nd Row Airbags
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point and Height Adjusters
Dual Stage Driver And Passenger Front Airbags

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0225 LB
 Aftermkt in option total

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	6695.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	3971.00 lbs
Base Trim Weight - Rear	2724.00 lbs
Gross Axle Wt Rating - Front	5200 lbs
Gross Axle Wt Rating - Rear	6340 lbs
Curb Weight - Front	3971 lbs
Curb Weight - Rear	2724 lbs
Option Weight - Front	44.00 lbs
Option Weight - Rear	26.00 lbs
Reserve Axle Capacity - Front	1185.00 lbs
Reserve Axle Capacity - Rear	3590.00 lbs
As Spec'd Curb Weight	6765.00 lbs
As Spec'd Payload	3235.00 lbs
Maximum Payload Capacity	3305.00 lbs
Gross Combined Wt Rating	N/A lbs
Gross Axle Weight Rating	11540.00 lbs
Curb Weight	6695.00 lbs
Reserve Axle Capacity	4775.00 lbs
Total Option Weight	70.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	10000.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	N/A lbs
Dead Weight Hitch - Max Tongue Wt.	N/A lbs
Wt Distributing Hitch - Max Trailer Wt.	N/A lbs
Wt Distributing Hitch - Max Tongue Wt.	N/A lbs
Maximum Trailing Capacity	N/A lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0225 LB
 Aftermkt in option total

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Other
Suspension Type - Rear	Leaf
Spring Capacity - Front	5200 lbs
Spring Capacity - Rear	6340 lbs
Axle Type - Front	Non-Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	6000 lbs
Axle Capacity - Rear	6200 lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	TBM
Rear Tire Order Code	TBM
Spare Tire Order Code	
Front Tire Size	LT245/75SR17
Rear Tire Size	LT245/75SR17
Spare Tire Size	Full-Size
Front Tire Capacity	6390 lbs
Rear Tire Capacity	6390 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	645
Revolutions/Mile @ 45 mph - Rear	645
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0225 LB
 Aftermkt in option total

Wheels

Front Wheel Size	17 X 7.5 in
Rear Wheel Size	17 X 7.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Re-Circulating Ball
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	57.8 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	14.3 in
Rear Brake Rotor Diam x Thickness	14.3 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	48 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	Midship
Aux Fuel Tank Location	Midship

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	N/A
EPA Greenhouse Gas Score	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0225 LB
Aftermkt in option total

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	44S
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.17
Second Gear Ratio (:1)	2.34
Third Gear Ratio (:1)	1.52
Fourth Gear Ratio (:1)	1.14
Fifth Gear Ratio (:1)	0.87
Sixth Gear Ratio (:1)	0.69
Reverse Ratio (:1)	3.40
Clutch Size	N/A in
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No

Mileage

EPA Fuel Economy Est - Hwy	N/A MPG
Cruising Range - City	N/A mi
EPA Fuel Economy Est - City	N/A MPG
Fuel Economy Est-Combined	N/A MPG
Cruising Range - Hwy	N/A mi

Engine

Engine Order Code	996
Engine Type	Regular Unleaded V-8
Displacement	6.2 L/379
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	385 @ 5750
SAE Net Torque @ RPM	430 @ 3800
Engine Oil Cooler	None

Electrical

Cold Cranking Amps @ 0° F (Primary)	650
Cold Cranking Amps @ 0° F (2nd)	650
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	157

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0225 LB
 Aftermkt in option total

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	40.8 in
Front Leg Room	43.9 in
Front Shoulder Room	66.7 in
Front Hip Room	62.5 in
Second Head Room	40.4 in
Second Leg Room	43.6 in
Second Shoulder Room	65.9 in
Second Hip Room	64.7 in

Exterior Dimensions

Wheelbase	176 in
Length, Overall w/o rear bumper	N/A in
Width, Max w/o mirrors	80 in
Height, Overall	81.3 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	56.1 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	37.9 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.2 in
Ground Clearance, Rear	8.2 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	98.1 in
Cargo Box Width @ Top, Rear	66.9 in
Cargo Box Width @ Floor	66.9 in
Cargo Box Width @ Wheelhousings	50.5 in
Cargo Box (Area) Height	21.1 in
Tailgate Width	N/A in
Cargo Volume	78.5 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0225 LB
Aftermkt in option total

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0225 SB
Aftermkt in option total

2017 Ford Super Duty F-250 SRW 4WD Crew Cab 6.75' Box



2017 Ford Super Duty F-250 SRW XL 4WD Crew Cab 6.75' Box (W2B)

CLASS 0225 SB

TRUCK 3/4 TON CREW CAB 4X4 SB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0225 SB
Aftermkt in option total

Vehicle Information

SELECTED MODEL

Code	Description
W2B	2017 Ford Super Duty F-250 SRW XL 4WD Crew Cab 6.75' Box

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
996	ENGINE: 6.2L 2-VALVE SOHC EFI NA V8 FLEX-FUEL, (STD)
44S	TRANSMISSION: TORQSHIFT-G 6-SPD AUTO W/SELECTSHIFT, (STD)
600A	ORDER CODE 600A
X37	3.73 AXLE RATIO, (STD)
64A	WHEELS: 17" ARGENT PAINTED STEEL, -inc: painted hub covers/center ornaments (STD)
TBM	TIRES: LT245/75RX17E BSW A/T
—	STANDARD PAINT
1S	MEDIUM EARTH GRAY, CLOTH 40/20/40 SPLIT BENCH SEAT, -inc: center armrest, cupholder, storage and driver's side manual lumbar
—	HEAVY-DUTY 157 AMP ALTERNATOR
90L	POWER EQUIPMENT GROUP, -inc: Deletes passenger-side lock cylinder, upgraded door trim panel, Accessory Delay, Remote Keyless Entry, Trailer Tow Mirrors w/Power Heated Glass, manual telescoping, heated convex spotter mirror and integrated clearance lamps/turn signals, Perimeter Alarm, Power Front & Rear Seat Windows, 1-touch up/down driver/passenger window, Power Tailgate Lock, Power Locks
213	4X4 ELECTRONIC-SHIFT-ON-THE-FLY (ESOF), -inc: manual-locking hubs and auto rotary control on instrument panel
41P	TRANSFER CASE & FUEL TANK SKID PLATES
942	DAYTIME RUNNING LAMPS (DRL), -inc: The non-controllable 942 Daytime Running Lamps (DRL) replace the standard Daytime Running Lamps (DRL), on/off cluster controllable, (LPO) REQUIRES Valid FIN Code.
585	RADIO: AM/FM STEREO/SINGLE-CD/MP3, (LPO) w/o 17S,96V-inc: aux audio input jack and 6 speakers w/96V&17S-inc: 6 speakers w/o 17S,96V, REQUIRES Valid FIN Code.
91M	SYNC COMMUNICATIONS & ENTERTAINMENT SYSTEM, -inc: enhanced voice recognition, 911 Assist, 4.2" LCD screen in center stack, AppLink, 1 smart-charging USB port and steering wheel audio controls
525	STEERING WHEEL-MOUNTED CRUISE CONTROL, (LPO) w/o 17S,96V, REQUIRES Valid FIN Code.

AFTERMARKET OPTIONS

Floormat, rubber, crew cab

Rubber floormat to be used on vinyl flooring. Floormat should not slide around for safety. Option code: AMO.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0225 SB
Aftermkt in option total

Standard Equipment

MECHANICAL

Engine: 6.2L 2-Valve SOHC EFI NA V8 Flex-Fuel
Transmission: TorqShift-G 6-Spd Auto w/SelectShift
3.73 Axle Ratio
GVWR: 10,000 lb Payload Package
50-State Emissions System
Transmission w/Oil Cooler
Manual Transfer Case
Part-Time Four-Wheel Drive
72-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection
Class V Towing w/Harness, Hitch and Trailer Sway Control
3450# Maximum Payload
HD Shock Absorbers
Front Anti-Roll Bar
Firm Suspension
Hydraulic Power-Assist Steering
34 Gal. Fuel Tank
Single Stainless Steel Exhaust
Manual Locking Hubs
Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 17" Argent Painted Steel -inc: painted hub covers/center ornaments
Tires: LT245/75R17E BSW A/S PLUS (4)
Regular Box Style
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks
Black Rear Step Bumper
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Manual Side Mirrors w/Manual Folding
Manual Extendable Trailer Style Mirrors
Fixed Rear Window
Light Tinted Glass
Variable Intermittent Wipers
Aluminum Panels
Black Grille
Front License Plate Bracket

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0225 SB
Aftermkt in option total

Tailgate Rear Cargo Access
Manual Tailgate/Rear Door Lock
Fully Automatic Aero-Composite Halogen Daytime Running Lights Preference Setting Headlamps w/Delay-Off
Cargo Lamp w/High Mount Stop Light

ENTERTAINMENT

Radio: AM/FM Stereo -inc: digital clock and 6-speakers
Fixed Antenna
1 LCD Monitor In The Front

INTERIOR

4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
60-40 Folding Split-Bench Front Facing Flip Forward Cushion/Seatback Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
Manual Rear Windows
Manual Air Conditioning
HVAC -inc: Underseat Ducts
Illuminated Locking Glove Box
Interior Trim -inc: Chrome Interior Accents
Full Cloth Headliner
Urethane Gear Shift Knob
HD Vinyl 40/20/40 Split Bench Seat -inc: center armrest, cupholder, storage and driver's side manual lumbar
Day-Night Rearview Mirror
Passenger Visor Vanity Mirror
2 12V DC Power Outlets
Full Overhead Console w/Storage and 2 12V DC Power Outlets
Fade-To-Off Interior Lighting
Front And Rear Map Lights
Full Vinyl/Rubber Floor Covering
Underhood And Pickup Cargo Box Lights
Instrument Panel Bin and Covered Dashboard Storage
Manual 1st Row Windows
Systems Monitor
Trip Computer
Outside Temp Gauge
Analog Display
Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
Securilock Anti-Theft Ignition (pats) Engine Immobilizer
Air Filtration

SAFETY

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0225 SB
Aftermkt in option total

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning
Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute
Safety Canopy System Curtain 1st And 2nd Row Airbags
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point and Height Adjusters
Dual Stage Driver And Passenger Front Airbags

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0225 SB
 Aftermkt in option total

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	6478.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	3777.00 lbs
Base Trim Weight - Rear	2701.00 lbs
Gross Axle Wt Rating - Front	4800 lbs
Gross Axle Wt Rating - Rear	6340 lbs
Curb Weight - Front	3777 lbs
Curb Weight - Rear	2701 lbs
Option Weight - Front	44.00 lbs
Option Weight - Rear	26.00 lbs
Reserve Axle Capacity - Front	979.00 lbs
Reserve Axle Capacity - Rear	3613.00 lbs
As Spec'd Curb Weight	6548.00 lbs
As Spec'd Payload	3452.00 lbs
Maximum Payload Capacity	3522.00 lbs
Gross Combined Wt Rating	N/A lbs
Gross Axle Weight Rating	11140.00 lbs
Curb Weight	6478.00 lbs
Reserve Axle Capacity	4592.00 lbs
Total Option Weight	70.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	10000.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	N/A lbs
Dead Weight Hitch - Max Tongue Wt.	N/A lbs
Wt Distributing Hitch - Max Trailer Wt.	N/A lbs
Wt Distributing Hitch - Max Tongue Wt.	N/A lbs
Maximum Trailing Capacity	N/A lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0225 SB
 Aftermkt in option total

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Other
Suspension Type - Rear	Leaf
Spring Capacity - Front	4800 lbs
Spring Capacity - Rear	6340 lbs
Axle Type - Front	Non-Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	6000 lbs
Axle Capacity - Rear	6200 lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	TBM
Rear Tire Order Code	TBM
Spare Tire Order Code	
Front Tire Size	LT245/75SR17
Rear Tire Size	LT245/75SR17
Spare Tire Size	Full-Size
Front Tire Capacity	6390 lbs
Rear Tire Capacity	6390 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	645
Revolutions/Mile @ 45 mph - Rear	645
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0225 SB
 Aftermkt in option total

Wheels

Front Wheel Size	17 X 7.5 in
Rear Wheel Size	17 X 7.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Re-Circulating Ball
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	53 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	14.3 in
Rear Brake Rotor Diam x Thickness	14.3 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	34 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	Midship
Aux Fuel Tank Location	Midship

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	N/A
EPA Greenhouse Gas Score	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0225 SB
Aftermkt in option total

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	44S
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.17
Second Gear Ratio (:1)	2.34
Third Gear Ratio (:1)	1.52
Fourth Gear Ratio (:1)	1.14
Fifth Gear Ratio (:1)	0.87
Sixth Gear Ratio (:1)	0.69
Reverse Ratio (:1)	3.40
Clutch Size	N/A in
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No

Mileage

EPA Fuel Economy Est - Hwy	N/A MPG
Cruising Range - City	N/A mi
EPA Fuel Economy Est - City	N/A MPG
Fuel Economy Est-Combined	N/A MPG
Cruising Range - Hwy	N/A mi

Engine

Engine Order Code	996
Engine Type	Regular Unleaded V-8
Displacement	6.2 L/379
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	385 @ 5750
SAE Net Torque @ RPM	430 @ 3800
Engine Oil Cooler	None

Electrical

Cold Cranking Amps @ 0° F (Primary)	650
Cold Cranking Amps @ 0° F (2nd)	650
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	157

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0225 SB
 Aftermkt in option total

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	40.8 in
Front Leg Room	43.9 in
Front Shoulder Room	66.7 in
Front Hip Room	62.5 in
Second Head Room	40.4 in
Second Leg Room	43.6 in
Second Shoulder Room	65.9 in
Second Hip Room	64.7 in

Exterior Dimensions

Wheelbase	160 in
Length, Overall w/o rear bumper	N/A in
Width, Max w/o mirrors	80 in
Height, Overall	81.5 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	39.9 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	38.1 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.2 in
Ground Clearance, Rear	8.2 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	81.9 in
Cargo Box Width @ Top, Rear	66.9 in
Cargo Box Width @ Floor	66.9 in
Cargo Box Width @ Wheelhousings	50.5 in
Cargo Box (Area) Height	21.1 in
Tailgate Width	N/A in
Cargo Volume	65.4 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0225 SB
Aftermkt in option total

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0261 LB
Aftermkt in option total

2017 Ford F-150 2WD SuperCrew 6.5' Box



2017 Ford F-150 XL 2WD SuperCrew 6.5' Box (W1C)

CLASS 0261 LB

TRUCK 1/2 TON CREW CAB 4X2 LB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0261 LB
 Aftermkt in option total

Vehicle Information

SELECTED MODEL

Code	Description
W1C	2017 Ford F-150 XL 2WD SuperCrew 6.5' Box

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
99F	ENGINE: 5.0L V8 FFV, -inc: 3.31 Axle Ratio, GVWR: 6,950 lbs Payload Package
446	TRANSMISSION: ELECTRONIC 6-SPEED AUTOMATIC, -inc: tow/haul and sport mode (STD)
100A	EQUIPMENT GROUP 100A BASE
X27	3.31 AXLE RATIO
64C	WHEELS: 17" SILVER STEEL, (STD)
T7C	TIRES: LT245/70R17E BSW A/T, w/o 627, REQUIRES valid FIN code.
—	STANDARD PAINT
CG	DARK EARTH GRAY, CLOTH 40/20/40 FRONT SEAT, -inc: 2-way manual driver/passenger adjustment and armrest
85A	XL POWER EQUIPMENT GROUP, -inc: Power Glass Sideview Mirrors w/Black Skull Caps, manual-folding, Power Door Locks, flip key and integrated key transmitter keyless-entry (includes Autolock), Illuminated Entry, Power Front & Rear Windows, Perimeter Alarm, Power Tailgate Lock, MyKey Owner controls feature, w/100A, REQUIRES valid FIN code., *GROSS*
53A	TRAILER TOW PACKAGE, -inc: Towing capability up to 11,100 lbs, Note: Ordering the Trailer Tow Package does not include Trailer Tow Mirrors, Trailer Tow Mirrors are a standalone option and must be ordered separately, (Option Code: 54M or 54Y/59S), Auxiliary Transmission Oil Cooler, Class IV Trailer Hitch Receiver, towing capability up to 5,000 lbs, on 3.5L Ti-VCT engine (998) and 2.7L EcoBoost engine (99P) or up to 7,000 lbs, on 3.5L EcoBoost engine (99G) and 5.0L V8 engine (99F), smart trailer tow connector and 4-pin/7-pin wiring harness, Upgraded Front Stabilizer Bar
425	50 STATE EMISSIONS, AVAILABLE ONLY to Commercial and Government Fleet.
53B	CLASS IV TRAILER HITCH RECEIVER, -inc: towing capability up to 5,000 lbs, on 3.5L Ti-VCT engine (998) and 2.7L EcoBoost engine (99P) or up to 7,000 lbs, on 3.5L EcoBoost engine (99G) and 5.0L V8 engine (99F), smart trailer tow connector and 4-pin/7-pin wiring harness
—	GVWR: 6,950 LBS PAYLOAD PACKAGE
153	FRONT LICENSE PLATE BRACKET, -inc: Standard in states requiring 2 license plates, optional to all others
942	DAYTIME RUNNING LAMPS, -inc: Non-controllable, REQUIRES valid FIN code.
58B	RADIO: AM/FM STEREO/SINGLE-CD PLAYER, -inc: 6 speakers, w/100A, REQUIRES valid FIN code.
52B	SYNC, -inc: enhanced voice recognition communication and entertainment system, 911 assist, 4.2" LCD display in center stack, Applink and 1 smart charging USB port, DELETES auxiliary audio input jack, w/100A, REQUIRES valid FIN code.
50S	CRUISE CONTROL, w/100A, REQUIRES valid FIN code.
—	XL POWER EQUIPMENT GROUP SAVINGS, *DISCOUNT*

AFTERMARKET OPTIONS

Floormat, rubber, crew cab

Rubber floormat to be used on vinyl flooring. Floormat should not slide around for safety. Option code: AMO.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0261 LB
Aftermkt in option total

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0261 LB
Aftermkt in option total

Standard Equipment

MECHANICAL

Engine: 2.7L V6 EcoBoost -inc: auto start/stop
Transmission: Electronic 6-Speed Automatic -inc: tow/haul and sport mode
3.15 Axle Ratio
GVWR: 6,350 lbs Payload Package
Transmission w/SelectShift Sequential Shift Control
Rear-Wheel Drive
70-Amp/Hr 610CCA Maintenance-Free Battery w/Run Down Protection
200 Amp Alternator
Towing w/Harness and Trailer Sway Control
1700# Maximum Payload
Gas-Pressurized Shock Absorbers
Front Anti-Roll Bar
Electric Power-Assist Speed-Sensing Steering
23 Gal. Fuel Tank
Single Stainless Steel Exhaust
Double Wishbone Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 17" Silver Steel
Tires: P245/70R17 BSW A/S
Regular Box Style
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Front Bumper w/Black Rub Strip/Fascia Accent
Black Rear Step Bumper
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Manual Side Mirrors w/Convex Spotter and Manual Folding
Fixed Rear Window
Light Tinted Glass
Variable Intermittent Wipers
Aluminum Panels
Black Grille
Tailgate Rear Cargo Access
Manual Tailgate/Rear Door Lock
Fully Automatic Aero-Composite Halogen Daytime Running Headlamps w/Delay-Off
Cargo Lamp w/High Mount Stop Light

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0261 LB
Aftermkt in option total

ENTERTAINMENT

Radio: AM/FM Stereo w/6 Speakers -inc: auxiliary audio input jack (not available w/SYNC)
Radio w/Aux Audio Input Jack
Fixed Antenna
1 LCD Monitor In The Front

INTERIOR

Cloth 40/20/40 Front Seat -inc: 2-way manual driver/passenger adjustment and armrest
4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
60-40 Folding Split-Bench Front Facing Fold-Up Cushion Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp and Trip Odometer
Manual Rear Windows
Front Cupholder
Rear Cupholder
Manual Air Conditioning
HVAC -inc: Underseat Ducts
Glove Box
Interior Trim -inc: Cabback Insulator and Chrome Interior Accents
Full Cloth Headliner
Urethane Gear Shift Knob
Day-Night Rearview Mirror
Passenger Visor Vanity Mirror
3 12V DC Power Outlets
Fade-To-Off Interior Lighting
Full Vinyl/Rubber Floor Covering
Pickup Cargo Box Lights
Instrument Panel Bin, Dashboard Storage, Driver / Passenger And Rear Door Bins
Manual 1st Row Windows
Outside Temp Gauge
Analog Display
Front Center Armrest
Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
Securilock Anti-Theft Ignition (pats) Engine Immobilizer

SAFETY

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags
Airbag Occupancy Sensor

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0261 LB
Aftermkt in option total

Safety Canopy System Curtain 1st And 2nd Row Airbags
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
Rear Child Safety Locks

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0261 LB
 Aftermkt in option total

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	4572.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	2713.00 lbs
Base Trim Weight - Rear	1859.00 lbs
Gross Axle Wt Rating - Front	3450 lbs
Gross Axle Wt Rating - Rear	3300 lbs
Curb Weight - Front	2713 lbs
Curb Weight - Rear	1859 lbs
Option Weight - Front	44.00 lbs
Option Weight - Rear	72.00 lbs
Reserve Axle Capacity - Front	693.00 lbs
Reserve Axle Capacity - Rear	1369.00 lbs
As Spec'd Curb Weight	4688.00 lbs
As Spec'd Payload	2062.00 lbs
Maximum Payload Capacity	2378.00 lbs
Gross Combined Wt Rating	12600 lbs
Gross Axle Weight Rating	6750.00 lbs
Curb Weight	4572.00 lbs
Reserve Axle Capacity	2062.00 lbs
Total Option Weight	116.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	6750.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	7600 lbs
Dead Weight Hitch - Max Tongue Wt.	760 lbs
Wt Distributing Hitch - Max Trailer Wt.	7600 lbs
Wt Distributing Hitch - Max Tongue Wt.	760 lbs
Maximum Trailing Capacity	7600 lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0261 LB
 Aftermkt in option total

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Double Wishbone
Suspension Type - Rear	Leaf
Spring Capacity - Front	3450 lbs
Spring Capacity - Rear	3300 lbs
Axle Type - Front	Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	N/A lbs
Axle Capacity - Rear	N/A lbs
Axle Ratio (:1) - Front	3.31
Axle Ratio (:1) - Rear	3.31
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	T7C
Rear Tire Order Code	T7C
Spare Tire Order Code	
Front Tire Size	LT245/70SR17
Rear Tire Size	LT245/70SR17
Spare Tire Size	Full-Size
Front Tire Capacity	3650 lbs
Rear Tire Capacity	4050 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0261 LB
Aftermkt in option total

Wheels

Front Wheel Size	17 X 7.5 in
Rear Wheel Size	17 X 7.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	51.1 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	13.8 in
Rear Brake Rotor Diam x Thickness	13.7 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	23 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	Midship
Aux Fuel Tank Location	Midship

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	9.8 (Est)
EPA Greenhouse Gas Score	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0261 LB
Aftermkt in option total

Transmission

Drivetrain	Rear Wheel Drive
Trans Order Code	446
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.17
Second Gear Ratio (:1)	2.34
Third Gear Ratio (:1)	1.52
Fourth Gear Ratio (:1)	1.14
Fifth Gear Ratio (:1)	0.86
Sixth Gear Ratio (:1)	0.69
Reverse Ratio (:1)	3.40
Clutch Size	N/A in
Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No

Mileage

EPA Fuel Economy Est - Hwy	22 (Est) MPG
Cruising Range - City	345.00 mi
EPA Fuel Economy Est - City	15 (Est) MPG
Fuel Economy Est-Combined	18 (Est) MPG
Cruising Range - Hwy	506.00 mi

Engine

Engine Order Code	99F
Engine Type	Regular Unleaded V-8
Displacement	5.0 L/302
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	385 @ 5750
SAE Net Torque @ RPM	387 @ 3850
Engine Oil Cooler	None

Electrical

Cold Cranking Amps @ 0° F (Primary)	610
Cold Cranking Amps @ 0° F (2nd)	610
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	200

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0261 LB
 Aftermkt in option total

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	40.8 in
Front Leg Room	43.9 in
Front Shoulder Room	66.7 in
Front Hip Room	62.5 in
Second Head Room	40.4 in
Second Leg Room	43.6 in
Second Shoulder Room	65.9 in
Second Hip Room	64.7 in

Exterior Dimensions

Wheelbase	157 in
Length, Overall w/o rear bumper	N/A in
Width, Max w/o mirrors	79.9 in
Height, Overall	75.7 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	35.7 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.4 in
Ground Clearance, Rear	8.4 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	78 in
Cargo Box Width @ Top, Rear	65.2 in
Cargo Box Width @ Floor	65.2 in
Cargo Box Width @ Wheelhousings	50.6 in
Cargo Box (Area) Height	21.4 in
Tailgate Width	N/A in
Cargo Volume	62.3 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0261 LB
Aftermkt in option total

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0261 SB
Aftermkt in option total

2017 Chevrolet Silverado 1500 2WD Crew Cab 143.5"



2017 Chevrolet Silverado 1500 2WD Crew Cab 143.5" Work Truck (CC15543)

CLASS 0261 SB

TRUCK 1/2 TON CREW CAB 4X2 SB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0261 SB
 Aftermkt in option total

Vehicle Information

SELECTED MODEL

Code	Description
CC15543	2017 Chevrolet Silverado 1500 2WD Crew Cab 143.5" Work Truck

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
FE9	EMISSIONS, FEDERAL REQUIREMENTS
L83	ENGINE, 5.3L ECOTEC3 V8 WITH ACTIVE FUEL MANAGEMENT, DIRECT INJECTION AND VARIABLE VALVE TIMING, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm; more than 300 lb-ft of torque from 2000 to 5600 rpm)
MYC	TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED, with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)
C5W	GVWR, 7000 LBS. (3175 KG), (Crew Cab and Double Cab Requires 2WD models and (L83) 5.3L EcoTec3 V8 engine or (L86) 6.2L EcoTec3 V8 engine. Not available with (NHT) Max Trailering Package.)
GU6	REAR AXLE, 3.42 RATIO, (Standard on 4WD (LV3) 4.3L EcoTec3 V6 engine. Available with (L83) 5.3L EcoTec3 V8 engine.)
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP, includes standard equipment
RC5	TIRES, LT265/70R17C, ALL-TERRAIN, BLACKWALL
ZY1	PAINT, SOLID
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINE, with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manual adjustable driver lumbar. (STD)
H2R	DARK ASH WITH JET BLACK INTERIOR ACCENTS, CLOTH SEAT TRIM
IOB	AUDIO SYSTEM, CHEVROLET MYLINK RADIO WITH 7" DIAGONAL COLOR TOUCH-SCREEN, AM/FM STEREO, with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones (Includes (UQ3) 6-speaker audio system.)
PCR	WT FLEET CONVENIENCE PACKAGE, All cabs include (DL8) outside heated power-adjustable mirrors, (A91) remote locking tailgate and (AQQ) Remote Keyless Entry., ((DL8) outside heated power-adjustable mirrors can be upgraded to (DPN) power camper mirrors. If (ZW9) pickup box delete is ordered (A91) remote locking tailgate will not be included.)
Z82	TRAILERING PACKAGE, includes trailer hitch, 7-pin and 4-pin connectors
FHS	E85 FLEXFUEL CAPABLE OF RUNNING ON UNLEADED OR UP TO 85% ETHANOL, (Optional with (L83) 5.3L EcoTec3 V8 engine with (MYC) 6-speed automatic transmission or included with (LV3) 4.3L EcoTec3 V6 engine. Not available with (ZW9) pickup box delete.)
KNP	COOLING, AUXILIARY EXTERNAL TRANSMISSION OIL COOLER, (Included and only available with (L83) 5.3L EcoTec3 V8 engine.)
—	BATTERY, HEAVY-DUTY 720 COLD-CRANKING AMPS/80 AMP-HR, MAINTENANCE-FREE, with rundown protection and retained accessory power, (Included and only available with V8 engines.)
RHM	TIRE, SPARE LT265/70R17 ALL-TERRAIN, BLACKWALL, (Requires a Regular Cab model and (ZW9) pickup box delete. Included and only available with (RC5) LT265/70R17C all-terrain, blackwall tires with (E63) pickup box on all cabs. Not included with (RC5) LT265/70R17 all-terrain, blackwall tires when (ZW9) pickup box delete is ordered.)
DL8	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE, (includes driver's side spotter mirror) (Black., Included and only available with (PCR) WT Fleet Convenience Package.)
VK3	LICENSE PLATE KIT, FRONT, (will be shipped to orders with ship-to states that require front license plate)
A91	REMOTE LOCKING TAILGATE, (Included and only available with (AQQ) Remote Keyless Entry. Not available with (ZW9) pickup box delete.)

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0261 SB
Aftermkt in option total

Code	Description
—	BLUETOOTH FOR PHONE, PERSONAL CELL PHONE CONNECTIVITY TO VEHICLE AUDIO SYSTEM, (Included and only available with (IOB) 7" diagonal color touch screen display radio with Chevrolet MyLink.)
AQQ	REMOTE KEYLESS ENTRY, WITH 2 TRANSMITTERS, Includes (A91) remote locking tailgate.), (Included and only available with (PCR) WT Fleet Convenience Package.
R9Y	FLEET FREE MAINTENANCE CREDIT, This option code provides a credit in lieu of the free oil changes, tire rotations and inspections (2 maximum), during the first 24 months and 24,000 miles period for this ordered vehicle. The invoice will detail the applicable credit. The customer will be responsible for all oil change, tire rotations and inspections costs for this vehicle., (Requires one of the following Fleet or Government order types: FBC, FBN, FCA, FCN, FEF, FLS, FNR, FRC or FGO. Not available with FDR order types.), *CREDIT*

AFTERMARKET OPTIONS

Floormat, rubber, crew cab

Rubber floormat to be used on vinyl flooring. Floormat should not slide around for safety. Option code: AMO.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0261 SB
Aftermkt in option total

Standard Equipment

MECHANICAL

Engine, 4.3L FlexFuel EcoTec3 V6 with Active Fuel Management, Direct Injection and Variable Valve Timing includes aluminum block construction with (FHS) E85 FlexFuel capability, capable of running on unleaded or up to 85% ethanol (285 hp [212 kW] @ 5300 rpm, 305 lb-ft of torque [413 Nm] @ 3900 rpm) (Includes (FHS) E85 FlexFuel capability. Not available on C*15743 models.)

Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking

Rear axle, 3.23 ratio (Standard and only available on (LV3) 4.3L EcoTec3 V6 engine with 2WD models.)

Pickup box

GVWR, 6900 lbs. (3130 kg) (Crew Cab and Double Cab requires 2WD models and (LV3) 4.3L EcoTec3 V6 engine.)

Rear wheel drive

Cooling, external engine oil cooler

Battery, heavy-duty 730 cold-cranking amps/70 Amp-hr, maintenance-free with rundown protection and retained accessory power

Alternator, 150 amps

Frame, fully-boxed, hydroformed front section

Steering, Electric Power Steering (EPS) assist, rack-and-pinion

Brakes, 4-wheel disc with DURALIFE rotors, 4-wheel antilock

Capless Fuel Fill

Exhaust, aluminized stainless-steel muffler and tailpipe

EXTERIOR

Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel

Tires, P255/70R17 all-season, blackwall

Wheel, full-size spare, 17" (43.2 cm) steel

Tire, spare P255/70R17 all-season, blackwall (Included and only available with (RBZ) P255/70R17 all-season, blackwall tires.)

Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door

Bumpers, front, Black

Bumpers, rear, Black

Lamps, cargo area, cab mounted with switch on center switch bank

CornerStep, rear bumper

Grille surround, chrome

Active aero shutters, front

Headlamps, high intensity discharge (HID) projector-beam with LED signature DRL

Mirrors, outside manual, Black

Glass, solar absorbing, tinted

Door handles, Black

Tailgate and bed rail protection cap, top

Tailgate, locking utilizes same key as ignition and door (Not available with (AQQ) Remote Keyless Entry.) (Not available with (AQQ) Remote Keyless Entry. Not available with (ZW9) pickup box delete.)

ENTERTAINMENT

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0261 SB
Aftermkt in option total

Audio system, 4.2" diagonal color display, AM/FM stereo with USB port and auxiliary jack with USB ports and auxiliary jack (Not available with (AZ3) 40/20/40 split-bench seat.)

SiriusXM Satellite Radio, delete

6-speaker audio system (Standard on Crew Cab and Double Cab models.)

INTERIOR

Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manual adjustable driver lumbar.

Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Requires Crew Cab model.)

Floor covering, Graphite-colored rubberized-vinyl, no floor mats included

Steering column, Tilt-Wheel, manual with theft-deterrent locking feature

Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure

Driver Information Center, 3.5-inch diagonal monochromatic display provides warning messages and basic vehicle information

Windows, power front and rear with driver express up and down and express down on all other windows (Standard on Crew Cab and Double Cab.)

Door locks, power

Cruise control, electronic with set and resume speed, steering wheel-mounted

Air conditioning, single-zone

Assist handle, front passenger on A-pillar

SAFETY

StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist

Daytime Running Lamps with automatic exterior lamp control

Air bags, dual-stage frontal and side-impact, driver and front passenger and head-curtain and seat-mounted side-impact, front and rear outboard seating positions with Passenger Sensing System (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

Teen Driver mode a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behavior. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report gives you information on your teen's driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System (does not apply to spare tire)

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0261 SB
 Aftermkt in option total

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	N/A lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	N/A lbs
Base Trim Weight - Rear	N/A lbs
Gross Axle Wt Rating - Front	3850 lbs
Gross Axle Wt Rating - Rear	3950 lbs
Curb Weight - Front	N/A lbs
Curb Weight - Rear	N/A lbs
Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs
Reserve Axle Capacity - Front	N/A lbs
Reserve Axle Capacity - Rear	N/A lbs
As Spec'd Curb Weight	N/A lbs
As Spec'd Payload	N/A lbs
Maximum Payload Capacity	N/A lbs
Gross Combined Wt Rating	15000 lbs
Gross Axle Weight Rating	7800.00 lbs
Curb Weight	N/A lbs
Reserve Axle Capacity	N/A lbs
Total Option Weight	0.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	7000.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	5000 lbs
Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	9400 lbs
Wt Distributing Hitch - Max Tongue Wt.	940 lbs
Maximum Trailing Capacity	11100 lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0261 SB
 Aftermkt in option total

Frame	
Frame Type	Hydroformed
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Independent
Suspension Type - Rear	2-Stage Multi-Leaf
Spring Capacity - Front	3650 lbs
Spring Capacity - Rear	3950 lbs
Axle Type - Front	N/A
Axle Type - Rear	N/A
Axle Capacity - Front	3650 lbs
Axle Capacity - Rear	3950 lbs
Axle Ratio (:1) - Front	
Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	1.81 mm
Shock Absorber Diameter - Rear	1.38 mm
Stabilizer Bar Diameter - Front	1.35 in
Stabilizer Bar Diameter - Rear	

Tires	
Front Tire Order Code	RC5
Rear Tire Order Code	RC5
Spare Tire Order Code	RHM
Front Tire Size	LT265/70R17C
Rear Tire Size	LT265/70R17C
Spare Tire Size	LT265/70R17
Front Tire Capacity	N/A lbs
Rear Tire Capacity	N/A lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0261 SB
Aftermkt in option total

Wheels

Front Wheel Size	17 x 8.0 in
Rear Wheel Size	17 x 8.0 in
Spare Wheel Size	17 x -TBD- in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Electric Rack & Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	16.3
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	47.2 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	Pwr
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	13.0 x 1.18 in
Rear Brake Rotor Diam x Thickness	13.6 x 0.79 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	26 gal
Aux Fuel Tank Capacity, Approx	
Fuel Tank Location	N/A
Aux Fuel Tank Location	

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	9.3
EPA Greenhouse Gas Score	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0261 SB
Aftermkt in option total

Transmission

Drivetrain	Rear Wheel Drive
Trans Order Code	MYC
Trans Type	6
Trans Description Cont.	Automatic
Trans Description Cont. Again	
First Gear Ratio (:1)	4.03
Second Gear Ratio (:1)	2.36
Third Gear Ratio (:1)	1.53
Fourth Gear Ratio (:1)	1.15
Fifth Gear Ratio (:1)	0.85
Sixth Gear Ratio (:1)	0.67
Reverse Ratio (:1)	3.06
Clutch Size	
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	
Transfer Case Gear Ratio (:1), High	
Transfer Case Gear Ratio (:1), Low	
Transfer Case Power Take Off	

Mileage

EPA Fuel Economy Est - Hwy	23 MPG
Cruising Range - City	416.00 mi
EPA Fuel Economy Est - City	16 MPG
Fuel Economy Est-Combined	19 MPG
Cruising Range - Hwy	598.00 mi

Engine

Engine Order Code	L83
Engine Type	Gas/Ethanol V8
Displacement	5.3L/325
Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600
SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	Yes

Electrical

Cold Cranking Amps @ 0° F (Primary)	720
Cold Cranking Amps @ 0° F (2nd)	
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	150

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0261 SB
 Aftermkt in option total

Cooling System

Total Cooling System Capacity	15.6 qts
-------------------------------	----------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	42.80 in
Front Leg Room	45.27 in
Front Shoulder Room	66.03 in
Front Hip Room	60.73 in
Second Head Room	40.50 in
Second Leg Room	40.93 in
Second Shoulder Room	65.73 in
Second Hip Room	60.27 in

Exterior Dimensions

Wheelbase	143.5 in
Length, Overall w/o rear bumper	230.03 in
Width, Max w/o mirrors	80.0 in
Height, Overall	74.17 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	150.90 in
Cab to Axle	31.97 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	34.9 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.73 in
Ground Clearance, Rear	8.73 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	69.33 in
Cargo Box Width @ Top, Rear	N/A in
Cargo Box Width @ Floor	64.6 in
Cargo Box Width @ Wheelhousings	51.03 in
Cargo Box (Area) Height	21.10 in
Tailgate Width	62.2 in
Cargo Volume	53.4 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0261 SB
Aftermkt in option total

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0276LB
Aftermkt in option total

2017 Chevrolet Silverado 1500 4WD Crew Cab 153.0"



2017 Chevrolet Silverado 1500 4WD Crew Cab 153.0" Work Truck (CK15743)

CLASS 0276 LB

TRUCK 1/2 TON CREW CAB 4X4 LB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0276LB
 Aftermkt in option total

Vehicle Information

SELECTED MODEL

Code	Description
CK15743	2017 Chevrolet Silverado 1500 4WD Crew Cab 153.0" Work Truck

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
FE9	EMISSIONS, FEDERAL REQUIREMENTS
L83	ENGINE, 5.3L ECOTEC3 V8 WITH ACTIVE FUEL MANAGEMENT, DIRECT INJECTION AND VARIABLE VALVE TIMING, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm; more than 300 lb-ft of torque from 2000 to 5600 rpm) (STD), (Standard on C*15743 models.)
MYC	TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED, with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)
GU4	REAR AXLE, 3.08 RATIO, (Requires (L83) 5.3L EcoTec3 V8 engine. Not available with (RD2) 20" chrome wheels or (RD4) 20" polished-aluminum wheels.)
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP, includes standard equipment
RD6	WHEELS, 17" X 8" (43.2 CM X 20.3 CM) PAINTED STEEL, (STD)
RC5	TIRES, LT265/70R17C, ALL-TERRAIN, BLACKWALL
ZY1	PAINT, SOLID
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINE, with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manual adjustable driver lumbar. (STD)
H2R	DARK ASH WITH JET BLACK INTERIOR ACCENTS, CLOTH SEAT TRIM
IOB	AUDIO SYSTEM, CHEVROLET MYLINK RADIO WITH 7" DIAGONAL COLOR TOUCH-SCREEN, AM/FM STEREO, with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones (Includes (UQ3) 6-speaker audio system.)
PCR	WT FLEET CONVENIENCE PACKAGE, All cabs include (DL8) outside heated power-adjustable mirrors, (A91) remote locking tailgate and (AQQ) Remote Keyless Entry., ((DL8) outside heated power-adjustable mirrors can be upgraded to (DPN) power camper mirrors. If (ZW9) pickup box delete is ordered (A91) remote locking tailgate will not be included.)
Z82	TRAILERING PACKAGE, includes trailer hitch, 7-pin and 4-pin connectors
FHS	E85 FLEXFUEL CAPABLE OF RUNNING ON UNLEADED OR UP TO 85% ETHANOL, (Optional with (L83) 5.3L EcoTec3 V8 engine with (MYC) 6-speed automatic transmission or included with (LV3) 4.3L EcoTec3 V6 engine. Not available with (ZW9) pickup box delete.)
NQH	TRANSFER CASE, ELECTRONIC AUTOTRAC WITH ROTARY DIAL CONTROL, (Requires 4WD models.)
NZZ	UNDERBODY SHIELD, TRANSFER CASE PROTECTION
RHM	TIRE, SPARE LT265/70R17 ALL-TERRAIN, BLACKWALL, (Requires a Regular Cab model and (ZW9) pickup box delete. Included and only available with (RC5) LT265/70R17C all-terrain, blackwall tires with (E63) pickup box on all cabs. Not included with (RC5) LT265/70R17 all-terrain, blackwall tires when (ZW9) pickup box delete is ordered.)
DL8	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE, (includes driver's side spotter mirror) (Black., Included and only available with (PCR) WT Fleet Convenience Package.)
VK3	LICENSE PLATE KIT, FRONT, (will be shipped to orders with ship-to states that require front license plate)
A91	REMOTE LOCKING TAILGATE, (Included and only available with (AQQ) Remote Keyless Entry. Not available with (ZW9) pickup box delete.)
---	BLUETOOTH FOR PHONE, PERSONAL CELL PHONE CONNECTIVITY TO VEHICLE AUDIO SYSTEM, (Included and only available with (IOB) 7" diagonal color touch screen display radio with Chevrolet MyLink.)

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0276LB
Aftermkt in option total

Code	Description
AQQ	REMOTE KEYLESS ENTRY, WITH 2 TRANSMITTERS, Includes (A91) remote locking tailgate.), (Included and only available with (PCR) WT Fleet Convenience Package.
R9Y	FLEET FREE MAINTENANCE CREDIT, This option code provides a credit in lieu of the free oil changes, tire rotations and inspections (2 maximum), during the first 24 months and 24,000 miles period for this ordered vehicle. The invoice will detail the applicable credit. The customer will be responsible for all oil change, tire rotations and inspections costs for this vehicle., (Requires one of the following Fleet or Government order types: FBC, FBN, FCA, FCN, FEF, FLS, FNR, FRC or FGO. Not available with FDR order types.), *CREDIT*

AFTERMARKET OPTIONS

Chev-MatCrw

Floor mats, Truck, Crew Cab . Option code: AMO.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0276LB
Aftermkt in option total

Standard Equipment

MECHANICAL

Engine, 5.3L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm; more than 300 lb-ft of torque from 2000 to 5600 rpm) (Standard on C*15743 models.)

Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking

Rear axle, 3.08 ratio (Requires (L83) 5.3L EcoTec3 V8 engine. Not available with (RD2) 20" chrome wheels or (RD4) 20" polished-aluminum wheels.)

Pickup box

GVWR, 7200 lbs. (3266 kg) (Requires Crew Cab or Double Cab 4WD models and (L83) 5.3L EcoTec3 V8 engine or (L86) 6.2L EcoTec3 V8 engine.)

Transfer case, with floor-mounted shifter (Included with 4WD models only.)

Four wheel drive

Cooling, external engine oil cooler

Cooling, auxiliary external transmission oil cooler (Included and only available with (L83) 5.3L EcoTec3 V8 engine.)

Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with V8 engines.)

Alternator, 150 amps

Frame, fully-boxed, hydroformed front section

Steering, Electric Power Steering (EPS) assist, rack-and-pinion

Brakes, 4-wheel disc with DURALIFE rotors, 4-wheel antilock

Capless Fuel Fill

Exhaust, aluminized stainless-steel muffler and tailpipe

EXTERIOR

Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel

Tires, P255/70R17 all-season, blackwall

Wheel, full-size spare, 17" (43.2 cm) steel

Tire, spare P255/70R17 all-season, blackwall (Included and only available with (RBZ) P255/70R17 all-season, blackwall tires.)

Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door

Bumpers, front, Black

Bumpers, rear, Black

Recovery hooks, front, frame-mounted, black (Included with 4WD models only.) (Standard with 4WD models. Available with 2WD models.)

Lamps, cargo area, cab mounted with switch on center switch bank

CornerStep, rear bumper

Grille surround, chrome

Active aero shutters, front

Headlamps, high intensity discharge (HID) projector-beam with LED signature DRL

Mirrors, outside manual, Black

Glass, solar absorbing, tinted

Door handles, Black

Tailgate and bed rail protection cap, top

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0276LB
Aftermkt in option total

Tailgate, locking utilizes same key as ignition and door (Not available with (AQQ) Remote Keyless Entry.) (Not available with (AQQ) Remote Keyless Entry. Not available with (ZW9) pickup box delete.)

ENTERTAINMENT

Audio system, 4.2" diagonal color display, AM/FM stereo with USB port and auxiliary jack with USB ports and auxiliary jack (Not available with (AZ3) 40/20/40 split-bench seat.)

SiriusXM Satellite Radio, delete

6-speaker audio system (Standard on Crew Cab and Double Cab models.)

INTERIOR

Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manual adjustable driver lumbar.

Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Requires Crew Cab model.)

Floor covering, Graphite-colored rubberized-vinyl, no floor mats included

Steering column, Tilt-Wheel, manual with theft-deterrent locking feature

Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure

Driver Information Center, 3.5-inch diagonal monochromatic display provides warning messages and basic vehicle information

Windows, power front and rear with driver express up and down and express down on all other windows (Standard on Crew Cab and Double Cab.)

Door locks, power

Cruise control, electronic with set and resume speed, steering wheel-mounted

Air conditioning, single-zone

Assist handle, front passenger on A-pillar

SAFETY

StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist

Daytime Running Lamps with automatic exterior lamp control

Air bags, dual-stage frontal and side-impact, driver and front passenger and head-curtain and seat-mounted side-impact, front and rear outboard seating positions with Passenger Sensing System (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

Teen Driver mode a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behavior. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report gives you information on your teen's driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System (does not apply to spare tire)

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0276LB
 Aftermkt in option total

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	N/A lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	N/A lbs
Base Trim Weight - Rear	N/A lbs
Gross Axle Wt Rating - Front	3950 lbs
Gross Axle Wt Rating - Rear	3950 lbs
Curb Weight - Front	N/A lbs
Curb Weight - Rear	N/A lbs
Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs
Reserve Axle Capacity - Front	N/A lbs
Reserve Axle Capacity - Rear	N/A lbs
As Spec'd Curb Weight	N/A lbs
As Spec'd Payload	N/A lbs
Maximum Payload Capacity	N/A lbs
Gross Combined Wt Rating	12000 lbs
Gross Axle Weight Rating	7900.00 lbs
Curb Weight	N/A lbs
Reserve Axle Capacity	N/A lbs
Total Option Weight	0.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	7200.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	5000 lbs
Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	6100 lbs
Wt Distributing Hitch - Max Tongue Wt.	610 lbs
Maximum Trailing Capacity	10800 lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0276LB
 Aftermkt in option total

Frame	
Frame Type	Hydroformed
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Independent
Suspension Type - Rear	2-Stage Multi-Leaf
Spring Capacity - Front	3950 lbs
Spring Capacity - Rear	3950 lbs
Axle Type - Front	N/A
Axle Type - Rear	N/A
Axle Capacity - Front	3950 lbs
Axle Capacity - Rear	3950 lbs
Axle Ratio (:1) - Front	3.08
Axle Ratio (:1) - Rear	3.08
Shock Absorber Diameter - Front	1.81 mm
Shock Absorber Diameter - Rear	1.38 mm
Stabilizer Bar Diameter - Front	1.35 in
Stabilizer Bar Diameter - Rear	

Tires	
Front Tire Order Code	RC5
Rear Tire Order Code	RC5
Spare Tire Order Code	RHM
Front Tire Size	LT265/70R17C
Rear Tire Size	LT265/70R17C
Spare Tire Size	LT265/70R17
Front Tire Capacity	N/A lbs
Rear Tire Capacity	N/A lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0276LB
Aftermkt in option total

Wheels

Front Wheel Size	17 x 8.0 in
Rear Wheel Size	17 x 8.0 in
Spare Wheel Size	17 x -TBD- in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Electric Rack & Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	16.3
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	48.6 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	Pwr
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	13.0 x 1.18 in
Rear Brake Rotor Diam x Thickness	13.6 x 0.79 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	26 gal
Aux Fuel Tank Capacity, Approx	
Fuel Tank Location	N/A
Aux Fuel Tank Location	

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	9.8
EPA Greenhouse Gas Score	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0276LB
Aftermkt in option total

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	MYC
Trans Type	6
Trans Description Cont.	Automatic
Trans Description Cont. Again	
First Gear Ratio (:1)	4.03
Second Gear Ratio (:1)	2.36
Third Gear Ratio (:1)	1.53
Fourth Gear Ratio (:1)	1.15
Fifth Gear Ratio (:1)	0.85
Sixth Gear Ratio (:1)	0.67
Reverse Ratio (:1)	3.06
Clutch Size	
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	Magna MP3023/4
Transfer Case Gear Ratio (:1), High	1.00
Transfer Case Gear Ratio (:1), Low	2.69
Transfer Case Power Take Off	

Mileage

EPA Fuel Economy Est - Hwy	22 MPG
Cruising Range - City	416.00 mi
EPA Fuel Economy Est - City	16 MPG
Fuel Economy Est-Combined	18 MPG
Cruising Range - Hwy	572.00 mi

Engine

Engine Order Code	L83
Engine Type	Gas/Ethanol V8
Displacement	5.3L/325
Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600
SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	Yes

Electrical

Cold Cranking Amps @ 0° F (Primary)	720
Cold Cranking Amps @ 0° F (2nd)	
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	150

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0276LB
 Aftermkt in option total

Cooling System

Total Cooling System Capacity	15.6 qts
-------------------------------	----------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	42.80 in
Front Leg Room	45.27 in
Front Shoulder Room	66.03 in
Front Hip Room	60.73 in
Second Head Room	40.50 in
Second Leg Room	40.93 in
Second Shoulder Room	65.73 in
Second Hip Room	60.27 in

Exterior Dimensions

Wheelbase	153.0 in
Length, Overall w/o rear bumper	239.57 in
Width, Max w/o mirrors	80.0 in
Height, Overall	73.80 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	150.90 in
Cab to Axle	41.47 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	34.1 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.93 in
Ground Clearance, Rear	8.93 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	78.87 in
Cargo Box Width @ Top, Rear	N/A in
Cargo Box Width @ Floor	64.6 in
Cargo Box Width @ Wheelhousings	51.03 in
Cargo Box (Area) Height	21.10 in
Tailgate Width	62.2 in
Cargo Volume	61.0 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0276LB
Aftermkt in option total

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0276SB
Aftermkt in option total

2017 Chevrolet Silverado 1500 4WD Crew Cab 143.5"



2017 Chevrolet Silverado 1500 4WD Crew Cab 143.5" Work Truck (CK15543)

CLASS 0276 SB

TRUCK 1/2 TON CREW CAB 4X4 SB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0276SB
 Aftermkt in option total

Vehicle Information

SELECTED MODEL

Code	Description
CK15543	2017 Chevrolet Silverado 1500 4WD Crew Cab 143.5" Work Truck

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
FE9	EMISSIONS, FEDERAL REQUIREMENTS
L83	ENGINE, 5.3L ECOTEC3 V8 WITH ACTIVE FUEL MANAGEMENT, DIRECT INJECTION AND VARIABLE VALVE TIMING, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm; more than 300 lb-ft of torque from 2000 to 5600 rpm)
MYC	TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED, with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)
C5Z	GVWR, 7200 LBS. (3266 KG), (Requires Crew Cab or Double Cab 4WD models and (L83) 5.3L EcoTec3 V8 engine or (L86) 6.2L EcoTec3 V8 engine.)
GU6	REAR AXLE, 3.42 RATIO, (Standard on 4WD (LV3) 4.3L EcoTec3 V6 engine. Available with (L83) 5.3L EcoTec3 V8 engine.)
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP, includes standard equipment
RD6	WHEELS, 17" X 8" (43.2 CM X 20.3 CM) PAINTED STEEL, (STD)
RC5	TIRES, LT265/70R17C, ALL-TERRAIN, BLACKWALL
ZY1	PAINT, SOLID
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINE, with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manual adjustable driver lumbar. (STD)
H2R	DARK ASH WITH JET BLACK INTERIOR ACCENTS, CLOTH SEAT TRIM
IOB	AUDIO SYSTEM, CHEVROLET MYLINK RADIO WITH 7" DIAGONAL COLOR TOUCH-SCREEN, AM/FM STEREO, with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones (Includes (UQ3) 6-speaker audio system.)
PCR	WT FLEET CONVENIENCE PACKAGE, All cabs include (DL8) outside heated power-adjustable mirrors, (A91) remote locking tailgate and (AQQ) Remote Keyless Entry., ((DL8) outside heated power-adjustable mirrors can be upgraded to (DPN) power camper mirrors. If (ZW9) pickup box delete is ordered (A91) remote locking tailgate will not be included.)
Z82	TRAILERING PACKAGE, includes trailer hitch, 7-pin and 4-pin connectors
FHS	E85 FLEXFUEL CAPABLE OF RUNNING ON UNLEADED OR UP TO 85% ETHANOL, (Optional with (L83) 5.3L EcoTec3 V8 engine with (MYC) 6-speed automatic transmission or included with (LV3) 4.3L EcoTec3 V6 engine. Not available with (ZW9) pickup box delete.)
NQH	TRANSFER CASE, ELECTRONIC AUTOTRAC WITH ROTARY DIAL CONTROL, (Requires 4WD models.)
KNP	COOLING, AUXILIARY EXTERNAL TRANSMISSION OIL COOLER, (Included and only available with (L83) 5.3L EcoTec3 V8 engine.)
—	BATTERY, HEAVY-DUTY 720 COLD-CRANKING AMPS/80 AMP-HR, MAINTENANCE-FREE, with rundown protection and retained accessory power, (Included and only available with V8 engines.)
NZZ	UNDERBODY SHIELD, TRANSFER CASE PROTECTION
RHM	TIRE, SPARE LT265/70R17 ALL-TERRAIN, BLACKWALL, (Requires a Regular Cab model and (ZW9) pickup box delete. Included and only available with (RC5) LT265/70R17C all-terrain, blackwall tires with (E63) pickup box on all cabs. Not included with (RC5) LT265/70R17 all-terrain, blackwall tires when (ZW9) pickup box delete is ordered.)
DL8	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE, (includes driver's side spotter mirror) (Black., Included and only available with (PCR) WT Fleet Convenience Package.)

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0276SB
Aftermkt in option total

Code	Description
VK3	LICENSE PLATE KIT, FRONT, (will be shipped to orders with ship-to states that require front license plate)
A91	REMOTE LOCKING TAILGATE, (Included and only available with (AQQ) Remote Keyless Entry. Not available with (ZW9) pickup box delete.)
—	BLUETOOTH FOR PHONE, PERSONAL CELL PHONE CONNECTIVITY TO VEHICLE AUDIO SYSTEM, (Included and only available with (IOB) 7" diagonal color touch screen display radio with Chevrolet MyLink.)
AQQ	REMOTE KEYLESS ENTRY, WITH 2 TRANSMITTERS, Includes (A91) remote locking tailgate.), (Included and only available with (PCR) WT Fleet Convenience Package.
R9Y	FLEET FREE MAINTENANCE CREDIT, This option code provides a credit in lieu of the free oil changes, tire rotations and inspections (2 maximum), during the first 24 months and 24,000 miles period for this ordered vehicle. The invoice will detail the applicable credit. The customer will be responsible for all oil change, tire rotations and inspections costs for this vehicle., (Requires one of the following Fleet or Government order types: FBC, FBN, FCA, FCN, FEF, FLS, FNR, FRC or FGO. Not available with FDR order types.), *CREDIT*

AFTERMARKET OPTIONS

Floormat, rubber, crew cab

Rubber floormat to be used on vinyl flooring. Floormat should not slide around for safety. Option code: AMO.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0276SB
Aftermkt in option total

Standard Equipment

MECHANICAL

Engine, 4.3L FlexFuel EcoTec3 V6 with Active Fuel Management, Direct Injection and Variable Valve Timing includes aluminum block construction with (FHS) E85 FlexFuel capability, capable of running on unleaded or up to 85% ethanol (285 hp [212 kW] @ 5300 rpm, 305 lb-ft of torque [413 Nm] @ 3900 rpm) (Includes (FHS) E85 FlexFuel capability. Not available on C*15743 models.)

Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking

Rear axle, 3.42 ratio (Standard on 4WD (LV3) 4.3L EcoTec3 V6 engine. Available with (L83) 5.3L EcoTec3 V8 engine.)

Pickup box

GVWR, 7100 lbs. (3221 kg) (Requires Crew Cab or Double Cab 4WD models and (LV3) 4.3L EcoTec3 V6 engine.)

Transfer case, with floor-mounted shifter (Included with 4WD models only.)

Four wheel drive

Cooling, external engine oil cooler

Battery, heavy-duty 730 cold-cranking amps/70 Amp-hr, maintenance-free with rundown protection and retained accessory power

Alternator, 150 amps

Frame, fully-boxed, hydroformed front section

Steering, Electric Power Steering (EPS) assist, rack-and-pinion

Brakes, 4-wheel disc with DURALIFE rotors, 4-wheel antilock

Capless Fuel Fill

Exhaust, aluminized stainless-steel muffler and tailpipe

EXTERIOR

Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel

Tires, P255/70R17 all-season, blackwall

Wheel, full-size spare, 17" x 7" (43.2 cm x 17.8 cm) aluminum (Included and only available with model K15543 and (L83) 5.3L EcoTec3 V8 engine or (LV3) 4.3L EcoTec3 V6 engine or model *15703 and (LV3) 4.3L EcoTec3 V6 engine.)

Tire, spare P255/70R17 all-season, blackwall (Included and only available with (RBZ) P255/70R17 all-season, blackwall tires.)

Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door

Bumpers, front, Black

Bumpers, rear, Black

Recovery hooks, front, frame-mounted, black (Included with 4WD models only.) (Standard with 4WD models. Available with 2WD models.)

Lamps, cargo area, cab mounted with switch on center switch bank

CornerStep, rear bumper

Grille surround, chrome

Active aero shutters, front

Headlamps, high intensity discharge (HID) projector-beam with LED signature DRL

Mirrors, outside manual, Black

Glass, solar absorbing, tinted

Door handles, Black

Tailgate and bed rail protection cap, top

Tailgate, locking utilizes same key as ignition and door (Not available with (AQQ) Remote Keyless Entry.) (Not available with (AQQ) Remote Keyless Entry. Not available with (ZW9) pickup box delete.)

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0276SB
Aftermkt in option total

ENTERTAINMENT

Audio system, 4.2" diagonal color display, AM/FM stereo with USB port and auxiliary jack with USB ports and auxiliary jack (Not available with (AZ3) 40/20/40 split-bench seat.)

SiriusXM Satellite Radio, delete

6-speaker audio system (Standard on Crew Cab and Double Cab models.)

INTERIOR

Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manual adjustable driver lumbar.

Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Requires Crew Cab model.)

Floor covering, Graphite-colored rubberized-vinyl, no floor mats included

Steering column, Tilt-Wheel, manual with theft-deterrent locking feature

Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure

Driver Information Center, 3.5-inch diagonal monochromatic display provides warning messages and basic vehicle information

Windows, power front and rear with driver express up and down and express down on all other windows (Standard on Crew Cab and Double Cab.)

Door locks, power

Cruise control, electronic with set and resume speed, steering wheel-mounted

Air conditioning, single-zone

Assist handle, front passenger on A-pillar

SAFETY

StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist

Daytime Running Lamps with automatic exterior lamp control

Air bags, dual-stage frontal and side-impact, driver and front passenger and head-curtain and seat-mounted side-impact, front and rear outboard seating positions with Passenger Sensing System (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

Teen Driver mode a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behavior. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report gives you information on your teen's driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System (does not apply to spare tire)

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0276SB
Aftermkt in option total

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	N/A lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	N/A lbs
Base Trim Weight - Rear	N/A lbs
Gross Axle Wt Rating - Front	3950 lbs
Gross Axle Wt Rating - Rear	3950 lbs
Curb Weight - Front	N/A lbs
Curb Weight - Rear	N/A lbs
Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs
Reserve Axle Capacity - Front	N/A lbs
Reserve Axle Capacity - Rear	N/A lbs
As Spec'd Curb Weight	N/A lbs
As Spec'd Payload	N/A lbs
Maximum Payload Capacity	N/A lbs
Gross Combined Wt Rating	12800 lbs
Gross Axle Weight Rating	7900.00 lbs
Curb Weight	N/A lbs
Reserve Axle Capacity	N/A lbs
Total Option Weight	0.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	7200.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	5000 lbs
Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	9100 lbs
Wt Distributing Hitch - Max Tongue Wt.	910 lbs
Maximum Trailering Capacity	10800 lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0276SB
 Aftermkt in option total

Frame	
Frame Type	Hydroformed
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Independent
Suspension Type - Rear	2-Stage Multi-Leaf
Spring Capacity - Front	3950 lbs
Spring Capacity - Rear	3950 lbs
Axle Type - Front	N/A
Axle Type - Rear	N/A
Axle Capacity - Front	3950 lbs
Axle Capacity - Rear	3950 lbs
Axle Ratio (:1) - Front	3.42
Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	1.81 mm
Shock Absorber Diameter - Rear	1.38 mm
Stabilizer Bar Diameter - Front	1.35 in
Stabilizer Bar Diameter - Rear	

Tires	
Front Tire Order Code	RC5
Rear Tire Order Code	RC5
Spare Tire Order Code	RHM
Front Tire Size	LT265/70R17C
Rear Tire Size	LT265/70R17C
Spare Tire Size	LT265/70R17
Front Tire Capacity	N/A lbs
Rear Tire Capacity	N/A lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0276SB
 Aftermkt in option total

Wheels

Front Wheel Size	17 x 8.0 in
Rear Wheel Size	17 x 8.0 in
Spare Wheel Size	17 x 7.0 in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Aluminum

Steering

Steering Type	Electric Rack & Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	16.3
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	47.2 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	Pwr
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	13.0 x 1.18 in
Rear Brake Rotor Diam x Thickness	13.6 x 0.79 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	26 gal
Aux Fuel Tank Capacity, Approx	
Fuel Tank Location	N/A
Aux Fuel Tank Location	

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	9.8
EPA Greenhouse Gas Score	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0276SB
Aftermkt in option total

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	MYC
Trans Type	6
Trans Description Cont.	Automatic
Trans Description Cont. Again	
First Gear Ratio (:1)	4.03
Second Gear Ratio (:1)	2.36
Third Gear Ratio (:1)	1.53
Fourth Gear Ratio (:1)	1.15
Fifth Gear Ratio (:1)	0.85
Sixth Gear Ratio (:1)	0.67
Reverse Ratio (:1)	3.06
Clutch Size	
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	Magna MP3023/4
Transfer Case Gear Ratio (:1), High	1.00
Transfer Case Gear Ratio (:1), Low	2.69
Transfer Case Power Take Off	

Mileage

EPA Fuel Economy Est - Hwy	22 MPG
Cruising Range - City	416.00 mi
EPA Fuel Economy Est - City	16 MPG
Fuel Economy Est-Combined	18 MPG
Cruising Range - Hwy	572.00 mi

Engine

Engine Order Code	L83
Engine Type	Gas/Ethanol V8
Displacement	5.3L/325
Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600
SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	Yes

Electrical

Cold Cranking Amps @ 0° F (Primary)	720
Cold Cranking Amps @ 0° F (2nd)	
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	150

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0276SB
 Aftermkt in option total

Cooling System

Total Cooling System Capacity	15.6 qts
-------------------------------	----------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	42.80 in
Front Leg Room	45.27 in
Front Shoulder Room	66.03 in
Front Hip Room	60.73 in
Second Head Room	40.50 in
Second Leg Room	40.93 in
Second Shoulder Room	65.73 in
Second Hip Room	60.27 in

Exterior Dimensions

Wheelbase	143.5 in
Length, Overall w/o rear bumper	230.03 in
Width, Max w/o mirrors	80.0 in
Height, Overall	73.97 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	150.90 in
Cab to Axle	31.97 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	34.3 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.90 in
Ground Clearance, Rear	8.90 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	69.33 in
Cargo Box Width @ Top, Rear	N/A in
Cargo Box Width @ Floor	64.6 in
Cargo Box Width @ Wheelhousings	51.03 in
Cargo Box (Area) Height	21.10 in
Tailgate Width	62.2 in
Cargo Volume	53.4 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0276SB
Aftermkt in option total

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0605
Aftermkt in option total

2017 Dodge Charger RWD



2017 Dodge Charger Police RWD (LDDE48)

CLASS 0605

SEDAN FULLSIZE POLICE PKG V6

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0605
Aftermkt in option total

Vehicle Information

SELECTED MODEL

Code	Description
LDDE48	2017 Dodge Charger Police RWD

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
ERB	ENGINE: 3.6L V6 24V VVT, (STD)
DGJ	TRANSMISSION: 5-SPEED AUTOMATIC (W5A580), (STD)
27A	QUICK ORDER PACKAGE 27A, -inc: Engine: 3.6L V6 24V VVT, Transmission: 5-Speed Automatic (W5A580)
TWW	TIRES: P225/60R18 BSW PERFORMANCE, (STD)
—	STANDARD PAINT
C8X9	BLACK, HEAVY DUTY CLOTH BUCKET & REAR BENCH SEATS
AEB	STREET APPEARANCE GROUP, -inc: Front Reading/Map Lamps, Front/Rear Climate Control Outlets, 18" Wheel Covers, Illuminated Front Cupholders, Power Heated Mirrors w/Man F/Away, Exterior Mirrors w/Heating Element, Floor Carpet, Front & Rear Floor Mats, Dual Remote USB Port - Charge Only, w/o CUG-inc: Full Length Floor Console
W8A	18" WHEEL COVERS
GUK	POWER HEATED MIRRORS W/MAN F/AWAY, -inc: Exterior Mirrors w/Heating Element
MSY	DELETE BADGE
MDA	FRONT LICENSE PLATE BRACKET
LBG	FRONT READING/MAP LAMPS
CKD	FLOOR CARPET, -inc: Front & Rear Floor Mats

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0605
Aftermkt in option total

Standard Equipment

MECHANICAL

Engine: 3.6L V6 24V VVT
Transmission: 5-Speed Automatic (W5A580)
50 State Emissions
Transmission w/AUTOSTICK Sequential Shift Control
Rear-Wheel Drive
2.62 Axle Ratio
Engine Oil Cooler
220 Amp Alternator
800CCA Maintenance-Free Battery w/Run Down Protection
Police/Fire
5250# Gvwr
Gas-Pressurized Front Shock Absorbers and Air Rear Shock Absorbers
Rear Auto-Leveling Suspension
Front Anti-Roll Bar and Rear HD Anti-Roll Bar
HD Suspension
Electric Power-Assist Steering
18.5 Gal. Fuel Tank
Dual Stainless Steel Exhaust
Short And Long Arm Front Suspension w/Coil Springs
Multi-Link Rear Suspension w/Coil Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 18" x 7.5" Steel
Tires: P225/60R18 BSW Performance
Wheels w/Black Accents w/Chrome Hub Covers
Goodyear Brand Tires
Steel Spare Wheel
Full-Size Spare Tire Mounted Inside Under Cargo
Clearcoat Paint
Body-Colored Front Bumper
Body-Colored Rear Bumper
Black Side Windows Trim
Body-Colored Door Handles
Power Side Mirrors w/Manual Folding
Body Color Exterior Mirrors
Fixed Rear Window w/Defroster
Light Tinted Glass
Speed Sensitive Variable Intermittent Wipers w/Heated Jets
Galvanized Steel/Aluminum Panels
Black Grille

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0605
Aftermkt in option total

Trunk Rear Cargo Access
Fully Automatic Projector Beam Halogen Daytime Running Headlamps w/Delay-Off
Perimeter/Approach Lights
LED Brakelights
Laminated Glass
High Speed Engine Controller

ENTERTAINMENT

Radio: Uconnect 5.0
AM/FM/Satellite-Prep w/Seek-Scan, MP3 Player, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Steering Wheel Controls and External Memory Control
6 Speakers
Wireless Streaming
Window Grid Antenna
Uconnect w/Bluetooth Wireless Phone Connectivity
2 LCD Monitors In The Front

INTERIOR

Power 6-Way Driver Seat
8-Way Driver Seat -inc: Manual Recline
4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
Front Facing Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
Power Rear Windows
Leather/Metal-Look Steering Wheel
Front Cupholder
Rear Cupholder
Compass
Proximity Key For Doors And Push Button Start
Valet Function
Power Fuel Flap Locking Type
Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry and Panic Button
Remote Releases -Inc: Power Cargo Access and Power Fuel
Cruise Control w/Steering Wheel Controls
Dual Zone Front Manual Air Conditioning
HVAC -inc: Underseat Ducts
Illuminated Locking Glove Box
Driver Foot Rest
Full Cloth Headliner
Vinyl Door Trim Insert
Interior Trim -inc: Chrome Interior Accents
Urethane Gear Shift Knob
Heavy Duty Cloth Bucket & Rear Bench Seats
Day-Night Rearview Mirror

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0605
Aftermkt in option total

Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
Partial Floor Console, Mini Overhead Console w/Storage and 1 12V DC Power Outlet
Regular Dome Lighting
Full Vinyl/Rubber Floor Covering
Vinyl/Rubber Floor Trim
Underhood And Cargo Space Lights
FOB Controls -inc: Trunk/Hatch/Tailgate
Instrument Panel Bin, Driver / Passenger And Rear Door Bins
Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
Delayed Accessory Power
Power Door Locks w/Autolock Feature
Systems Monitor
Redundant Digital Speedometer
Trip Computer
Outside Temp Gauge
Digital/Analog Display
Manual Anti-Whiplash Adjustable Front Head Restraints and Fixed Rear Head Restraints
Sentry Key Engine Immobilizer
Air Filtration
1 12V DC Power Outlet

SAFETY

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags
Curtain 1st And 2nd Row Airbags
Airbag Occupancy Sensor
Rear Child Safety Locks
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0605
 Aftermkt in option total

Technical Specifications

VEHICLE

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	N/A
EPA Greenhouse Gas Score	N/A

Vehicle

EPA Classification	Large Cars
--------------------	------------

POWERTRAIN

Transmission

Drivetrain	Rear Wheel Drive
Trans Order Code	DGJ
Trans Type	5
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	3.59
Second Gear Ratio (:1)	2.19
Third Gear Ratio (:1)	1.41
Fourth Gear Ratio (:1)	1.00
Fifth Gear Ratio (:1)	0.83
Reverse Ratio (:1)	3.16
Clutch Size	N/A in
Final Drive Axle Ratio (:1)	2.62

Mileage

EPA Fuel Economy Est - Hwy	26 (Est) MPG
Cruising Range - City	314.50 mi
EPA Fuel Economy Est - City	17 (Est) MPG
Fuel Economy Est-Combined	20 (Est) MPG
Cruising Range - Hwy	481.00 mi
EPA MPG Equivalent - City	N/A
EPA MPG Equivalent - Hwy	N/A
EPA MPG Equivalent - Combined	N/A
Battery Range	N/A mi

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0605
Aftermkt in option total

Engine

Engine Order Code	ERB-A
Engine Type	Premium Unleaded V-6
Displacement	3.6 L/220
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	300 @ 6400
SAE Net Torque @ RPM	264 @ 4200

Electrical

Cold Cranking Amps @ 0° F (Primary)	800
Maximum Alternator Capacity (amps)	220

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	5
Passenger Volume	104.7 ft ³
Front Head Room	38.6 in
Front Leg Room	41.8 in
Front Shoulder Room	59.5 in
Front Hip Room	56.2 in
Second Head Room	36.6 in
Second Leg Room	40.1 in
Second Shoulder Room	57.9 in
Second Hip Room	56.1 in

Exterior Dimensions

Wheelbase	120.2 in
Length, Overall	198.4 in
Width, Max w/o mirrors	75 in
Height, Overall	58.2 in
Track Width, Front	63.4 in
Track Width, Rear	63.8 in
Min Ground Clearance	5.1 in
Liftover Height	N/A in

Cargo Area Dimensions

Trunk Volume	16.1 ft ³
--------------	----------------------

CHASSIS

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0605
Aftermkt in option total

Weight Information

Base Curb Weight

Trailer

Dead Weight Hitch - Max Trailer Wt.	1000 lbs
Dead Weight Hitch - Max Tongue Wt.	100 lbs
Wt Distributing Hitch - Max Trailer Wt.	1000 lbs
Wt Distributing Hitch - Max Tongue Wt.	100 lbs

Suspension

Suspension Type - Front	Short And Long Arm
Suspension Type - Rear	Multi-Link
Suspension Type - Front (Cont.)	Short And Long Arm
Suspension Type - Rear (Cont.)	Multi-Link
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires

Front Tire Order Code	TWW
Rear Tire Order Code	TWW
Spare Tire Order Code	
Front Tire Size	P225/60WR18
Rear Tire Size	P225/60WR18
Spare Tire Size	Full-Size

Wheels

Front Wheel Size	18 in
Rear Wheel Size	18 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Lock to Lock Turns (Steering)	N/A
Turning Diameter - Curb to Curb	37.7 ft
Turning Diameter - Wall to Wall	N/A ft

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0605
Aftermkt in option total

Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	13.6 in
Rear Brake Rotor Diam x Thickness	13.8 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	18.5 gal
Aux Fuel Tank Capacity, Approx	N/A gal

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0607
Aftermkt in option total

2017 Dodge Charger RWD



2017 Dodge Charger SE RWD (LDDM48)

CLASS 0607

SEDAN FULLSIZE

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0607
Aftermkt in option total

Vehicle Information

SELECTED MODEL

Code	Description
LDDM48	2017 Dodge Charger SE RWD

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
ERB	ENGINE: 3.6L V6 24V VVT, (STD)
DFL	TRANSMISSION: 8-SPEED AUTOMATIC (845RE), (STD)
29G	QUICK ORDER PACKAGE 29G, -inc: Engine: 3.6L V6 24V VVT, Transmission: 8-Speed Automatic (845RE)
WF5	WHEELS: 17" X 7.0" PAINTED CAST ALUMINUM, (STD)
TVW	TIRES: P215/65R17 LOW ROLLING RES, (STD)
—	STANDARD PAINT
BBX9	BLACK, CLOTH SEATS

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0607
Aftermkt in option total

Standard Equipment

MECHANICAL

Engine: 3.6L V6 24V VVT
Transmission: 8-Speed Automatic (845RE)
50 State Emissions
Transmission w/AUTOSTICK Sequential Shift Control
Rear-Wheel Drive
2.62 Axle Ratio
Engine Oil Cooler
730CCA Maintenance-Free Battery w/Run Down Protection
160 Amp Alternator
5100# Gvwr
Gas-Pressurized Shock Absorbers
Front And Rear Anti-Roll Bars
Touring Suspension
Electric Power-Assist Steering
18.5 Gal. Fuel Tank
Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
Short And Long Arm Front Suspension w/Coil Springs
Multi-Link Rear Suspension w/Coil Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 17" x 7.0" Painted Cast Aluminum
Tires: P215/65R17 Low Rolling Res
Steel Spare Wheel
Compact Spare Tire Mounted Inside Under Cargo
Clearcoat Paint
Body-Colored Front Bumper
Body-Colored Rear Bumper
Black Side Windows Trim
Body-Colored Door Handles
Body-Colored Power Side Mirrors w/Manual Folding
Fixed Rear Window w/Defroster
Light Tinted Glass
Speed Sensitive Variable Intermittent Wipers w/Heated Jets
Galvanized Steel/Aluminum Panels
Grille w/Chrome Bar
Trunk Rear Cargo Access
Fully Automatic Projector Beam Halogen Daytime Running Headlamps w/Delay-Off
Perimeter/Approach Lights
LED Brakelights
Laminated Glass

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0607
Aftermkt in option total

ENTERTAINMENT

Radio: Uconnect 5.0
Radio w/Seek-Scan, MP3 Player, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Steering Wheel Controls and External Memory Control
6 Speakers
Wireless Streaming
Window Grid Antenna
Uconnect w/Bluetooth Wireless Phone Connectivity
2 LCD Monitors In The Front

INTERIOR

Bucket Front Seats
6-Way Power Driver Seat -inc: Power Height Adjustment, Fore/Aft Movement, Cushion Tilt and Manual Recline
4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
60-40 Folding Bench Front Facing Fold Forward Seatback Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
Power Rear Windows
Leather/Metal-Look Steering Wheel
Illuminated Front Cupholder
Compass
Proximity Key For Doors And Push Button Start
Valet Function
Power Fuel Flap Locking Type
Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry and Panic Button
Remote Releases -Inc: Power Cargo Access and Power Fuel
Cruise Control w/Steering Wheel Controls
Dual Zone Front Manual Air Conditioning
HVAC -inc: Underseat Ducts and Console Ducts
Illuminated Locking Glove Box
Driver Foot Rest
Interior Trim -inc: Aluminum Instrument Panel Insert, Aluminum Console Insert and Chrome Interior Accents
Full Cloth Headliner
Vinyl Door Trim Insert
Leather Gear Shift Knob
Cloth Seats
Day-Night Rearview Mirror
Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 2 12V DC Power Outlets
Front And Rear Map Lights
Fade-To-Off Interior Lighting
Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
Carpet Floor Trim and Carpet Trunk Lid/Rear Cargo Door Trim
Cargo Net

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0607
Aftermkt in option total

Cargo Space Lights
FOB Controls -inc: Trunk/Hatch/Tailgate
Smart Device Integration
Instrument Panel Bin, Driver / Passenger And Rear Door Bins
Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
Delayed Accessory Power
Power Door Locks w/Autolock Feature
Systems Monitor
Redundant Digital Speedometer
Trip Computer
Outside Temp Gauge
Digital/Analog Display
Manual Anti-Whiplash Adjustable Front Head Restraints and Fixed Rear Head Restraints
Front Center Armrest
2 Seatback Storage Pockets
Rear Armrest w/Cupholder Seat
Sentry Key Engine Immobilizer
2 12V DC Power Outlets
Air Filtration

SAFETY

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags
Curtain 1st And 2nd Row Airbags
Airbag Occupancy Sensor
Rear Child Safety Locks
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0607
 Aftermkt in option total

Technical Specifications

VEHICLE

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year

EPA Greenhouse Gas Score

N/A

Vehicle

EPA Classification

Large Cars

POWERTRAIN

Transmission

Drivetrain

Rear Wheel Drive

Trans Order Code

DFL

Trans Type

8

Trans Description Cont.

Automatic w/OD

Trans Description Cont. Again

First Gear Ratio (:1)

4.71

Second Gear Ratio (:1)

3.14

Third Gear Ratio (:1)

2.11

Fourth Gear Ratio (:1)

1.67

Fifth Gear Ratio (:1)

1.28

Sixth Gear Ratio (:1)

1.00

Reverse Ratio (:1)

3.29

Clutch Size

N/A in

Final Drive Axle Ratio (:1)

2.62

Seventh Gear Ratio (:1)

0.84

Eighth Gear Ratio (:1)

0.67

Mileage

EPA Fuel Economy Est - Hwy

Cruising Range - City

0.00 mi

EPA Fuel Economy Est - City

Fuel Economy Est-Combined

Cruising Range - Hwy

0.00 mi

EPA MPG Equivalent - City

N/A

EPA MPG Equivalent - Hwy

N/A

EPA MPG Equivalent - Combined

N/A

Battery Range

N/A mi

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0607
Aftermkt in option total

Engine	
Engine Order Code	ERB
Engine Type	Regular Unleaded V-6
Displacement	3.6 L/220
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	292 @ 6350
SAE Net Torque @ RPM	260 @ 4800

Electrical	
Cold Cranking Amps @ 0° F (Primary)	730
Maximum Alternator Capacity (amps)	160

Cooling System	
Total Cooling System Capacity	N/A qts

DIMENSIONS

Interior Dimensions	
Passenger Capacity	5
Passenger Volume	104.7 ft ³
Front Head Room	38.6 in
Front Leg Room	41.8 in
Front Shoulder Room	59.5 in
Front Hip Room	56.2 in
Second Head Room	36.6 in
Second Leg Room	40.1 in
Second Shoulder Room	57.9 in
Second Hip Room	56.1 in

Exterior Dimensions	
Wheelbase	120.2 in
Length, Overall	198.4 in
Width, Max w/o mirrors	75 in
Height, Overall	58.2 in
Track Width, Front	63.4 in
Track Width, Rear	63.8 in
Min Ground Clearance	4.9 in
Liftover Height	N/A in

Cargo Area Dimensions	
Trunk Volume	16.1 ft ³

CHASSIS

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0607
Aftermkt in option total

Weight Information

Base Curb Weight	3934 lbs
------------------	----------

Trailer

Dead Weight Hitch - Max Trailer Wt.	1000 lbs
Dead Weight Hitch - Max Tongue Wt.	100 lbs
Wt Distributing Hitch - Max Trailer Wt.	1000 lbs
Wt Distributing Hitch - Max Tongue Wt.	100 lbs

Suspension

Suspension Type - Front	Short And Long Arm
Suspension Type - Rear	Multi-Link
Suspension Type - Front (Cont.)	Short And Long Arm
Suspension Type - Rear (Cont.)	Multi-Link
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires

Front Tire Order Code	TVW
Rear Tire Order Code	TVW
Spare Tire Order Code	
Front Tire Size	P215/65TR17
Rear Tire Size	P215/65TR17
Spare Tire Size	Compact

Wheels

Front Wheel Size	17 X 7 in
Rear Wheel Size	17 X 7 in
Spare Wheel Size	Compact in
Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum
Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Lock to Lock Turns (Steering)	N/A
Turning Diameter - Curb to Curb	37.7 ft
Turning Diameter - Wall to Wall	N/A ft

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0607
Aftermkt in option total

Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	12.6 in
Rear Brake Rotor Diam x Thickness	12.6 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	18.5 gal
Aux Fuel Tank Capacity, Approx	N/A gal

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 4801
Aftermkt in option total

2017 Jeep Cherokee FWD



2017 Jeep Cherokee Sport FWD (KLTL74)

CLASS 4801

UTILITY SPORT COMPACT FWD

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4801
Aftermkt in option total

Vehicle Information

SELECTED MODEL

Code	Description
KLTL74	2017 Jeep Cherokee Sport FWD

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
ED6	ENGINE: 2.4L I4 MULTIAIR, -inc: Tigershark (STD)
DFH	TRANSMISSION: 9-SPEED 948TE AUTOMATIC, (STD)
24A	QUICK ORDER PACKAGE 24A, -inc: Engine: 2.4L I4 MultiAir, Transmission: 9-Speed 948TE Automatic
DME	3.73 AXLE RATIO, (STD)
WAA	WHEELS: 17" X 7" FULL FACE STEEL, (STD)
—	STANDARD PAINT
A7X9	BLACK, CLOTH LOW-BACK BUCKET SEATS
Z1A	GVWR: 5,050 LBS, (STD)
AHT	TRAILER TOW GROUP, -inc: 7 & 4 Pin Wiring Harness, Trailer Tow Wiring Harness, Class III Receiver Hitch, Full Size Spare Tire, w/EHK-inc: Heavy Duty Engine Cooling
TBB	FULL SIZE SPARE TIRE
RH1	SINGLE DISC REMOTE CD PLAYER
CSD	TONNEAU COVER

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4801
Aftermkt in option total

Standard Equipment

MECHANICAL

Engine: 2.4L I4 MultiAir -inc: Tigershark
Transmission: 9-Speed 948TE Automatic
3.73 Axle Ratio
Normal Duty Suspension
GVWR: 5,050 lbs
Federal Emissions
Transmission w/Sequential Shift Control
Front-Wheel Drive
Engine Oil Cooler
Auxiliary Transmission Oil Cooler
Battery w/Run Down Protection
160 Amp Alternator
600 Amp Maintenance Free Battery
Towing w/Trailer Sway Control
1000# Maximum Payload
Gas-Pressurized Shock Absorbers
Front And Rear Anti-Roll Bars
Electric Power-Assist Speed-Sensing Steering
15.8 Gal. Fuel Tank
Single Stainless Steel Exhaust w/Chrome Tailpipe Finisher
Strut Front Suspension w/Coil Springs
Multi-Link Rear Suspension w/Coil Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake

EXTERIOR

Wheels: 17" x 7" Full Face Steel
Tires: P225/60R17 BSW AS
Spare Tire Mobility Kit
Black Rear Bumper
Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent
Black Bodyside Cladding and Black Fender Flares
Black Side Windows Trim
Black Door Handles
Black Power Side Mirrors w/Manual Folding
Fixed Rear Window w/Fixed Interval Wiper and Defroster
Variable Intermittent Wipers
Light Tinted Glass
Composite/Galvanized Steel Panels
Lip Spoiler
Front License Plate Bracket
Black Grille w/Chrome Surround

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4801
Aftermkt in option total

Active Grille Shutters
Liftgate Rear Cargo Access
Tailgate/Rear Door Lock Included w/Power Door Locks
Perimeter/Approach Lights
LED Brakelights
Projector Beam Halogen Daytime Running Headlamps w/Delay-Off

ENTERTAINMENT

Radio: Uconnect 5.0
Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Voice Activation, Radio Data System and Uconnect External Memory Control
6 Speakers
Wireless Streaming
Integrated Roof Antenna
1 LCD Monitor In The Front

INTERIOR

6-Way Driver Seat -inc: Manual Recline, Height Adjustment and Fore/Aft Movement
6-Way Passenger Seat -inc: Manual Recline, Height Adjustment and Fore/Aft Movement
60-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Cloth Rear Seat w/Manual Fore/Aft Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Voltmeter, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Trip Odometer and Trip Computer
Power Rear Windows and Fixed 3rd Row Windows
Illuminated Front Cupholder
Rear Cupholder
Compass
Valet Function
Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
Remote Releases -Inc: Power Fuel
Cruise Control w/Steering Wheel Controls
Manual Air Conditioning
HVAC -inc: Underseat Ducts and Console Ducts
Illuminated Locking Glove Box
Driver Foot Rest
Interior Trim -inc: Metal-Look Instrument Panel Insert, Simulated Wood Door Panel Insert, Metal-Look Console Insert, Chrome And Metal-Look Interior Accents
Full Cloth Headliner
Cloth Door Trim Insert
Urethane Gear Shift Knob
Cloth Low-Back Bucket Seats
Day-Night Rearview Mirror
Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 3 12V DC Power Outlets
Front And Rear Map Lights
Fade-To-Off Interior Lighting

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4801
Aftermkt in option total

Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
Carpet Floor Trim
Cargo Area Concealed Storage
Cargo Features -inc: Spare Tire Mobility Kit
Cargo Space Lights
Covered Dashboard Storage, Driver And Passenger Door Bins
Power 1st Row Windows w/Driver 1-Touch Down
Delayed Accessory Power
Power Door Locks w/Autolock Feature
Systems Monitor
Redundant Digital Speedometer
Trip Computer
Outside Temp Gauge
Digital/Analog Display
Seats w/Cloth Back Material
Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
Front Center Armrest and Rear Center Armrest
1 Seatback Storage Pocket
Sentry Key Engine Immobilizer
3 12V DC Power Outlets
Air Filtration

SAFETY

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags
Curtain 1st And 2nd Row Airbags
Airbag Occupancy Sensor
Driver And Passenger Knee Airbag and Rear Side-Impact Airbag
Rear Child Safety Locks
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 4801
 Aftermkt in option total

Technical Specifications

VEHICLE

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	7.1
EPA Greenhouse Gas Score	N/A

Vehicle

EPA Classification	Small Sport Utility Vehicles 2WD
--------------------	----------------------------------

POWERTRAIN

Transmission

Drivetrain	Front Wheel Drive
Trans Order Code	DFH
Trans Type	9
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.70
Second Gear Ratio (:1)	2.84
Third Gear Ratio (:1)	1.91
Fourth Gear Ratio (:1)	1.38
Fifth Gear Ratio (:1)	1.00
Sixth Gear Ratio (:1)	0.81
Reverse Ratio (:1)	3.81
Clutch Size	N/A in
Final Drive Axle Ratio (:1)	3.73
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Seventh Gear Ratio (:1)	0.70
Eighth Gear Ratio (:1)	0.58

Mileage

EPA Fuel Economy Est - Hwy	30 MPG
Cruising Range - City	331.80 mi
EPA Fuel Economy Est - City	21 MPG
Fuel Economy Est-Combined	25 MPG
Cruising Range - Hwy	474.00 mi
EPA MPG Equivalent - City	N/A
EPA MPG Equivalent - Hwy	N/A
EPA MPG Equivalent - Combined	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4801
Aftermkt in option total

Engine

Engine Order Code	ED6-1
Engine Type	Regular Unleaded I-4
Displacement	2.4 L/144
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	184 @ 6400
SAE Net Torque @ RPM	171 @ 4600

Electrical

Cold Cranking Amps @ 0° F (Primary)	600
Maximum Alternator Capacity (amps)	160

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	5
Passenger Volume	105.4 ft ³
Front Head Room	39.4 in
Front Leg Room	41.1 in
Front Shoulder Room	57.6 in
Front Hip Room	53.8 in
Second Head Room	38.5 in
Second Leg Room	40.3 in
Second Shoulder Room	55.1 in
Second Hip Room	49.9 in

Exterior Dimensions

Wheelbase	106.3 in
Length, Overall	182 in
Width, Max w/o mirrors	73.2 in
Height, Overall	65.7 in
Track Width, Front	62.2 in
Track Width, Rear	61.9 in
Min Ground Clearance	5.7 in
Rear Door Opening Height	N/A in
Rear Door Opening Width	N/A in
Liftover Height	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4801
Aftermkt in option total

Cargo Area Dimensions

Cargo Area Length @ Floor to Seat 1	N/A in
Cargo Area Length @ Floor to Seat 2	N/A in
Cargo Area Length @ Floor to Seat 3	N/A in
Cargo Area Width @ Beltline	41.4 in
Cargo Box Width @ Wheelhousings	36.1 in
Cargo Box (Area) Height	N/A in
Cargo Volume to Seat 1	58.9 ft ³
Cargo Volume to Seat 2	24.6 ft ³
Cargo Volume to Seat 3	24.6 ft ³

CHASSIS

Weight Information

Base Curb Weight	3655 lbs
Curb Weight - Front	N/A lbs
Curb Weight - Rear	N/A lbs
Maximum Payload Capacity	N/A lbs
Curb Weight	N/A lbs
Total Option Weight	0.00 lbs

Trailerling

Dead Weight Hitch - Max Trailer Wt.	2000 lbs
Dead Weight Hitch - Max Tongue Wt.	200 lbs
Wt Distributing Hitch - Max Trailer Wt.	2000 lbs
Wt Distributing Hitch - Max Tongue Wt.	200 lbs
Maximum Trailerling Capacity	2000 lbs

Suspension

Suspension Type - Front	Strut
Suspension Type - Rear	Multi-Link
Suspension Type - Front (Cont.)	Strut
Suspension Type - Rear (Cont.)	Multi-Link
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 4801
 Aftermkt in option total

Tires

Front Tire Order Code	TRA
Rear Tire Order Code	TRA
Spare Tire Order Code	TBB
Front Tire Size	P225/60TR17
Rear Tire Size	P225/60TR17
Spare Tire Size	Full-Size

Wheels

Front Wheel Size	17 X 7 in
Rear Wheel Size	17 X 7 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Styled Steel
Rear Wheel Material	Styled Steel
Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Lock to Lock Turns (Steering)	N/A
Turning Diameter - Curb to Curb	37.6 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	13 in
Rear Brake Rotor Diam x Thickness	11 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	15.8 gal
Aux Fuel Tank Capacity, Approx	N/A gal

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 4802
Aftermkt in option total

2017 Jeep Cherokee 4x4



2017 Jeep Cherokee Sport 4x4 (KLJL74)

CLASS 4802

UTILITY SPORT COMPACT 4X4

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4802
Aftermkt in option total

Vehicle Information

SELECTED MODEL

Code	Description
KLJL74	2017 Jeep Cherokee Sport 4x4

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
ED6	ENGINE: 2.4L I4 MULTI AIR, -inc: Tigershark (STD)
DFH	TRANSMISSION: 9-SPEED 948TE AUTOMATIC, -inc: 1 speed PTU (STD)
24A	QUICK ORDER PACKAGE 24A, -inc: Engine: 2.4L I4 MultiAir, Transmission: 9-Speed 948TE Automatic
DME	3.73 AXLE RATIO, (STD)
WAA	WHEELS: 17" X 7" FULL FACE STEEL, (STD)
—	STANDARD PAINT
A7X9	BLACK, CLOTH LOW-BACK BUCKET SEATS
AHT	TRAILER TOW GROUP, -inc: 7 & 4 Pin Wiring Harness, Trailer Tow Wiring Harness, Class III Receiver Hitch, Full Size Spare Tire, w/EHK-inc: Heavy Duty Engine Cooling
TBB	FULL SIZE SPARE TIRE
RH1	SINGLE DISC REMOTE CD PLAYER
CSD	TONNEAU COVER

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4802
Aftermkt in option total

Standard Equipment

MECHANICAL

Engine: 2.4L I4 MultiAir -inc: Tigershark
Transmission: 9-Speed 948TE Automatic -inc: 1 speed PTU
3.73 Axle Ratio
Normal Duty Suspension
GVWR: 5,500 lbs
Federal Emissions
Transmission w/Driver Selectable Mode and Sequential Shift Control
Electronic Transfer Case
Automatic Full-Time Four-Wheel Drive
Engine Oil Cooler
Auxiliary Transmission Oil Cooler
Battery w/Run Down Protection
160 Amp Alternator
600 Amp Maintenance Free Battery
Towing w/Trailer Sway Control
1000# Maximum Payload
Gas-Pressurized Shock Absorbers
Front And Rear Anti-Roll Bars
Electric Power-Assist Speed-Sensing Steering
15.8 Gal. Fuel Tank
Single Stainless Steel Exhaust w/Chrome Tailpipe Finisher
Permanent Locking Hubs
Strut Front Suspension w/Coil Springs
Multi-Link Rear Suspension w/Coil Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake

EXTERIOR

Wheels: 17" x 7" Full Face Steel
Tires: P225/65R17 BSW AS
Steel Spare Wheel
Compact Spare Tire Mounted Inside Under Cargo
Black Rear Bumper
Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent
Black Bodyside Cladding and Black Fender Flares
Black Side Windows Trim
Black Door Handles
Black Power Side Mirrors w/Manual Folding
Fixed Rear Window w/Fixed Interval Wiper and Defroster
Variable Intermittent Wipers
Light Tinted Glass
Composite/Galvanized Steel Panels

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4802
Aftermkt in option total

Lip Spoiler
Front License Plate Bracket
Black Grille w/Chrome Surround
Active Grille Shutters
Liftgate Rear Cargo Access
Tailgate/Rear Door Lock Included w/Power Door Locks
Perimeter/Approach Lights
LED Brakelights
Projector Beam Halogen Daytime Running Headlamps w/Delay-Off

ENTERTAINMENT

Radio: Uconnect 5.0
Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Voice Activation, Radio Data System and Uconnect External Memory Control
6 Speakers
Wireless Streaming
Integrated Roof Antenna
1 LCD Monitor In The Front

INTERIOR

6-Way Driver Seat -inc: Manual Recline, Height Adjustment and Fore/Aft Movement
6-Way Passenger Seat -inc: Manual Recline, Height Adjustment and Fore/Aft Movement
60-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Cloth Rear Seat w/Manual Fore/Aft
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Voltmeter, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Trip Odometer and Trip Computer
Power Rear Windows and Fixed 3rd Row Windows
Illuminated Front Cupholder
Rear Cupholder
Compass
Valet Function
Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
Remote Releases -Inc: Power Fuel
Cruise Control w/Steering Wheel Controls
Manual Air Conditioning
HVAC -inc: Underseat Ducts and Console Ducts
Illuminated Locking Glove Box
Driver Foot Rest
Interior Trim -inc: Metal-Look Instrument Panel Insert, Simulated Wood Door Panel Insert, Metal-Look Console Insert, Chrome And Metal-Look Interior Accents
Full Cloth Headliner
Cloth Door Trim Insert
Urethane Gear Shift Knob
Cloth Low-Back Bucket Seats
Day-Night Rearview Mirror
Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4802
Aftermkt in option total

Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 3 12V DC Power Outlets
Front And Rear Map Lights
Fade-To-Off Interior Lighting
Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
Carpet Floor Trim
Cargo Area Concealed Storage
Cargo Space Lights
Covered Dashboard Storage, Driver And Passenger Door Bins
Power 1st Row Windows w/Driver 1-Touch Down
Delayed Accessory Power
Power Door Locks w/Autolock Feature
Systems Monitor
Redundant Digital Speedometer
Trip Computer
Outside Temp Gauge
Digital/Analog Display
Seats w/Cloth Back Material
Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
Front Center Armrest and Rear Center Armrest
1 Seatback Storage Pocket
Sentry Key Engine Immobilizer
3 12V DC Power Outlets
Air Filtration

SAFETY

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
Selec-Terrain ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags
Curtain 1st And 2nd Row Airbags
Airbag Occupancy Sensor
Driver And Passenger Knee Airbag and Rear Side-Impact Airbag
Rear Child Safety Locks
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 4802
 Aftermkt in option total

Technical Specifications

VEHICLE

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	7.7
EPA Greenhouse Gas Score	N/A

Vehicle

EPA Classification	Small Sport Utility Vehicles 4WD
--------------------	----------------------------------

POWERTRAIN

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	DFH
Trans Type	9
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.70
Second Gear Ratio (:1)	2.84
Third Gear Ratio (:1)	1.91
Fourth Gear Ratio (:1)	1.38
Fifth Gear Ratio (:1)	1.00
Sixth Gear Ratio (:1)	0.81
Reverse Ratio (:1)	3.81
Clutch Size	N/A in
Final Drive Axle Ratio (:1)	3.73
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Seventh Gear Ratio (:1)	0.70
Eighth Gear Ratio (:1)	0.58

Mileage

EPA Fuel Economy Est - Hwy	28 MPG
Cruising Range - City	331.80 mi
EPA Fuel Economy Est - City	21 MPG
Fuel Economy Est-Combined	23 MPG
Cruising Range - Hwy	442.40 mi
EPA MPG Equivalent - City	N/A
EPA MPG Equivalent - Hwy	N/A
EPA MPG Equivalent - Combined	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4802
Aftermkt in option total

Engine	
Engine Order Code	ED6-1
Engine Type	Regular Unleaded I-4
Displacement	2.4 L/144
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	184 @ 6400
SAE Net Torque @ RPM	171 @ 4600

Electrical	
Cold Cranking Amps @ 0° F (Primary)	600
Maximum Alternator Capacity (amps)	160

Cooling System	
Total Cooling System Capacity	N/A qts

DIMENSIONS

Interior Dimensions	
Passenger Capacity	5
Passenger Volume	104.4 ft ³
Front Head Room	39.4 in
Front Leg Room	41.1 in
Front Shoulder Room	57.6 in
Front Hip Room	53.8 in
Second Head Room	38.5 in
Second Leg Room	40.3 in
Second Shoulder Room	55.1 in
Second Hip Room	49.9 in

Exterior Dimensions	
Wheelbase	106.3 in
Length, Overall	182 in
Width, Max w/o mirrors	73.2 in
Height, Overall	66.2 in
Track Width, Front	62.2 in
Track Width, Rear	61.9 in
Min Ground Clearance	7.9 in
Rear Door Opening Height	N/A in
Rear Door Opening Width	N/A in
Liftover Height	30.9 in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4802
Aftermkt in option total

Cargo Area Dimensions

Cargo Area Length @ Floor to Seat 1	N/A in
Cargo Area Length @ Floor to Seat 2	N/A in
Cargo Area Length @ Floor to Seat 3	N/A in
Cargo Area Width @ Beltline	41.4 in
Cargo Box Width @ Wheelhousings	36.1 in
Cargo Box (Area) Height	N/A in
Cargo Volume to Seat 1	58.9 ft ³
Cargo Volume to Seat 2	24.6 ft ³
Cargo Volume to Seat 3	24.6 ft ³

CHASSIS

Weight Information

Base Curb Weight	3953 lbs
Curb Weight - Front	N/A lbs
Curb Weight - Rear	N/A lbs
Maximum Payload Capacity	N/A lbs
Curb Weight	N/A lbs
Total Option Weight	0.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	2000 lbs
Dead Weight Hitch - Max Tongue Wt.	200 lbs
Wt Distributing Hitch - Max Trailer Wt.	2000 lbs
Wt Distributing Hitch - Max Tongue Wt.	200 lbs
Maximum Trailering Capacity	2000 lbs

Suspension

Suspension Type - Front	Strut
Suspension Type - Rear	Multi-Link
Suspension Type - Front (Cont.)	Strut
Suspension Type - Rear (Cont.)	Multi-Link
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 4802
 Aftermkt in option total

Tires

Front Tire Order Code	TRF
Rear Tire Order Code	TRF
Spare Tire Order Code	TBB
Front Tire Size	P225/65TR17
Rear Tire Size	P225/65TR17
Spare Tire Size	Full-Size

Wheels

Front Wheel Size	17 X 7 in
Rear Wheel Size	17 X 7 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Styled Steel
Rear Wheel Material	Styled Steel
Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Lock to Lock Turns (Steering)	N/A
Turning Diameter - Curb to Curb	37.7 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	13 in
Rear Brake Rotor Diam x Thickness	12.6 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	15.8 gal
Aux Fuel Tank Capacity, Approx	N/A gal

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804
Aftermkt in option total

2017 Chevrolet Tahoe 4WD 4dr



2017 Chevrolet Tahoe 4WD 4dr Commercial (CK15706)

CLASS 4804

UTILITY SPORT FULLSIZE 4X4

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804
Aftermkt in option total

Vehicle Information

SELECTED MODEL

Code	Description
CK15706	2017 Chevrolet Tahoe 4WD 4dr Commercial

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
ZW7	SUSPENSION PACKAGE, PREMIUM SMOOTH RIDE, (STD), (Not available with (NHT) Max Trailering Package.)
FE9	EMISSIONS, FEDERAL REQUIREMENTS
L83	ENGINE, 5.3L ECOTEC3 V8 WITH ACTIVE FUEL MANAGEMENT, DIRECT INJECTION AND VARIABLE VALVE TIMING, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 N-m] @ 4100 rpm) (STD)
MYC	TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED, with overdrive and tow/haul mode (STD)
GU4	REAR AXLE, 3.08 RATIO, (Not available with (NHT) Max Trailering Package.)
1FL	COMMERCIAL PREFERRED EQUIPMENT GROUP, Includes Standard Equipment
RD6	WHEELS, 17" X 8" (43.2 CM X 20.3 CM) PAINTED STEEL, (STD), (Not included when (NHT) Max Trailering Package is ordered.)
RC3	TIRES, P265/70R17 ALL-TERRAIN, BLACKWALL, (STD), (Not included when (NHT) Max Trailering Package is ordered.)
RC4	TIRE, SPARE P265/70R17 ALL-SEASON, BLACKWALL, (STD)
ZY1	PAINT SCHEME, SOLID APPLICATION
AZ3	SEATING, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, includes 6-way power driver and 2 way front passenger seat adjuster, driver and front passenger power lumbar control and power reclining, center fold-down armrest with storage (includes auxiliary power outlet, USB port and input jack for audio system), storage compartments in seat cushion, adjustable outboard head restraints and storage pockets (With vinyl, does not include (AG1) Driver 6-way power seat adjuster or (AG2) Front passenger 6-way power adjuster.) (STD)
H0U	JET BLACK, CLOTH SEAT TRIM
IO3	AUDIO SYSTEM, AM/FM STEREO WITH CD PLAYER AND AUXILIARY INPUT JACK, includes USB port (STD)
C6A	GVWR, 7300 LBS. (3311 KG), (Requires 4WD model.)
NQH	TRANSFER CASE, ACTIVE, 2-SPEED ELECTRONIC AUTOTRAC, with rotary controls, includes neutral position for dinghy towing, (Requires 4WD model. Included with (9C1) Police Vehicle, (5W4) Special Service Vehicle and (NHT) Maximum Trailering Package.)
NZZ	SKID PLATE PACKAGE, (Requires 4WD models and a Fleet or Government sales order type. Included with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)
VK3	LICENSE PLATE FRONT MOUNTING PACKAGE, (Included on orders with ship-to-states that require a front license plate.)
B30	FLOOR COVERING, COLOR-KEYED CARPETING
B58	FLOOR MATS, COLOR-KEYED CARPETED FIRST AND SECOND ROW, REMOVABLE, (Included and only available with (B30) color-keyed carpeting, floor covering.)
VRS	LPO, CARGO SECURITY SHADE, (dealer-installed)
UE0	ONSTAR, DELETE, (Requires a Fleet or Government sales order type., With (9C1) Police Vehicle or (5W4) Special Service Vehicle (UPF) Bluetooth for phone and (VV4) OnStar with 4G LTE are deleted when ordered.), *CREDIT*

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804
Aftermkt in option total

Code	Description
R9Y	FLEET FREE MAINTENANCE CREDIT, This option code provides a credit in lieu of the free oil changes, tire rotations and inspections (2 maximum), during the first 24 months and 24,000 miles period for this ordered vehicle. The invoice will detail the applicable credit. The customer will be responsible for all oil change, tire rotations and inspections costs for this vehicle., (Requires one of the following Fleet or Government order types: FBC, FBN, FCA, FCN, FLS, FNR, FRC or FGO. Not available with FDR order types.)

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804
Aftermkt in option total

Standard Equipment

MECHANICAL

Engine, 5.3L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 N-m] @ 4100 rpm)
Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode
Rear axle, 3.08 ratio (Not available with (NHT) Max Trailering Package.)
Suspension Package, Premium Smooth Ride (Not available with (NHT) Max Trailering Package.)
GVWR, 7300 lbs. (3311 kg) (Requires 4WD model.)
E85 FlexFuel capable
Transfer case, active, single-speed, electronic Autotrac with rotary controls, does not include neutral. Cannot be dinghy towed (Requires 4WD model. Not available with (NHT) Max Trailering Package.)
Differential, heavy-duty locking rear
4-wheel drive
Air cleaner, high-capacity
Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator (With (9C1) Police Vehicle or (5W4) Special Service Vehicle includes heavy-duty oil-to-coolant integral to driver-side of radiator.)
Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil
Battery, 720 cold-cranking amps with 80 amp hour rating
Alternator, 150 amps
Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector and 2" trailering receiver
Trailer sway control
Recovery hooks, 2 front, frame-mounted, Black
Suspension, front coil-over-shock with stabilizer bar
Suspension, rear multi-link with coil springs
Steering, power
Hill Start Assist

EXTERIOR

Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel (Not included when (NHT) Max Trailering Package is ordered.)
Tires, P265/70R17 all-terrain, blackwall (Not included when (NHT) Max Trailering Package is ordered.)
Tire, spare P265/70R17 all-season, blackwall
Wheel, full-size spare, 17" (43.2 cm) steel
Tire carrier, lockable outside spare, winch-type mounted under frame at rear
Active aero shutters, front
Fascia, front body-color (With (9C1) Police Vehicle or (5W4) Special Service Vehicle, includes recovery hook openings, but does not include hooks.)
Fascia, rear body-color
Assist steps, Black (Premier includes chrome accent strip) (Deleted when (RVQ) Assist step kit, Black, LPO or (VXH) Assist step kit, Chrome, LPO are ordered.)
Mirrors, outside heated power-adjustable, manual-folding and color keyed driver mirror includes spotter mirror
Glass, deep-tinted (With (9C1) Police Vehicle or (5W4) Special Service Vehicle includes all windows, except light-tinted glass on windshield and driver- and front passenger-side glass)
Wipers, front intermittent, Rainsense
Wiper, rear intermittent with washer

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804
Aftermkt in option total

Liftgate, rear manual

ENTERTAINMENT

Audio system, AM/FM stereo with CD player and auxiliary input jack includes USB port

Audio system feature, single-slot CD/MP3 player

Audio system feature, 6-speaker system

SiriusXM Satellite Radio, delete

Bluetooth for phone personal cell phone connectivity to vehicle audio system (Bluetooth for phone is deleted when (UE0) OnStar delete is ordered.)

OnStar 4G LTE and built-in Wi-Fi hotspot connects to the Internet at 4G LTE speeds; includes OnStar Data Trial for 3 months or 3GB (whichever comes first) (Requires (UE1) OnStar Guidance plan. Visit www.onstar.com for coverage map, details and system limitations. Services vary by model. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data. Available Wi-Fi requires compatible mobile device, active OnStar service and data plan. Data plans provided by AT&T.)

INTERIOR

Seating, front 40/20/40 split-bench, 3-passenger includes 6-way power driver and 2 way front passenger seat adjuster, driver and front passenger power lumbar control and power reclining, center fold-down armrest with storage (includes auxiliary power outlet, USB port and input jack for audio system), storage compartments in seat cushion, adjustable outboard head restraints and storage pockets (With vinyl, does not include (AG1) Driver 6-way power seat adjuster or (AG2) Front passenger 6-way power adjuster.)

Seat trim, cloth

Seat adjuster, driver power, multidirectional (Included and only available with (AZ3) 40/20/40 split-bench front seat.)

Seat adjuster, front passenger 6-way power

Seats, second row 60/40 split-folding bench, manual

Seat, third row manual 60/40 split-folding bench, fold flat

Floor covering, Black rubberized-vinyl

Steering column, Tilt-Wheel

Steering wheel, urethane

Steering wheel controls, mounted cruise controls

Driver Information Center, one-color

Warning tones headlamp on, key-in-ignition, driver and right-front passenger safety belt unfasten and turn signal on

Door locks, power programmable with lockout protection and delayed locking (With (9C1) Police Vehicle or (5W4) Special Service Vehicle, Auto Lockout is disabled on Driver door.)

Remote Keyless Entry, extended-range

Windows, power, with Express-Down and Express-Up on front doors and lock out features

Cruise control, electronic with set and resume speed

Climate control, tri-zone automatic with individual climate settings for driver, right-front passenger and rear passengers (With (9C1) Police Vehicle or (5W4) Special Service Vehicle, includes dual-zone automatic, front and rear air conditioning electronic controls)

Defogger, rear-window electric

Power outlet, 110-volt

Mirror, inside rearview manual day/night

Conversation mirror

Assist handles, 1st row passenger and 2nd row outboard seats (With (9C1) Police Vehicle or (5W4) Special Service Vehicle, 1st row passenger assist handle is removed when (7X7) Spot lamps are ordered.)

Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions. With (9C1) Police Vehicle or (5W4) Special Service Vehicle, interior lighting includes dome light, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions with control switch in the roof console

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804
Aftermkt in option total

Cargo management system

Cargo net

OnStar Basic plan for 5 years includes limited vehicle mobile app features, Monthly Diagnostics Report and Dealer Maintenance Notification (Basic Plan available for 5 years from the date of vehicle delivery and is transferable. Does not include Emergency, Security or Navigation services.)

SAFETY

Brakes, 4-wheel antilock, 4-wheel disc, VAC power with Brake Assist

StabiliTrak, stability control system with brake assist, includes traction control

Daytime Running Lamps, with automatic exterior lamp control

Teen Driver mode a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behavior. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report gives you information on your teen's driving habits and helps you to continue to coach your new driver

Air bags, frontal and side-impact for driver and front passenger and head curtain side-impact for all rows in outboard seating positions (Included and only available with (AZ3) 40/20/40 split-bench front seat. With (9C1) Police Vehicle or (5W4) Special Service Vehicle requires (AZ3) 40/20/40 split-bench front seat and (9U3) SEO front center seat (20% seat) delete. Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

Automatic Occupant Sensing System sensor indicator inflatable restraint, front passenger/child presence detector

Door locks, rear child security

OnStar Guidance Plan for 3 months, including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance, Turn-by-Turn Navigation, Advanced Diagnostics and more (trial excludes Hands-Free Calling) for 6 months, including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance, Turn-by-Turn Navigation, Advanced Diagnostics and more (trial excludes Hands-Free Calling) (Fleet orders receive a 6-month trial. Visit www.onstar.com for coverage map, details and system limitations. Services vary by model. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data.) (Retail orders receive a 3-month trial. Visit www.onstar.com for coverage map, details and system limitations. Services vary by model. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data.)

Rear Park Assist with audible warning

Rear Vision Camera

LATCH system (Lower Anchors and Top tethers for Children), for child safety seats; lower anchors and top tethers located in all second row seating positions, top tethers located in third row seating positions

Tire Pressure Monitor System air pressure sensors in each tire with pressure display in Driver Information Center

Theft deterrent, electrical, unauthorized entry

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804
Aftermkt in option total

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	N/A lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	N/A lbs
Base Trim Weight - Rear	N/A lbs
Gross Axle Wt Rating - Front	3600 lbs
Gross Axle Wt Rating - Rear	4100 lbs
Curb Weight - Front	N/A lbs
Curb Weight - Rear	N/A lbs
Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs
Reserve Axle Capacity - Front	N/A lbs
Reserve Axle Capacity - Rear	N/A lbs
As Spec'd Curb Weight	N/A lbs
As Spec'd Payload	N/A lbs
Maximum Payload Capacity	N/A lbs
Gross Combined Wt Rating	N/A lbs
Gross Axle Weight Rating	7700.00 lbs
Curb Weight	N/A lbs
Reserve Axle Capacity	N/A lbs
Total Option Weight	0.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	7300.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	5000 lbs
Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	6400 lbs
Wt Distributing Hitch - Max Tongue Wt.	640 lbs
Maximum Trailing Capacity	N/A lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 4804
 Aftermkt in option total

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Independent
Suspension Type - Rear	Multi-Link
Spring Capacity - Front	N/A lbs
Spring Capacity - Rear	N/A lbs
Axle Type - Front	Independent
Axle Type - Rear	Semi-Floating
Axle Capacity - Front	3600 lbs
Axle Capacity - Rear	4100 lbs
Axle Ratio (:1) - Front	3.08
Axle Ratio (:1) - Rear	3.08
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	RC3
Rear Tire Order Code	RC3
Spare Tire Order Code	RC4
Front Tire Size	P265/70R17
Rear Tire Size	P265/70R17
Spare Tire Size	P265/70R17
Front Tire Capacity	N/A lbs
Rear Tire Capacity	N/A lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804
Aftermkt in option total

Wheels

Front Wheel Size	17 x 8.0 in
Rear Wheel Size	17 x 8.0 in
Spare Wheel Size	17 x 7.5 in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Pwr Rack & Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	N/A ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	Pwr
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	N/A in
Rear Brake Rotor Diam x Thickness	N/A in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	26 gal
Aux Fuel Tank Capacity, Approx	
Fuel Tank Location	N/A
Aux Fuel Tank Location	

VEHICLE

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	9.8
EPA Greenhouse Gas Score	N/A

Vehicle

Rear Door Type	Liftgate
----------------	----------

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804
Aftermkt in option total

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	MYC
Trans Type	6
Trans Description Cont.	Automatic
Trans Description Cont. Again	
First Gear Ratio (:1)	N/A
Second Gear Ratio (:1)	N/A
Third Gear Ratio (:1)	N/A
Fourth Gear Ratio (:1)	N/A
Fifth Gear Ratio (:1)	N/A
Sixth Gear Ratio (:1)	N/A
Reverse Ratio (:1)	N/A
Clutch Size	
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	

Mileage

EPA Fuel Economy Est - Hwy	22 MPG
Cruising Range - City	416.00 mi
EPA Fuel Economy Est - City	16 MPG
Fuel Economy Est-Combined	18 MPG
Cruising Range - Hwy	572.00 mi

Engine

Engine Order Code	L83
Engine Type	Gas/Ethanol V8
Displacement	5.3L/325
Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600
SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	

Electrical

Cold Cranking Amps @ 0° F (Primary)	720
Cold Cranking Amps @ 0° F (2nd)	
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	150

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804
Aftermkt in option total

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	9
Front Head Room	42.80 in
Front Leg Room	45.30 in
Front Shoulder Room	64.80 in
Front Hip Room	60.80 in
Second Head Room	38.70 in
Second Leg Room	39.00 in
Second Shoulder Room	65.10 in
Second Hip Room	60.30 in
Third Head Room	38.10 in
Third Leg Room	24.80 in
Third Shoulder Room	62.60 in
Third Hip Room	49.30 in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804
Aftermkt in option total

Exterior Dimensions

Wheelbase	116.00 in
Length, Overall w/rear bumper	204.00 in
Width, Max w/o mirrors	80.50 in
Height, Overall	74.40 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	35.91 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	7.87 in
Ground Clearance, Rear	7.87 in
Body Length	0.00 ft
Rear Door Opening Height	N/A in
Rear Door Opening Width	N/A in
Side Door Opening Height	
Side Door Opening Width	
Step Up Height - Front	N/A in
Step Up Height - Side	
Cab to Body	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 4804
 Aftermkt in option total

Cargo Area Dimensions

Cargo Area Length @ Floor to Console	N/A in
Cargo Area Length @ Floor to Seat 1	79.90 in
Cargo Area Length @ Floor to Seat 2	43.20 in
Cargo Area Length @ Floor to Seat 3	11.10 in
Cargo Box Width @ Top, Rear	N/A in
Cargo Area Width @ Beltline	N/A in
Cargo Box Width @ Floor	N/A in
Cargo Box Width @ Wheelhousings	49.30 in
Cargo Box (Area) Height	33.94 in
Tailgate Width	N/A in
Cargo Volume	N/A ft ³
Cargo Volume to Seat 1	94.7 ft ³
Cargo Volume to Seat 2	51.7 ft ³
Cargo Volume to Seat 3	15.3 ft ³
Cargo Volume to Seat 4	
Ext'd Cab Cargo Volume	N/A ft ³

EXTERIOR

Side Door Type

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804 EXT
Aftermkt in option total

2017 Chevrolet Suburban 4WD 4dr 1500



2017 Chevrolet Suburban 4WD 4dr 1500 Commercial (CK15906)

CLASS 4804 EXT

UTILITY SPORT FULLSIZE 4X4 EXTENDED

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 4804 EXT
 Aftermkt in option total

Vehicle Information

SELECTED MODEL

Code	Description
CK15906	2017 Chevrolet Suburban 4WD 4dr 1500 Commercial

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
ZW7	SUSPENSION PACKAGE, PREMIUM SMOOTH RIDE, (STD), (Not available with (NHT) Max Trailering Package.)
FE9	EMISSIONS, FEDERAL REQUIREMENTS
L83	ENGINE, 5.3L V8 ECOTEC3 WITH ACTIVE FUEL MANAGEMENT, DIRECT INJECTION AND VARIABLE VALVE TIMING, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 N-m] @ 4100 rpm) (STD)
MYC	TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED, with overdrive and tow/haul mode (STD)
GU4	REAR AXLE, 3.08 RATIO, (Not available with (NHT) Max Trailering Package.)
1FL	COMMERCIAL PREFERRED EQUIPMENT GROUP, Includes Standard Equipment
RD6	WHEELS, 17" X 8" (43.2 CM X 20.3 CM) PAINTED STEEL, (STD), (Not included when (NHT) Max Trailering Package is ordered.)
RC3	TIRES, P265/70R17 ALL-TERRAIN, BLACKWALL, (STD), (Not included when (NHT) Max Trailering Package is ordered.)
ZY1	PAINT SCHEME, SOLID APPLICATION
AZ3	SEATS, FRONT 40/20/40 SPLIT-BENCH, WITH PREMIUM CLOTH, 3-PASSENGER, includes 6-way power driver and 2 way front passenger seat adjuster, driver and front passenger power lumbar control and power reclining, center fold-down armrest with storage (includes auxiliary power outlet, USB port and input jack for audio system), storage compartments in seat cushion, adjustable outboard head restraints and storage pockets (With vinyl, does not include (AG1) Driver 6-way power seat adjuster or (AG2) Front passenger 6-way power adjuster.) (STD)
H0U	JET BLACK, PREMIUM CLOTH SEAT TRIM
IO3	AUDIO SYSTEM, AM/FM STEREO WITH CD PLAYER AND AUXILIARY INPUT JACK, includes USB port (STD)
NQH	TRANSFER CASE, ACTIVE, 2-SPEED ELECTRONIC AUTOTRAC, with rotary controls, includes neutral position for dinghy towing
NZZ	SKID PLATE PACKAGE, (Requires 4WD models and a Fleet or Government sales order type.)
VK3	LICENSE PLATE FRONT MOUNTING PACKAGE, (Included on orders with ship-to-states that require a front license plate.)
B30	FLOOR COVERING, COLOR-KEYED CARPETING
B58	FLOOR MATS, COLOR-KEYED CARPETED FIRST AND SECOND ROW, REMOVABLE, (Included and only available with (B30) color-keyed carpeting, floor covering.)
VRS	LPO, CARGO SECURITY SHADE, (dealer-installed)
UE0	ONSTAR DELETE, (Requires a Fleet or Government sales order type.), *CREDIT*
R9Y	FLEET FREE MAINTENANCE CREDIT., This option code provides a credit in lieu of the free oil changes, tire rotations and inspections (4 maximum), during the first 24 months and 24,000 miles period for this ordered vehicle. The invoice will detail the applicable credit. The customer will be responsible for all oil change, tire rotations and inspections costs for this vehicle., (Requires one of the following Fleet or Government order types: FBC, FBN, FCA, FCN, FLS, FNR, FRC or FGO. Not available with FDR order types.), *CREDIT*

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804 EXT
Aftermkt in option total

Standard Equipment

MECHANICAL

Engine, 5.3L V8 EcoTec3 with Active Fuel Management, Direct Injection and Variable Valve Timing includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 N-m] @ 4100 rpm)
Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode
Rear axle, 3.08 ratio (Not available with (NHT) Max Trailering Package.)
Suspension Package, Premium Smooth Ride (Not available with (NHT) Max Trailering Package.)
E85 FlexFuel capable
Transfer case, active, single-speed, electronic Autotrac with rotary controls, does not include neutral. Cannot be dinghy towed (Requires 4WD model. Not available with (NHT) Max Trailering Package.)
Differential, heavy-duty locking rear
4-wheel drive
Air cleaner, high-capacity
Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator
Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil
Battery, 720 cold cranking amps with 80 amp hour rating
Alternator, 150 amps
Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector and 2" trailering receiver
Trailer sway control
Recovery hooks, 2 front, frame-mounted, Black (Standard with 4WD models. Available with 2WD models.)
GVWR, 7500 lbs. (3402 kg) (Requires 4WD model.)
Suspension, front coil-over-shock with stabilizer bar
Suspension, rear multi-link with coil springs
Hill Start Assist
Steering, power

EXTERIOR

Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel (Not included when (NHT) Max Trailering Package is ordered.)
Tires, P265/70R17 all-terrain, blackwall (Not included when (NHT) Max Trailering Package is ordered.)
Tire, spare P265/70R17 all-season, blackwall
Wheel, full-size spare, 17" (43.2 cm) steel
Tire carrier, lockable outside spare, winch-type mounted under frame at rear
Fascia, front body-color
Fascia, rear body-color
Luggage rack side rails, roof-mounted
Assist steps, Black
Mirrors, outside heated power-adjustable, manual-folding and color keyed driver mirror includes spotter mirror
Glass, deep-tinted
Wipers, front intermittent, Rainsense
Wiper, rear intermittent with washer
Liftgate, rear manual

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804 EXT
Aftermkt in option total

ENTERTAINMENT

Audio system, AM/FM stereo with CD player and auxiliary input jack includes USB port
Audio system feature, single-slot CD/MP3 player
Audio system feature, 6-speaker system
XM Satellite Radio, delete
Bluetooth for phone personal cell phone connectivity to vehicle audio system (Bluetooth for phone is deleted when (UE0) OnStar delete is ordered.)
OnStar 4G LTE and built-in Wi-Fi hotspot connects to the Internet at 4G LTE speeds; includes OnStar Data Trial for 3 months or 3GB (whichever comes first) (Requires (UE1) OnStar Guidance plan. Visit www.onstar.com for coverage map, details and system limitations. Services vary by model. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data. Available Wi-Fi requires compatible mobile device, active OnStar service and data plan. Data plans provided by AT&T.)

INTERIOR

Seats, front 40/20/40 split-bench, with Premium Cloth, 3-passenger includes 6-way power driver and 2 way front passenger seat adjuster, driver and front passenger power lumbar control and power reclining, center fold-down armrest with storage (includes auxiliary power outlet, USB port and input jack for audio system), storage compartments in seat cushion, adjustable outboard head restraints and storage pockets (With vinyl, does not include (AG1) Driver 6-way power seat adjuster or (AG2) Front passenger 6-way power adjuster.)
Seat trim, cloth
Seat adjuster, driver power, multidirectional
Seat adjuster, front passenger 6-way power
Seats, second row 60/40 split-folding bench, manual
Seat, third row manual 60/40 split-folding bench, fold flat
Floor covering, Black rubberized-vinyl
Steering column, Tilt-Wheel
Steering wheel, urethane
Steering wheel controls, mounted cruise controls
Driver Information Center, one-color
Door locks, power programmable with lockout protection and delayed locking
Remote Keyless Entry, extended-range
Cruise control, electronic with set and resume speed
Theft deterrent, electrical, unauthorized entry
Windows, power, with Express-Down and Express-Up on front doors and lock out features
Climate control, tri-zone automatic with individual climate settings for driver, right-front passenger and rear passengers
Defogger, rear-window electric
Power outlet, 110-volt
Conversation mirror
Assist handles, 1st row passenger and 2nd row outboard seats
Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions
Cargo management system
Cargo net
OnStar Basic plan for 5 years includes limited vehicle mobile app features, Monthly Diagnostics Report and Dealer Maintenance Notification (Basic Plan available for 5 years from the date of vehicle delivery and is transferable. Does not include Emergency, Security or Navigation services.)

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804 EXT
Aftermkt in option total

SAFETY

Daytime Running Lamps, with automatic exterior lamp control

Brakes, 4-wheel antilock, 4-wheel disc, VAC power with Brake Assist

StabiliTrak, stability control system with brake assist, includes traction control

Teen Driver mode a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behavior. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report gives you information on your teen's driving habits and helps you to continue to coach your new driver

Air bags, frontal and side-impact for driver and front passenger and head curtain side-impact for all rows in outboard seating positions (Included and only available with (AZ3) 40/20/40 split-bench front seat. Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

Automatic Occupant Sensing System sensor indicator inflatable restraint, front passenger/child presence detector

OnStar Guidance Plan for 3 months, including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance, Turn-by-Turn Navigation, Advanced Diagnostics and more (trial excludes Hands-Free Calling) for 6 months, including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance, Turn-by-Turn Navigation, Advanced Diagnostics and more (trial excludes Hands-Free Calling) (Fleet orders receive a 6-month trial. Visit www.onstar.com for coverage map, details and system limitations. Services vary by model. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data.) (Retail orders receive a 3-month trial. Visit www.onstar.com for coverage map, details and system limitations. Services vary by model. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data.)

Rear Park Assist with audible warning

Rear Vision Camera

Door locks, rear child security

LATCH system (Lower Anchors and Top tethers for Children), for child safety seats lower anchors and top tethers located in all second row seating positions, top tethers located in third row seating positions

Tire Pressure Monitor System air pressure sensors in each tire with pressure display in Driver Information Center

Warning tones headlamp on, key-in-ignition, driver and right-front passenger safety belt unfasten and turn signal on

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 4804 EXT
 Aftermkt in option total

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	N/A lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	N/A lbs
Base Trim Weight - Rear	N/A lbs
Gross Axle Wt Rating - Front	3600 lbs
Gross Axle Wt Rating - Rear	4200 lbs
Curb Weight - Front	N/A lbs
Curb Weight - Rear	N/A lbs
Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs
Reserve Axle Capacity - Front	N/A lbs
Reserve Axle Capacity - Rear	N/A lbs
As Spec'd Curb Weight	N/A lbs
As Spec'd Payload	N/A lbs
Maximum Payload Capacity	N/A lbs
Gross Combined Wt Rating	N/A lbs
Gross Axle Weight Rating	7800.00 lbs
Curb Weight	N/A lbs
Reserve Axle Capacity	N/A lbs
Total Option Weight	0.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	7500.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	5000 lbs
Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	6000 lbs
Wt Distributing Hitch - Max Tongue Wt.	600 lbs
Maximum Trailing Capacity	N/A lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 4804 EXT
 Aftermkt in option total

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Independent
Suspension Type - Rear	Multi-Link
Spring Capacity - Front	N/A lbs
Spring Capacity - Rear	N/A lbs
Axle Type - Front	Independent
Axle Type - Rear	Semi-Floating
Axle Capacity - Front	3600 lbs
Axle Capacity - Rear	4140 lbs
Axle Ratio (:1) - Front	3.08
Axle Ratio (:1) - Rear	3.08
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	RC3
Rear Tire Order Code	RC3
Spare Tire Order Code	
Front Tire Size	P265/70R17
Rear Tire Size	P265/70R17
Spare Tire Size	
Front Tire Capacity	N/A lbs
Rear Tire Capacity	N/A lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804 EXT
Aftermkt in option total

Wheels

Front Wheel Size	17 x 8.0 in
Rear Wheel Size	17 x 8.0 in
Spare Wheel Size	17 x 7.5 in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Pwr Rack & Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	N/A ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	Pwr
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	N/A in
Rear Brake Rotor Diam x Thickness	N/A in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	31 gal
Aux Fuel Tank Capacity, Approx	
Fuel Tank Location	N/A
Aux Fuel Tank Location	

VEHICLE

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	9.8
EPA Greenhouse Gas Score	N/A

Vehicle

Rear Door Type	Liftgate
----------------	----------

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804 EXT
Aftermkt in option total

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	MYC
Trans Type	6
Trans Description Cont.	Automatic
Trans Description Cont. Again	
First Gear Ratio (:1)	N/A
Second Gear Ratio (:1)	N/A
Third Gear Ratio (:1)	N/A
Fourth Gear Ratio (:1)	N/A
Fifth Gear Ratio (:1)	N/A
Sixth Gear Ratio (:1)	N/A
Reverse Ratio (:1)	N/A
Clutch Size	
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	

Mileage

EPA Fuel Economy Est - Hwy	22 MPG
Cruising Range - City	465.00 mi
EPA Fuel Economy Est - City	15 MPG
Fuel Economy Est-Combined	18 MPG
Cruising Range - Hwy	682.00 mi

Engine

Engine Order Code	L83
Engine Type	Gas/Ethanol V8
Displacement	5.3L/-TBD-
Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600
SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	

Electrical

Cold Cranking Amps @ 0° F (Primary)	720
Cold Cranking Amps @ 0° F (2nd)	
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	150

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804 EXT
Aftermkt in option total

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	9
Front Head Room	42.80 in
Front Leg Room	45.30 in
Front Shoulder Room	64.80 in
Front Hip Room	60.80 in
Second Head Room	39.10 in
Second Leg Room	39.70 in
Second Shoulder Room	65.10 in
Second Hip Room	60.30 in
Third Head Room	38.50 in
Third Leg Room	34.50 in
Third Shoulder Room	62.60 in
Third Hip Room	49.30 in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804 EXT
Aftermkt in option total

Exterior Dimensions

Wheelbase	130.00 in
Length, Overall w/rear bumper	224.4 in
Width, Max w/o mirrors	80.50 in
Height, Overall	74.4 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	35.43 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	7.91 in
Ground Clearance, Rear	7.91 in
Body Length	0.00 ft
Rear Door Opening Height	N/A in
Rear Door Opening Width	N/A in
Side Door Opening Height	
Side Door Opening Width	
Step Up Height - Front	N/A in
Step Up Height - Side	
Cab to Body	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 4804 EXT
 Aftermkt in option total

Cargo Area Dimensions

Cargo Area Length @ Floor to Console	N/A in
Cargo Area Length @ Floor to Seat 1	100.3 in
Cargo Area Length @ Floor to Seat 2	63.6 in
Cargo Area Length @ Floor to Seat 3	31.6 in
Cargo Box Width @ Top, Rear	N/A in
Cargo Area Width @ Beltline	N/A in
Cargo Box Width @ Floor	N/A in
Cargo Box Width @ Wheelhousings	49.3 in
Cargo Box (Area) Height	34.92 in
Tailgate Width	N/A in
Cargo Volume	N/A ft ³
Cargo Volume to Seat 1	121.7 ft ³
Cargo Volume to Seat 2	76.7 ft ³
Cargo Volume to Seat 3	39.3 ft ³
Cargo Volume to Seat 4	
Ext'd Cab Cargo Volume	N/A ft ³

EXTERIOR

Side Door Type

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2187, current as of 12/18/2016 at 14:38 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.