Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
CLASS 4804

2012 Chevrolet Tahoe 4WD 4dr 1500

2012 Chevrolet Tahoe 4WD 4dr 1500 Commercial (CK10706)

CLASS 4804

UTILITY SPORT FULLSIZE 4X4

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Vehicle Report: Table of Contents

VEHICLE INFORMATION	
Selected Model	1
Selected Vehicle Colors	1
Selected Options	1
Aftermarket Options	2
STANDARD EQUIPMENT	
Package	3
Mechanical	3
Exterior	11
Entertainment	3
Interior	3
Safety	4
TECHNICAL SPECIFICATIONS	
Chassis	6
Vehicle	8
Powertrain	8
Dimensions	10
Exterior	11
WARRANTY INFORMATION	
Warranty Information	12

carbookfleetedition

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2185, current as of 01/01/2012 at 21:05 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Vehicle Information

SELECTED MODEL

Code	Description
CK10706	2012 Chevrolet Tahoe 4WD 4dr 1500 Commercial

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
Z71	SUSPENSION PACKAGE, OFF-ROAD, Includes off-road jounce bumpers, specially-tuned springs and gas-charged monotube shocks, (K47) high-capacity air cleaner and (NZZ) Skid Plate Package., (4WD model only. Included and only available with (9G3) Off-road Suspension Package. Requires (41U) Black, (50U) Summit White, (89U) Crystal Red Tintcoat, (GAN) Silver Ice Metallic, (GHA) Mocha Steel Metallic or (16U) Graystone Metallic exterior colors.)
FE9	EMISSIONS, FEDERAL REQUIREMENTS
LMG	ENGINE, VORTEC 5.3L V8 SFI FLEXFUEL, with Active Fuel Management, capable of running on unleaded or up to 85% ethanol (with gas - 320 hp [238.6 kW] @ 5400 rpm, 335 lb-ft of torque [452.2 N-m] @ 4000 rpm, with E85 ethanol - 326 hp [243.1 kW] @ 5300 rpm, 348 lb-ft of torque [469.8 N-m] @ 4400 rpm), iron block (STD)
MYC	TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED, with overdrive and tow/haul mode (STD)
GU6	REAR AXLE, 3.42 RATIO, (Included and only available with (K5L) Heavy-Duty Trailering Package.)
1FL	COMMERCIAL PREFERRED EQUIPMENT GROUP, Includes Standard Equipment
NX7	WHEELS, 4 - 17" X 7" (43.2 CM X 17.8 CM) STEEL
QJP	TIRES, P265/70R17 ON-/OFF-ROAD, BLACKWALL, (Requires 4WD models. Required with (9G3) Off-Road Suspension Package for base decor vehicles.)
ZY1	SOLID PAINT
50U	SUMMIT WHITE
AZ3	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING, CENTER FOLD-DOWN ARMREST, with storage, lockable storage compartments in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets (STD) (With vinyl seats also includes (AM1) driver manual lumbar control., With vinyl seats requires (19V) Ebony vinyl and (BG9) Black rubberized-vinyl floor covering)
19C	EBONY, PREMIUM CLOTH SEAT TRIM
US8	AUDIO SYSTEM, AM/FM STEREO WITH MP3 COMPATIBLE CD PLAYER, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume, TheftLock and auxiliary audio input jack (STD)
K5L	TRAILERING PACKAGE, HEAVY-DUTY, includes (KNP) auxiliary external transmission oil cooler and (KC4) engine oil cooler, provides increased trailering capabilities, (Includes (GU6) 3.42 ratio rear axle. Required with (JL1) trailer brake controller.)
JL1	TRAILER BRAKE CONTROLLER, INTEGRATED, (Requires (K5L) Heavy-Duty Trailering Package.)
KNP	COOLING, AUXILIARY TRANSMISSION OIL COOLER, HEAVY-DUTY AIR-TO-OIL, (Included and only available with (K5L) Heavy-Duty Trailering Package.)
KC4	COOLING, EXTERNAL ENGINE OIL COOLER, HEAVY-DUTY AIR-TO-OIL, INTEGRAL TO DRIVER SIDE OF RADIATOR, (Included and only available with (K5L) Heavy-Duty Trailering Package.)
K47	AIR CLEANER, HIGH-CAPACITY
NQH	TRANSFER CASE, ACTIVE, 2-SPEED ELECTRONIC AUTOTRAC, with rotary controls, includes neutral position for dinghy towing., (Requires 4WD models. Included and only available with (K5L) heavy-duty trailering package.)
NZZ	SKID PLATE PACKAGE, includes front underbody shield starting behind front bumper and running to first cross-member, protecting front underbody, oil pan, differential case and transfer case, frame-mounted shields, (Requires 4WD models.)
VK3	LICENSE PLATE BRACKET, FRONT, (Will be forced on orders with ship-to states that require a front license plate.)
B30	FLOOR COVERING, COLOR-KEYED CARPETING, (Includes (B58) color-keyed floor mats. Not available with (19V) Ebony vinyl trim.)
B58	FLOOR MATS, COLOR-KEYED CARPETED FIRST AND SECOND ROW, REMOVABLE, (Included and only available with (B30) color-keyed carpeting.)

carbookfleetedition

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2185, current as of 01/01/2012 at 21:05 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Code	Description
9G3	SUSPENSION PACKAGE, OFF-ROAD, FOR BASE DECOR VEHICLES, Includes Z71 Off Road Suspension components, skid plate package and high capacity air cleaner. Does not include body side "Z71" decals. Available on 4WD only, (Requires RPO (QJP) P265/70R17 on / off-road tires, RPO (NQH) 2-speed transfer case.)

AFTERMARKET OPTIONS

Tahoe CK10706 Commercial Debit

Debit for commercial equipment group credit that is already included in the contract price
. Manufacturer's part number: CK10706 Debit. Option code: AMO.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2185, current as of 01/01/2012 at 21:05 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Standard Equipment

PACKAGE

Fleet Package

MECHANICAL

Engine, Vortec 5.3L V8 SFI FlexFuel with Active Fuel Management, capable of running on unleaded or up to 85% ethanol (with gas - 320 hp [238.6 kW] @ 5400 rpm, 335 lb-ft of torque [452.2 N-m] @ 4000 rpm, with E85 ethanol - 326 hp [243.1 kW] @ 5300 rpm, 348 lb-ft of torque [469.8 N-m] @ 4400 rpm), iron block

Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode

Rear axle, 3.08 ratio (Not available with (K5L) Heavy-Duty Trailering Package.)

Suspension Package, Premium Smooth Ride

GVWR, 7300 lbs. (3311 kg) (Standard on 4WD models.)

4-wheel drive

Transfer case, active, single-speed, electronic Autotrac with rotary controls, does not include neutral. Cannot be dinghy towed. (Requires (GU4) 3.08 rear axle ratio. Not available on 2WD models or with (K5L) heavy-duty trailering package.)

Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power

Alternator, 160 amps

Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector and (VR4) 2" trailering receiver

Recovery hooks, front, frame-mounted (Standard on 4WD models. Available on 2WD models.)

Suspension, front coil-over-shock with stabilizer bar

Suspension, rear multi-link with coil springs

Steering, power

Brakes, 4-wheel antilock, 4-wheel disc, VAC power

EXTERIOR

Wheels, 4 - 17" x 7" (43.2 cm x 17.8 cm) steel

Tires, P265/70R17 all-season, blackwall

Wheel, 17" (43.2 cm) full-size, steel spare

Tire carrier, lockable outside spare winch-type mounted under frame at rear

Tire, spare P265/70R17 all-season blackwall

Luggage rack side rails, roof-mounted, Black

Fascia, front color-keyed

Fascia, rear color-keyed

Assist steps, Black

Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature

Mirrors, outside heated power-adjustable, manual-folding (Mirror caps are Black.)

Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass)

Wiper, rear intermittent with washer

Door handles, Black

Liftgate with liftglass rear door system with rear-window wiper/washer

ENTERTAINMENT

Audio system, AM/FM stereo with MP3 compatible CD player seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume, TheftLock and auxiliary audio input jack

Audio system feature, 6-speaker system (With (5W4) Identifier for Special Service vehicle, includes 8-speaker system)

SiriusXM Satellite Radio, delete

INTERIOR

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2185, current as of 01/01/2012 at 21:05 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining, center fold-down armrest with storage, lockable storage compartments in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets (With vinyl seats also includes (AM1) driver manual lumbar control. With vinyl seats requires (19V) Ebony vinyl and (BG9) Black rubberized-vinyl floor covering)

Seats, second row 60/40 split-folding bench, 3-passenger with center armrest with 2 cup holders (Vinyl seats included and only available with (AZ3) front 40/20/40 vinyl split-bench seats, SEO (5T5) second and third row vinyl with front cloth seats or (9S1) seats, driver and passenger front, individual seats in vinyl trim.)

Seat adjuster, driver 6-way power

Seats, third row 50/50 split-bench, 3-passenger removable, all-belts-to-seat

Headliner, cloth

Floor covering, Black rubberized-vinyl

Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock

Steering wheel, vinyl

Steering wheel controls, mounted cruise controls

Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature, oil pressure and tachometer

Instrumentation, analog with 120 mph speedometer, odometer with trip odometer, engine hour meter, fuel level, voltmeter, engine temperature, oil pressure and tachometer

Warning tones headlamp on, key-in-ignition, driver and right-front passenger safety belt unfasten and turn signal on

Windows, power with driver Express-Down and lockout features

Door locks, power programmable with lockout protection (With (5W4) Identifier for Special Service vehicle, Auto Lockout is disabled on Driver door.)

Remote vehicle starter prep package includes Remote Keyless Entry (Remote vehicle starter fob available as a Chevy Accessory.)

Cruise control, electronic with set and resume speed

Theft-deterrent system, vehicle, PASS-Key III

Heater, rear auxiliary with rear passenger heating ducts

Air conditioning, tri-zone manual HVAC controls with individual climate settings for driver, right-front passenger and rear seat with rear controls located in floor console with front bucket seats and in the roof console with front bench seat (With 5W4, rear controls located in roof console)

Air conditioning, rear auxiliary

Defogger, rear-window electric

Power outlets, 3 auxiliary, 12-volt includes 2 on the instrument panel and 1 in the cargo area

Mirror, inside rearview manual day/night

Visors, driver and front passenger illuminated vanity mirrors, padded with cloth trim, extends on rod

Assist handles, front passenger and second row outboard

Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions (With (5W4) Identifier for Special Service vehicle, does not include driver- and passenger-side door switch with delayed entry feature.)

SAFETY

StabiliTrak, stability control system with traction control includes electronic trailer sway control and hill start assist

Daytime Running Lamps with automatic exterior lamp control

Air bags, dual-stage frontal, driver and right-front passenger with Passenger Sensing System (right-front passenger air bag status on overhead console) (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the Owner's Manual and child safety seat instructions for more safety information.)

Air bags, head curtain side-impact, first and second row outboard seating positions with rollover sensor, includes third row seating positions with (AS3) passenger third row bench seat (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat outboard occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)

carbookfleetedition

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2185, current as of 01/01/2012 at 21:05 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Air bags, seat-mounted side-impact, driver and right-front passenger for thorax and pelvic protection (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)

OnStar, 6 months of Directions and Connections plan includes Automatic Crash Response, Emergency Services, Crisis Assist, Stolen Vehicle Assistance including Stolen Vehicle Slowdown and Remote Ignition Block, Remote Door Unlock, Turn-by- Turn Navigation with Destination Download (requires navigation radio) and OnStar eNav (where available), OnStar Vehicle Diagnostics, Roadside Assistance, Remote Horn and Lights, and Hands Free Calling. (Visit onstar.com for details and system limitations.)

Automatic Crash Response (Deleted when (UE0) OnStar delete is ordered.)

Stolen Vehicle Assistance (Deleted when (UE0) OnStar delete is ordered.)

OnStar Turn-by-Turn Navigation (Deleted when (UE0) OnStar delete is ordered.)

Safety belts, 3-point, driver and right-front passenger

Safety belts, 3-point, driver and front passenger in all seating positions (Requires (5W4) Identifier for Special Service vehicle.)

LATCH system (Lower Anchors and Top tethers for CHildren) for child safety seats

Tire Pressure Monitoring System air pressure sensors in each tire with pressure display in Driver Information Center (does not apply to spare tire)

All specifications are subject to change without notice.

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2185, current as of 01/01/2012 at 21:05 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Technical Specifications

CHASSIS

Weight Information	
Trim Curb Weight	5627.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	2926.00 lbs
Base Trim Weight - Rear	2701.00 lbs
Gross Axle Wt Rating - Front	3600 lbs
Gross Axle Wt Rating - Rear	4100 lbs
Curb Weight - Front	2926 lbs
Curb Weight - Rear	2701 lbs
Option Weight - Front	31.00 lbs
Option Weight - Rear	17.00 lbs
Reserve Axle Capacity - Front	643.00 lbs
Reserve Axle Capacity - Rear	1382.00 lbs
As Spec'd Curb Weight	5675.00 lbs
As Spec'd Payload	1625.00 lbs
Maximum Payload Capacity	1673.00 lbs
Gross Combined Wt Rating	14000 lbs
Gross Axle Weight Rating	7700.00 lbs
Curb Weight	5627.00 lbs
Reserve Axle Capacity	2025.00 lbs
Total Option Weight	48.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	7300.00 lbs
Trailering	
Dead Weight Hitch - Max Trailer Wt.	5000 lbs
Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	8200 lbs
Wt Distributing Hitch - Max Tongue Wt.	1230 lbs
Maximum Trailering Capacity	N/A lbs
Dead Weight Hitch - Max Trailer Weight	5000.00 lbs
Dead Weight Hitch - Max Tongue Weight	500.00 lbs
Weight Distributing Hitch - Max Trailer Weight	8025.00 lbs
Weight Distributing Hitch - Max Tongue Weight	963.00 lbs
Fifth Wheel Hitch - Max Trailer Weight	8025.00 lbs
Fifth Wheel Hitch - Max Tongue Weight	1625.00 lbs

carbookfleetedition

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2185, current as of 01/01/2012 at 21:05 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Frame		
	Frame Type	Ladder
	Sect Modulus Rails Only	N/A in^3
	Frame RBM	N/A N/A
	Frame Strength	N/A lbs
	Frame Thickness	N/A in
Suspension		
	Suspension Type - Front	Independent
	Suspension Type - Rear	5-Link
	Spring Capacity - Front	3600 lbs
	Spring Capacity - Rear	4200 lbs
	Axle Type - Front	Independent
	Axle Type - Rear	Semi-floating
	Axle Capacity - Front	3925 lbs
	Axle Capacity - Rear	4200 lbs
	Axle Ratio (:1) - Front	3.42
	Axle Ratio (:1) - Rear	3.42
	Shock Absorber Diameter - Front	46 mm
	Shock Absorber Diameter - Rear	46 mm
	Stabilizer Bar Diameter - Front	1.41 in
	Stabilizer Bar Diameter - Rear	1.10 in
Tires		
	Front Tire Order Code	QJP
	Rear Tire Order Code	QJP
	Spare Tire Order Code	ZVL
	Front Tire Size	P265/70R17
	Rear Tire Size	P265/70R17
	Spare Tire Size	P265/70R17
	Front Tire Capacity	2135 lbs
	Rear Tire Capacity	2135 lbs
	Spare Tire Capacity	2135 lbs
	Revolutions/Mile @ 45 mph - Front	N/A
	Revolutions/Mile @ 45 mph - Rear	N/A
	Revolutions/Mile @ 45 mph - Spare	N/A
Wheels		
	Front Wheel Size	17 x 7.0 in
	Rear Wheel Size	17 x 7.0 in
	Spare Wheel Size	17 x -TBD- in
	Front Wheel Material	Steel
	Rear Wheel Material	Steel
	Spare Wheel Material	Steel

carbookfleetedition

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2185, current as of 01/01/2012 at 21:05 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Steering		
	Steering Type	Pwr Rack & Pinion
	Steering Ratio (:1), On Center	17.8
	Steering Ratio (:1), At Lock	N/A
	Turning Diameter - Curb to Curb	39.0 ft
	Turning Diameter - Wall to Wall	N/A ft
Brakes		
	Brake Type	Pwr
	Brake ABS System	4-Wheel
	Brake ABS System (Second Line)	
	Disc - Front (Yes or)	Yes
	Disc - Rear (Yes or)	Yes
	Front Brake Rotor Diam x Thickness	13.0 x 1.2 in
	Rear Brake Rotor Diam x Thickness	13.6 x 0.8 in
	Drum - Rear (Yes or)	
	Rear Drum Diam x Width	
Fuel Tank		
	Fuel Tank Capacity, Approx	26 gal
	Aux Fuel Tank Capacity, Approx	
	Fuel Tank Location	N/A
	Aux Fuel Tank Location	
VEHICLE		
Emissions		
	Tons/yr of CO2 Emissions @ 15K mi/year	11.0
	EPA Greenhouse Gas Score	2 (2011)
Vehicle		
	Rear Door Type	Liftgate
POWERTRAIN		

carbookfleetedition

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2185, current as of 01/01/2012 at 21:05 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Transmission		
	Drivetrain	Four Wheel Drive
	Trans Order Code	MYC
	Trans Type	6
	Trans Description Cont.	Automatic w/OD
	Trans Description Cont. Again	
	First Gear Ratio (:1)	4.03
	Second Gear Ratio (:1)	2.36
	Third Gear Ratio (:1)	1.53
	Fourth Gear Ratio (:1)	1.15
	Fifth Gear Ratio (:1)	0.85
	Sixth Gear Ratio (:1)	0.67
	Reverse Ratio (:1)	3.06
	Clutch Size	
	Trans Power Take Off	
	Final Drive Axle Ratio (:1)	N/A
	Transfer Case Model	Magna MP 3023/4
	Transfer Case Gear Ratio (:1), High	1.00
	Transfer Case Gear Ratio (:1), Low	2.69
	Transfer Case Power Take Off	
Mileage		
	EPA Fuel Economy Est - Hwy	21 MPG
	Cruising Range - City	390.00 mi
	EPA Fuel Economy Est - City	15 MPG
	Fuel Economy Est-Combined	17 MPG
	Cruising Range - Hwy	546.00 mi
Engine		
	Engine Order Code	LMG
	Engine Type	Gas/Ethanol V8
	Displacement	5.3L/323
	Fuel System	SFI
	SAE Net Horsepower @ RPM	320 @ 5400
	SAE Net Torque @ RPM	335 @ 4000
	Engine Oil Cooler	
Electrical		
	Cold Cranking Amps @ 0° F (Primary)	600
	Cold Cranking Amps @ 0° F (2nd)	
	Cold Cranking Amps @ 0° F (3rd)	N/A
	Maximum Alternator Capacity (amps)	160
Cooling System		
	Total Cooling System Capacity	16.6 qts

carbookfleetedition

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2185, current as of 01/01/2012 at 21:05 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

DIMENSIONS

Interior Dimensions	
Passenger Capacity	9
Front Head Room	41.1 in
Front Leg Room	41.3 in
Front Shoulder Room	65.2 in
Front Hip Room	60.3 in
Second Head Room	39.2 in
Second Leg Room	39.0 in
Second Shoulder Room	65.2 in
Second Hip Room	60.6 in
Third Head Room	37.9 in
Third Leg Room	25.6 in
Third Shoulder Room	61.7 in
Third Hip Room	49.1 in
Exterior Dimensions	
Wheelbase	116.0 in
Length, Overall w/o rear bumper	N/A in
Length, Overall w/rear bumper	202.0 in
Width, Max w/o mirrors	79.0 in
Height, Overall	76.9 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	31.6 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	10.5 in
Ground Clearance, Rear	9.1 in
Body Length	0.00 ft
Rear Door Opening Height	N/A in
Rear Door Opening Width	N/A in
Side Door Opening Height	
Side Door Opening Width	
Step Up Height - Front	
Step Up Height - Side	
Cab to Body	N/A in

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2185, current as of 01/01/2012 at 21:05 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Cargo Area Dimensions

Cargo Box Length @ Floor	N/A in
Cargo Area Length @ Floor to Console	N/A in
Cargo Area Length @ Floor to Seat 1	81.4 in
Cargo Area Length @ Floor to Seat 2	49.4 in
Cargo Area Length @ Floor to Seat 3	15.2 in
Cargo Box Width @ Top, Rear	N/A in
Cargo Area Width @ Beltline	N/A in
Cargo Box Width @ Floor	N/A in
Cargo Box Width @ Wheelhousings	49.1 in
Cargo Box (Area) Height	41.7 in
Tailgate Width	N/A in
Cargo Volume	N/A ft^3
Cargo Volume to Seat 1	108.9 ft^3
Cargo Volume to Seat 2	60.3 ft^3
Cargo Volume to Seat 3	16.9 ft^3
Cargo Volume to Seat 4	
Ext'd Cab Cargo Volume	N/A ft^3

EXTERIOR

Side Door Type

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2185, current as of 01/01/2012 at 21:05 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Warranty Information

Basic:	
	3 Years/36,000 Miles
Drivetrain:	
	5 Years/100,000 Miles
Corrosion:	
	3 Years/36,000 Miles
	Rust-Through
	6 Years/100,000 Miles
Emissions:	
	Gas Engine
	2 Years/24,000 Miles
	Short Term California
	3 Years/50,000 Miles
Roadside Assistance:	
	5 Years/100,000 Miles

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2185, current as of 01/01/2012 at 21:05 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.