

2020 FLEET OPERATIONS CLASS STANDARDS AND SPECIFICATIONS

CLASS	DESCRIPTION	YEAR / MAKE / MODEL	AMOUNT
0213 (LB)	TRUCK 1/2 TON REGULAR CAB LB 4X4	2020 FORD F150 XL	\$27,190.00
0213 (SB)	TRUCK 1/2 TON REGULAR CAB SB 4X4	2020 FORD F150 XL	\$26,926.00
0215 (LB)	TRUCK 1/2 TON EXTENDED CAB LB 4X4	2020 TOYOTA TUNDRA SR	\$32,020.00
0215 (SB)	TRUCK 1/2 TON EXTENDED CAB SB 4X4	2020 DODGE RAM 1500 TRADESMAN	\$27,574.00
0276 (ESB)	TRUCK 1/2 TON CREW CAB ESB 4X4	2020 DODGE RAM 1500 TRADESMAN	\$30,651.00
0276 (SB)	TRUCK 1/2 TON CREW CAB SB 4X4	2020 DODGE RAM 1500 TRADESMAN	\$30,803.00
0217 (LB)	TRUCK 3/4 TON REGULAR CAB LB 4X4	2020 DODGE RAM 2500 TRADESMAN	\$26,863.00
0219 (LB)	TRUCK 3/4 TON EXTENDED CAB LB 4X4	2020 CHEVROLET SILVERADO 2500 WT	\$31,129.00
0219 (SB)	TRUCK 3/4 TON EXTENDED CAB SB 4X4	2020 CHEVROLET SILVERADO 2500 WT	\$30,946.00
0225 (LB)	TRUCK 3/4 TON CREW CAB LB 4X4	2020 FORD F250 XL	\$31,190.00
0225 (SB)	TRUCK 3/4 TON CREW CAB SB 4X4	2020 FORD F250 XL	\$31,095.43
0229 (ACC)	TRUCK COMPACT EXTENDED CAB 4X4	2020 TOYOTA TACOMA SR5	\$32,582.80
0229 (CRW)	TRUCK COMPACT CREW CAB 4X4	2020 TOYOTA TACOMA SR5	\$32,991.20
0601	SEDAN MIDSIZE 4 DOOR	2020 TOYOTA CAMRY LE	\$23,408.20
0601 (HYB)	SEDAN MIDSIZE 4 DOOR HYBRID	2020 TOYOTA CAMRY LE HYBRID	\$25,307.40
0604	SEDAN COMPACT 4 DOOR	2020 SUBARU IMPREZA PREMIUM	\$21,502.10
0604 (HYB)	SEDAN COMPACT 4 DOOR HYBRID	2020 TOYOTA PRIUS LE HYBRID	\$23,342.39
0607	SEDAN FULLSIZE 4 DOOR	2020 TOYOTA AVALON XLE HYBRID	\$30,895.00
4801	SPORT UTILITY COMPACT 4 DOOR FWD	2020 FORD ESCAPE SE SPORT HYBRID	\$27,221.00
4802	SPORT UTILITY COMPACT 4 DOOR 4X4	2020 SUBARU FORESTER PREMIUM	\$26,142.00
4804	SPORT UTILITY FULLSIZE 4 DOOR 4X4	2020 FORD EXPEDITION XLT	\$47,780.70
4804 EXT	SPORT UTILITY FULLSIZE 4 DOOR 4X4 EXT	2020 FORD EXPEDITION MAX XL	\$48,830.48
4811	SPORT UTILITY MIDSIZE 4 DOOR 4X4	2020 JEEP GRAND CHEROKEE LAREDO	\$25,594.28
4901	VAN MINI PASSENGER 7-SEATER	2020 TOYOTA SIENNA L	\$28,216.70
4904	VAN MINI CARGO	2020 RAM PROMASTER CITY TRADES	\$21,845.19
4907	VAN FULLSIZE PASSENGER 12-SEATER	2020 FORD T150 XL	\$37,471.30
4910	VAN FULLSIZE CARGO	2020 CHEVROLET EXPRESS 2500	\$24,349.29

EXECUTIVE VEHICLE (Allowance) \$35,000.00

COLOR AVAILABILITY FOR UNMARKED VEHICLES (SEE NEXT SECTION BELOW)

2020 COLOR AVAILABILITY

CLASS 0601: 2020 TOYOTA CAMRY LE

EXTERIOR	INTERIOR	
	BLACK	ASH
SUPER WHITE (040)	X	X
PREDAWN GRAY MICA (1H1)	X	X
CELESTIAL SILVER (1J9)	X	X
MIDNIGHT BLACK (218)	X	X
BROWNSTONE (4X7)	X	X
GALACTIC AQUA MICA (221)	X	
BLUE STREAK (8T7)	X	
RUBY FLARE (3T3)	X	

CLASS 0601H: 2020 TOYOTA CAMRY LE HYBRID

EXTERIOR	INTERIOR	
	BLACK	ASH
SUPER WHITE (040)	X	X
PREDAWN GRAY MICA (1H1)	X	X
CELESTIAL SILVER METALLIC (1J9)	X	X
MIDNIGHT BLACK METALLIC (218)	X	X
BROWNSTONE (4X7)	X	X
GALACTIC AQUA MICA (221)	X	
BLUE STREAK METALLIC (8T7)	X	
RUBY FLARE (3T3)	X	

CLASS 0604: 2020 SUBARU IMPREZA PREMIUM

EXTERIOR	INTERIOR	
	BLACK	
CRYSTAL BLACK SILICA (CB3)	X	
ICE SILVER METALLIC (ISM)	X	
MAGNETITE GRAY METALLIC (MGM)	X	
CRYSTAL WHITE PEARL (WH3)	X	
OCEAN BLUE PEARL (OBP)	X	

2020 COLOR AVAILABILITY

CLASS 0604: 2020 TOYOTA PRIUS LE HYBRID

EXTERIOR	INTERIOR	
	BLACK	MOONSTONE
MIDNIGHT BLACK METALLIC (218)	X	X
SEA GLASS PEARL (781)	X	X
ELECTRIC STORM BLUE (8X7)	X	X
CLASSIC SILVER METALLIC (1F7)	X	X
MAGNETIC GRAY METALLIC (1G3)	X	X
SUPER WHITE (040)	X	

CLASS 0607: 2020 TOYOTA AVALON XLE HYBRID

EXTERIOR	INTERIOR	
	BLACK	GRAPHITE
CELESTIAL SILVER (1J9)	X	X
HARBOR GRAY (1K4)	X	X
MIDNIGHT BLACK (218)	X	X
BROWNSTONE (4X7)	X	X
OPULENT AMBER (4X9)	X	X
PARISIAN NIGHT (8W6)	X	X

CLASS 4801: 2020 FORD ESCAPE SE HYBRID

EXTERIOR	INTERIOR	
	DK EARTH GRAY	SANDSTONE
DARK PERSIAN GRAY (D9)	X	X
VELOCITY BLUE (E7)	X	X
BLUE (FT)	X	X
DESERT GOLD (G6)	X	X
MAGNETIC	X	X
AGATE BLACK	X	X
INGOT SILVER	X	X
OXFORD WHITE	X	X

2020 COLOR AVAILABILITY

CLASS 4802: 2020 SUBARU FORESTER PREMIUM

EXTERIOR	INTERIOR	
	BLACK	GRAY
CRYSTAL BLACK SILICA (CBS)	X	
CRYSTAL BLACK SILICA (CB2)		X
CRIMSON RED PEARL (CR6)		X
ICE SILVER METALLIC (ISM)	X	
MAGNETITE GRAY (MGM)	X	
CRYSTAL WHITE PEARL (WHC)	X	
CRYSTAL WHITE PEARL (WH6)		X
SEPIA BRONZE (SBM)	X	
HORIZON PEARL BLUE (HBP)		X
JASPER GREEN (JGN)		X

CLASS 4804: 2020 FORD EXPEDITION XLT

EXTERIOR	INTERIOR
	EBONY
AGATE BLACK (UM)	X
ICONIC SILVER (JS)	X
BLUE (FT)	X
DESERT GOLD (G6)	X
MAGNETIC (J7)	X
OXFORD WHITE (YZ)	X

CLASS 4804 (EXT): 2020 FORD EXPEDITION MAX XL

EXTERIOR	INTERIOR
	EBONY
BLUE (FT)	X
ICONIC SILVER (JS)	X
OXFORD WHITE (YZ)	X
DESERT GOLD (G6)	X
MAGNETIC (J7)	X
AGATE BLACK (UM)	X

2020 COLOR AVAILABILITY

CLASS 4811: 2020 JEEP GRAND CHEROKEE LAREDO

EXTERIOR

INTERIOR

BLACK

BRIGHT WHITE CLEARCOAT (PW7)	X
DIAMOND BLACK CRYSTAL (PXJ)	X (EXTRA COST - \$174.00)
BILLET SILVER METALLIC (PSC)	X (EXTRA COST - \$174.00)
VELVET RED PEARLCOAT (PRV)	X (EXTRA COST - \$174.00)

CLASS 4901: 2020 TOYOTA SIENNA L

EXTERIOR

INTERIOR

ASH

SUPER WHITE (040)	X
PREDAWN GRAY (1H1)	X
CELESTIAL SILVER (1J9)	X
MIDNIGHT BLACK (218)	X
SALSA RED (3Q3)	X
ALUMINA JADE (6W4)	X
PARISIAN NIGHT (8W6)	X

FOR ANY OTHER CLASS COLOR OPTIONS CONTACT ANNE STEHNO

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0213LB
Options plus all standard equipment
(options to supersede std eq)

2020 Ford F-150 4WD Reg Cab 8' Box



2020 Ford F-150 XL 4WD Reg Cab 8' Box (F1E)

CLASS 0213 LB

TRUCK 1/2 TON REG CAB 4X4 LB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0213LB
Options plus all stand... | (options to superse...

Vehicle Information

SELECTED MODEL

Code	Description
F1E	2020 Ford F-150 XL 4WD Reg Cab 8' Box

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
995	ENGINE: 5.0L V8, -inc: auto start-stop technology and flex-fuel capability, 3.31 Axle Ratio, GVWR: 6,950 lbs Payload Package
44G	TRANSMISSION: ELECTRONIC 10-SPEED AUTOMATIC, -inc: selectable drive modes: normal/tow-haul/snow-wet/EcoSelect/sport
101A	EQUIPMENT GROUP 101A MID, -inc: XL Power Equipment Group, Power Door Locks, flip key and integrated key transmitter keyless-entry (includes Autolock), MyKey, Power Glass Sideview Mirrors w/Black Skull Caps, manual-folding, Power Front Windows, Power Tailgate Lock, Illuminated Entry, Perimeter Alarm, 4.2" Productivity Screen in Instrument Cluster, compass, FordPass Connect 4G Wi-Fi Modem, 4G LTE Wi-Fi hotspot connects up to 10 devices, remotely start, lock and unlock vehicle, schedule specific times to remotely start vehicle, locate parked vehicle and check vehicle status, Note: Ford Telematics and Data Services Prep included for Fleet Only: FordPass Connect 4G Wi-Fi Modem provides data to support telematics and data services including but not limited to vehicle location, speed, idle time, fuel, vehicle diagnostics and maintenance alerts, Device enables telematics services through Ford or authorized providers, Activate at www.fleet.ford.com or call 833-FCS-FORD or 833-327-3673, a complimentary trial subscription of 3 months or 3 gigabytes whichever comes first, wireless service plan required after trial subscription ends, Visit att.com/ford to start complimentary trial and sign up for a wireless service plan, SYNC, enhanced voice recognition communications and entertainment system, 911 assist, 4.2" LCD display in center stack, Applink and 1 smart charging USB port, Cruise Control, *GROSS*
X27	3.31 AXLE RATIO
64C	WHEELS: 17" SILVER STEEL, (STD)
T7C	TIRES: LT245/70R17E BSW A/T, Requires valid FIN code.
—	STANDARD PAINT
CG	DARK EARTH GRAY, CLOTH 40/20/40 FRONT SEAT, -inc: 2-way manual driver/passenger adjustment and armrest
85A	XL POWER EQUIPMENT GROUP, -inc: Power Door Locks, flip key and integrated key transmitter keyless-entry (includes Autolock), MyKey, Power Glass Sideview Mirrors w/Black Skull Caps, manual-folding, Power Front Windows, Power Tailgate Lock, Illuminated Entry, Perimeter Alarm, w/100A, Requires valid FIN code., *GROSS*
53A	TRAILER TOW PACKAGE W/101A, -inc: Towing capability up to TBD, tailgate LED, Pro Trailer Backup Assist, Class IV Trailer Hitch Receiver, towing capability up to TBD on 3.3L V6 PFDI engine (99B) and 2.7L EcoBoost engine (99P) or up to TBD on 3.5L EcoBoost engine (994), 3.5L EcoBoost High Output engine (99G) and 5.0L V8 engine (995), smart trailer tow connector and 4-pin/7-pin wiring harness, Upgraded Front Stabilizer Bar, w/99P,994,995-inc: Auxiliary Transmission Oil Cooler, Engine Oil Cooler Ordering the Trailer Tow Package does not include Trailer Tow Mirrors. Trailer Tow Mirrors are a standalone option and must be ordered separately. (Option Code: 54Y/59S). Ordering the Trailer Tow Package does not include Integrated Brake Controller (67T). Integrated Brake Controller (67T) is a standalone option and must be ordered separately.
425	50 STATE EMISSIONS, Available only to Commercial and Government Fleet.
53B	CLASS IV TRAILER HITCH RECEIVER, -inc: towing capability up to TBD on 3.3L V6 PFDI engine (99B) and 2.7L EcoBoost engine (99P) or up to TBD on 3.5L EcoBoost engine (994), 3.5L EcoBoost High Output engine (99G) and 5.0L V8 engine (995), smart trailer tow connector and 4-pin/7-pin wiring harness, Ordering the Trailer Tow Package does not include Integrated Brake Controller (67T). Integrated Brake Controller (67T) is a standalone option and must be ordered separately.
413	SKID PLATES, -inc: fuel tank, transfer case and front differential
—	GVWR: 6,950 LBS PAYLOAD PACKAGE
153	FRONT LICENSE PLATE BRACKET, -inc: Standard in states requiring 2 license plates, optional to all others

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0213LB
Options plus all stand... | (options to superse...

Code	Description
52P	SYNC, -inc: enhanced voice recognition communications and entertainment system, 911 assist, 4.2" LCD display in center stack, Applink and 1 smart charging USB port, w/100A, Requires valid FIN code.
50S	CRUISE CONTROL, w/100A, Requires valid FIN code.
60M	FORDPASS CONNECT 4G WI-FI MODEM, -inc: 4G LTE Wi-Fi hotspot connects up to 10 devices, schedule specific times to remotely start vehicle, locate parked vehicle and check vehicle status, Note: Ford Telematics and Data Services Prep included for Fleet Only: FordPass Connect 4G Wi-Fi Modem provides data to support telematics and data services including but not limited to vehicle location, speed, idle time, fuel, vehicle diagnostics and maintenance alerts, Device enables telematics services through Ford or authorized providers, Activate at www.fleet.ford.com or call 833-FCS-FORD or 833-327-3673, a complimentary trial subscription of 3 months or 3 gigabytes whichever comes first, wireless service plan required after trial subscription ends, Visit att.com/ford to start complimentary trial and sign up for a wireless service plan, w/o 85A,101A-inc: remotely start vehicle w/85A,101A-inc: remotely start, lock and unlock vehicle w/o 101A, Requires valid FIN code.
76R	REVERSE SENSING SYSTEM
---	EQUIPMENT GROUP 101A MID SAVINGS, *DISCOUNT*

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0213LB
Options plus all stand... | (options to superse...

Standard Equipment

MECHANICAL

Engine: 3.3L V6 PFDI -inc: auto start-stop technology and flex-fuel capability
Transmission: Electronic 6-Speed Automatic -inc: selectable drive modes: normal/tow-haul/sport
3.73 Axle Ratio
GVWR: 6,390 lbs Payload Package
Transmission w/SelectShift Sequential Shift Control
Electronic Transfer Case
Part-Time Four-Wheel Drive
70-Amp/Hr 610CCA Maintenance-Free Battery w/Run Down Protection
200 Amp Alternator
Towing Equipment -inc: Trailer Sway Control
Trailer Wiring Harness
1920# Maximum Payload
Gas-Pressurized Shock Absorbers
Front Anti-Roll Bar
Electric Power-Assist Speed-Sensing Steering
23 Gal. Fuel Tank
Single Stainless Steel Exhaust
Auto Locking Hubs
Double Wishbone Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake

EXTERIOR

Wheels: 17" Silver Steel
Tires: P265/70R17 OWL A/T
Regular Box Style
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Rear Step Bumper
Black Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Manual Side Mirrors w/Convex Spotter and Manual Folding
Fixed Rear Window
Light Tinted Glass
Variable Intermittent Wipers
Aluminum Panels
Black Grille
Tailgate Rear Cargo Access
Manual Tailgate/Rear Door Lock

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0213LB
Options plus all stand... | (options to superse...

Autolamp Fully Automatic Aero-Composite Halogen Auto High-Beam Daytime Running Lights Preference Setting Headlamps w/Delay-Off

Cargo Lamp w/High Mount Stop Light

ENTERTAINMENT

Radio: AM/FM Stereo w/4 Speakers -inc: auxiliary audio input jack (not available w/SYNC)

Radio w/Seek-Scan

Fixed Antenna

2 LCD Monitors In The Front

INTERIOR

Cloth 40/20/40 Front Seat -inc: 2-way manual driver/passenger adjustment and armrest

4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement

4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement

Manual Tilt/Telescoping Steering Column

Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp and Trip Odometer

Front Cupholder

Compass

Manual Air Conditioning

Glove Box

Interior Trim -inc: Cabback Insulator and Chrome Interior Accents

Full Cloth Headliner

Urethane Gear Shift Knob

Day-Night Rearview Mirror

Passenger Visor Vanity Mirror

2 12V DC Power Outlets

Fade-To-Off Interior Lighting

Full Vinyl/Rubber Floor Covering

Pickup Cargo Box Lights

Instrument Panel Bin, Dashboard Storage, Driver And Passenger Door Bins

Manual 1st Row Windows

Outside Temp Gauge

Analog Display

Manual Adjustable Front Head Restraints

Front Center Armrest

Securilock Anti-Theft Ignition (pats) Engine Immobilizer

SAFETY

AdvanceTrac w/Roll Stability Control Electronic Stability Control (ESC) And Roll Stability Control (RSC)

ABS And Driveline Traction Control

Side Impact Beams

Dual Stage Driver And Passenger Seat-Mounted Side Airbags

Ford Co-Pilot360 - Pre-Collision Assist with Automatic Emergency Braking (AEB)

Tire Specific Low Tire Pressure Warning

Dual Stage Driver And Passenger Front Airbags

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0213LB
Options plus all stand... | (options to superse...

Safety Canopy System Curtain 1st Row Airbags
Airbag Occupancy Sensor
Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters and Pretensioners
Dynamic Hitch Assist Back-Up Camera

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0213LB
 Options plus all stand... | (options to superse...

Technical Specifications

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	9.8 (Est)
EPA Greenhouse Gas Score	N/A

CHASSIS

Weight Information

Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Gross Axle Wt Rating - Front	3225 lbs
Gross Axle Wt Rating - Rear	3350 lbs
Curb Weight - Front	2718 lbs
Curb Weight - Rear	1700 lbs
Option Weight - Front	150.00 lbs
Option Weight - Rear	94.00 lbs
Reserve Axle Capacity - Front	357.00 lbs
Reserve Axle Capacity - Rear	1556.00 lbs
As Spec'd Curb Weight	4662.00 lbs
As Spec'd Payload	1913.00 lbs
Maximum Payload Capacity	2532.00 lbs
Gross Combined Wt Rating	9900 lbs
Gross Axle Weight Rating	6575.00 lbs
Curb Weight	4418.00 lbs
Reserve Axle Capacity	1913.00 lbs
Total Option Weight	244.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	6575.00 lbs

Trailerling

Dead Weight Hitch - Max Trailer Wt.	5000 lbs
Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	5000 lbs
Wt Distributing Hitch - Max Tongue Wt.	500 lbs
Maximum Trailerling Capacity	5000 lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0213LB
 Options plus all stand... | (options to superse...

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Double Wishbone
Suspension Type - Rear	Leaf
Spring Capacity - Front	3225 lbs
Spring Capacity - Rear	3350 lbs
Axle Type - Front	Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	3750 lbs
Axle Capacity - Rear	4800 lbs
Axle Ratio (:1) - Front	3.31
Axle Ratio (:1) - Rear	3.31
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	T7C
Rear Tire Order Code	T7C
Spare Tire Order Code	
Front Tire Size	LT245/70SR17
Rear Tire Size	LT245/70SR17
Spare Tire Size	Full-Size
Front Tire Capacity	3650 lbs
Rear Tire Capacity	4050 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0213LB
Options plus all stand... | (options to superse...

Wheels

Front Wheel Size	17 X 7.5 in
Rear Wheel Size	17 X 7.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	46.1 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	4-Wheel Disc
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	13.8 in
Rear Brake Rotor Diam x Thickness	13.7 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	23 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	N/A
Aux Fuel Tank Location	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0213LB
Options plus all stand... | (options to superse...

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	44G
Trans Type	10
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.70
Second Gear Ratio (:1)	2.98
Third Gear Ratio (:1)	2.15
Fourth Gear Ratio (:1)	1.77
Fifth Gear Ratio (:1)	1.52
Sixth Gear Ratio (:1)	1.27
Reverse Ratio (:1)	4.87
Clutch Size	N/A in
Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	Electronic
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No
Seventh Gear Ratio (:1)	1.00
Eighth Gear Ratio (:1)	0.85
Ninth Gear Ratio (:1)	N/A
Tenth Gear Ratio (:1)	N/A

Mileage

EPA Fuel Economy Est - Hwy	22 (Est) MPG
Cruising Range - City	368.00 mi
EPA Fuel Economy Est - City	16 (Est) MPG
Fuel Economy Est-Combined	18 (Est) MPG
Cruising Range - Hwy	506.00 mi

Engine

Engine Order Code	995
Engine Type	Regular Unleaded V-8
Displacement	5.0 L/302
Fuel System	Port/Direct Injection
SAE Net Horsepower @ RPM	395 @ 5750
SAE Net Torque @ RPM	400 @ 4500
Engine Oil Cooler	Regular Duty

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0213LB
 Options plus all stand... | (options to superse...

Electrical

Cold Cranking Amps @ 0° F (Primary)	610
Cold Cranking Amps @ 0° F (2nd)	610
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	200

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	3
Front Head Room	40.8 in
Front Leg Room	43.9 in
Front Shoulder Room	66.7 in
Front Hip Room	62.5 in
Second Head Room	N/A in
Second Leg Room	N/A in
Second Shoulder Room	N/A in
Second Hip Room	N/A in

Exterior Dimensions

Wheelbase	141 in
Length, Overall w/o rear bumper	N/A in
Length, Overall w/rear bumper	N/A in
Length, Overall	227.9 in
Width, Max w/o mirrors	79.9 in
Height, Overall	76.9 in
Overhang, Front	37.8 in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	36.5 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	9.4 in
Ground Clearance, Rear	9.4 in
Body Length	0.00 ft
Cab to Body	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0213LB
Options plus all stand... | (options to superse...

Cargo Area Dimensions

Cargo Box Length @ Floor	96 in
Cargo Box Width @ Top, Rear	65.2 in
Cargo Box Width @ Floor	65.2 in
Cargo Box Width @ Wheelhousings	50.6 in
Cargo Box (Area) Height	21.4 in
Tailgate Width	60.3 in
Cargo Volume	77.4 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0213 SB
Options plus all standard equipment
(options to supersede std eq)

2020 Ford F-150 4WD Reg Cab 6.5' Box



2020 Ford F-150 XL 4WD Reg Cab 6.5' Box (F1E)

CLASS 0213 SB

TRUCK 1/2 TON REG CAB 4X4 SB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0213 SB
Options plus all stand... | (options to superse...

Vehicle Information

SELECTED MODEL

Code	Description
F1E	2020 Ford F-150 XL 4WD Reg Cab 6.5' Box

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
995	ENGINE: 5.0L V8, -inc: auto start-stop technology and flex-fuel capability, 3.31 Axle Ratio, GVWR: 6,400 lbs Payload Package
44G	TRANSMISSION: ELECTRONIC 10-SPEED AUTOMATIC, -inc: selectable drive modes: normal/tow-haul/snow-wet/EcoSelect/sport
101A	EQUIPMENT GROUP 101A MID, -inc: XL Power Equipment Group, Power Door Locks, flip key and integrated key transmitter keyless-entry (includes Autolock), MyKey, Power Glass Sideview Mirrors w/Black Skull Caps, manual-folding, Power Front Windows, Power Tailgate Lock, Illuminated Entry, Perimeter Alarm, 4.2" Productivity Screen in Instrument Cluster, compass, FordPass Connect 4G Wi-Fi Modem, 4G LTE Wi-Fi hotspot connects up to 10 devices, remotely start, lock and unlock vehicle, schedule specific times to remotely start vehicle, locate parked vehicle and check vehicle status, Note: Ford Telematics and Data Services Prep included for Fleet Only: FordPass Connect 4G Wi-Fi Modem provides data to support telematics and data services including but not limited to vehicle location, speed, idle time, fuel, vehicle diagnostics and maintenance alerts, Device enables telematics services through Ford or authorized providers, Activate at www.fleet.ford.com or call 833-FCS-FORD or 833-327-3673, a complimentary trial subscription of 3 months or 3 gigabytes whichever comes first, wireless service plan required after trial subscription ends, Visit att.com/ford to start complimentary trial and sign up for a wireless service plan, SYNC, enhanced voice recognition communications and entertainment system, 911 assist, 4.2" LCD display in center stack, Applink and 1 smart charging USB port, Cruise Control, *GROSS*
X27	3.31 AXLE RATIO
64C	WHEELS: 17" SILVER STEEL, (STD)
T7C	TIRES: LT245/70R17E BSW A/T
—	STANDARD PAINT
CG	DARK EARTH GRAY, CLOTH 40/20/40 FRONT SEAT, -inc: 2-way manual driver/passenger adjustment and armrest
85A	XL POWER EQUIPMENT GROUP, -inc: Power Door Locks, flip key and integrated key transmitter keyless-entry (includes Autolock), MyKey, Power Glass Sideview Mirrors w/Black Skull Caps, manual-folding, Power Front Windows, Power Tailgate Lock, Illuminated Entry, Perimeter Alarm, w/100A, Requires valid FIN code., *GROSS*
53A	TRAILER TOW PACKAGE W/101A, -inc: Towing capability up to TBD, tailgate LED, Pro Trailer Backup Assist, Class IV Trailer Hitch Receiver, towing capability up to TBD on 3.3L V6 PFDI engine (99B) and 2.7L EcoBoost engine (99P) or up to TBD on 3.5L EcoBoost engine (994), 3.5L EcoBoost High Output engine (99G) and 5.0L V8 engine (995), smart trailer tow connector and 4-pin/7-pin wiring harness, Upgraded Front Stabilizer Bar, w/99P,995-inc: Auxiliary Transmission Oil Cooler, Engine Oil Cooler Ordering the Trailer Tow Package does not include Trailer Tow Mirrors. Trailer Tow Mirrors are a standalone option and must be ordered separately. (Option Code: 54Y/59S). Ordering the Trailer Tow Package does not include Integrated Brake Controller (67T). Integrated Brake Controller (67T) is a standalone option and must be ordered separately.
425	50 STATE EMISSIONS, Available only to Commercial and Government Fleet.
53B	CLASS IV TRAILER HITCH RECEIVER, -inc: towing capability up to TBD on 3.3L V6 PFDI engine (99B) and 2.7L EcoBoost engine (99P) or up to TBD on 3.5L EcoBoost engine (994), 3.5L EcoBoost High Output engine (99G) and 5.0L V8 engine (995), smart trailer tow connector and 4-pin/7-pin wiring harness, Ordering the Trailer Tow Package does not include Integrated Brake Controller (67T). Integrated Brake Controller (67T) is a standalone option and must be ordered separately.
413	SKID PLATES, -inc: fuel tank, transfer case and front differential
—	GVWR: 6,400 LBS PAYLOAD PACKAGE
153	FRONT LICENSE PLATE BRACKET, -inc: Standard in states requiring 2 license plates, optional to all others

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0213 SB
Options plus all stand... | (options to superse...

Code	Description
52P	SYNC, -inc: enhanced voice recognition communications and entertainment system, 911 assist, 4.2" LCD display in center stack, Applink and 1 smart charging USB port, w/100A, Requires valid FIN code.
50S	CRUISE CONTROL, w/100A, Requires valid FIN code.
60M	FORDPASS CONNECT 4G WI-FI MODEM, -inc: 4G LTE Wi-Fi hotspot connects up to 10 devices, schedule specific times to remotely start vehicle, locate parked vehicle and check vehicle status, Note: Ford Telematics and Data Services Prep included for Fleet Only: FordPass Connect 4G Wi-Fi Modem provides data to support telematics and data services including but not limited to vehicle location, speed, idle time, fuel, vehicle diagnostics and maintenance alerts, Device enables telematics services through Ford or authorized providers, Activate at www.fleet.ford.com or call 833-FCS-FORD or 833-327-3673, a complimentary trial subscription of 3 months or 3 gigabytes whichever comes first, wireless service plan required after trial subscription ends, Visit att.com/ford to start complimentary trial and sign up for a wireless service plan, w/o 85A,101A-inc: remotely start vehicle w/85A,101A-inc: remotely start, lock and unlock vehicle w/o 101A, Requires valid FIN code.
76R	REVERSE SENSING SYSTEM
---	EQUIPMENT GROUP 101A MID SAVINGS, *DISCOUNT*

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0213 SB
Options plus all stand... | (options to superse...

Standard Equipment

MECHANICAL

Engine: 3.3L V6 PFDI -inc: auto start-stop technology and flex-fuel capability
Transmission: Electronic 6-Speed Automatic -inc: selectable drive modes: normal/tow-haul/sport
3.55 Axle Ratio
GVWR: 6,120 lbs Payload Package
Transmission w/SelectShift Sequential Shift Control
Electronic Transfer Case
Part-Time Four-Wheel Drive
70-Amp/Hr 610CCA Maintenance-Free Battery w/Run Down Protection
200 Amp Alternator
Towing Equipment -inc: Trailer Sway Control
Trailer Wiring Harness
1730# Maximum Payload
Gas-Pressurized Shock Absorbers
Front Anti-Roll Bar
Electric Power-Assist Speed-Sensing Steering
23 Gal. Fuel Tank
Single Stainless Steel Exhaust
Auto Locking Hubs
Double Wishbone Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake

EXTERIOR

Wheels: 17" Silver Steel
Tires: P265/70R17 OWL A/T
Regular Box Style
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Rear Step Bumper
Black Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Manual Side Mirrors w/Convex Spotter and Manual Folding
Fixed Rear Window
Light Tinted Glass
Variable Intermittent Wipers
Aluminum Panels
Black Grille
Tailgate Rear Cargo Access
Manual Tailgate/Rear Door Lock

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0213 SB
Options plus all stand... | (options to superse...

Autolamp Fully Automatic Aero-Composite Halogen Auto High-Beam Daytime Running Lights Preference Setting Headlamps w/Delay-Off

Cargo Lamp w/High Mount Stop Light

ENTERTAINMENT

Radio: AM/FM Stereo w/4 Speakers -inc: auxiliary audio input jack (not available w/SYNC)

Radio w/Seek-Scan

Fixed Antenna

2 LCD Monitors In The Front

INTERIOR

Cloth 40/20/40 Front Seat -inc: 2-way manual driver/passenger adjustment and armrest

4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement

4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement

Manual Tilt/Telescoping Steering Column

Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp and Trip Odometer

Front Cupholder

Compass

Manual Air Conditioning

Glove Box

Interior Trim -inc: Cabback Insulator and Chrome Interior Accents

Full Cloth Headliner

Urethane Gear Shift Knob

Day-Night Rearview Mirror

Passenger Visor Vanity Mirror

2 12V DC Power Outlets

Fade-To-Off Interior Lighting

Full Vinyl/Rubber Floor Covering

Pickup Cargo Box Lights

Instrument Panel Bin, Dashboard Storage, Driver And Passenger Door Bins

Manual 1st Row Windows

Outside Temp Gauge

Analog Display

Manual Adjustable Front Head Restraints

Front Center Armrest

Securilock Anti-Theft Ignition (pats) Engine Immobilizer

SAFETY

AdvanceTrac w/Roll Stability Control Electronic Stability Control (ESC) And Roll Stability Control (RSC)

ABS And Driveline Traction Control

Side Impact Beams

Dual Stage Driver And Passenger Seat-Mounted Side Airbags

Ford Co-Pilot360 - Pre-Collision Assist with Automatic Emergency Braking (AEB)

Tire Specific Low Tire Pressure Warning

Dual Stage Driver And Passenger Front Airbags

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0213 SB
Options plus all stand... | (options to superse...

Safety Canopy System Curtain 1st Row Airbags
Airbag Occupancy Sensor
Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters and Pretensioners
Dynamic Hitch Assist Back-Up Camera

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0213 SB
 Options plus all stand... | (options to superse...

Technical Specifications

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	9.8 (Est)
EPA Greenhouse Gas Score	N/A

CHASSIS

Weight Information

Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Gross Axle Wt Rating - Front	3000 lbs
Gross Axle Wt Rating - Rear	3350 lbs
Curb Weight - Front	2585 lbs
Curb Weight - Rear	1758 lbs
Option Weight - Front	182.00 lbs
Option Weight - Rear	66.00 lbs
Reserve Axle Capacity - Front	233.00 lbs
Reserve Axle Capacity - Rear	1526.00 lbs
As Spec'd Curb Weight	4591.00 lbs
As Spec'd Payload	1759.00 lbs
Maximum Payload Capacity	2057.00 lbs
Gross Combined Wt Rating	9800 lbs
Gross Axle Weight Rating	6350.00 lbs
Curb Weight	4343.00 lbs
Reserve Axle Capacity	1759.00 lbs
Total Option Weight	248.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	6350.00 lbs

Trailerling

Dead Weight Hitch - Max Trailer Wt.	5000 lbs
Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	5000 lbs
Wt Distributing Hitch - Max Tongue Wt.	500 lbs
Maximum Trailerling Capacity	5000 lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0213 SB
 Options plus all stand... | (options to superse...

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Double Wishbone
Suspension Type - Rear	Leaf
Spring Capacity - Front	3000 lbs
Spring Capacity - Rear	3350 lbs
Axle Type - Front	Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	3750 lbs
Axle Capacity - Rear	4800 lbs
Axle Ratio (:1) - Front	3.31
Axle Ratio (:1) - Rear	3.31
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	T7C
Rear Tire Order Code	T7C
Spare Tire Order Code	
Front Tire Size	LT245/70SR17
Rear Tire Size	LT245/70SR17
Spare Tire Size	Full-Size
Front Tire Capacity	3650 lbs
Rear Tire Capacity	4050 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0213 SB
Options plus all stand... | (options to superse...

Wheels

Front Wheel Size	17 X 7.5 in
Rear Wheel Size	17 X 7.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	40.7 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	4-Wheel Disc
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	13.8 in
Rear Brake Rotor Diam x Thickness	13.7 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	23 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	N/A
Aux Fuel Tank Location	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0213 SB
Options plus all stand... | (options to superse...

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	44G
Trans Type	10
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.70
Second Gear Ratio (:1)	2.98
Third Gear Ratio (:1)	2.15
Fourth Gear Ratio (:1)	1.77
Fifth Gear Ratio (:1)	1.52
Sixth Gear Ratio (:1)	1.27
Reverse Ratio (:1)	4.87
Clutch Size	N/A in
Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	Electronic
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No
Seventh Gear Ratio (:1)	1.00
Eighth Gear Ratio (:1)	0.85
Ninth Gear Ratio (:1)	N/A
Tenth Gear Ratio (:1)	N/A

Mileage

EPA Fuel Economy Est - Hwy	22 (Est) MPG
Cruising Range - City	368.00 mi
EPA Fuel Economy Est - City	16 (Est) MPG
Fuel Economy Est-Combined	18 (Est) MPG
Cruising Range - Hwy	506.00 mi

Engine

Engine Order Code	995
Engine Type	Regular Unleaded V-8
Displacement	5.0 L/302
Fuel System	Port/Direct Injection
SAE Net Horsepower @ RPM	395 @ 5750
SAE Net Torque @ RPM	400 @ 4500
Engine Oil Cooler	Regular Duty

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0213 SB
 Options plus all stand... | (options to superse...

Electrical

Cold Cranking Amps @ 0° F (Primary)	610
Cold Cranking Amps @ 0° F (2nd)	610
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	200

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	3
Front Head Room	40.8 in
Front Leg Room	43.9 in
Front Shoulder Room	66.7 in
Front Hip Room	62.5 in
Second Head Room	N/A in
Second Leg Room	N/A in
Second Shoulder Room	N/A in
Second Hip Room	N/A in

Exterior Dimensions

Wheelbase	122 in
Length, Overall w/o rear bumper	N/A in
Length, Overall w/rear bumper	N/A in
Length, Overall	209.3 in
Width, Max w/o mirrors	79.9 in
Height, Overall	76.9 in
Overhang, Front	37.8 in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	34.8 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	9.4 in
Ground Clearance, Rear	9.4 in
Body Length	0.00 ft
Cab to Body	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0213 SB
Options plus all stand... | (options to superse...

Cargo Area Dimensions

Cargo Box Length @ Floor	78 in
Cargo Box Width @ Top, Rear	65.2 in
Cargo Box Width @ Floor	65.2 in
Cargo Box Width @ Wheelhousings	50.6 in
Cargo Box (Area) Height	21.4 in
Tailgate Width	60.3 in
Cargo Volume	62.3 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215 LB
Options plus all standard equipment
(options to supersede std eq)

2020 Toyota Tundra 4WD Double Cab 8.1' Bed 5.7L (Natl)



2020 Toyota Tundra 4WD SR Double Cab 8.1' Bed 5.7L (Natl) (8345)

CLASS 0215 LB

TRUCK 1/2 TON EXT CAB 4X4 LB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215 LB
Options plus all stand... | (options to superse...

Vehicle Information

SELECTED MODEL

Code	Description
8345	2020 Toyota Tundra 4WD SR Double Cab 8.1' Bed 5.7L (Natl)

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
FE	50 STATE EMISSIONS, Gas model required in these states: AL, WA, OR, CA, ID, MT, WV, VA, PA, DE, MD, DC, NJ, CT, NY, RI, MA, VT, NH and ME.
___	STANDARD PAINT
FA13	GRAPHITE, FABRIC SEAT TRIM
2T	ALL WEATHER FLOOR LINER & DOOR SILL PROTECTOR PKG, (PPO)

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215 LB
Options plus all stand... | (options to superse...

Standard Equipment

MECHANICAL

Engine: 5.7L V8 DOHC 32V w/i-Force -inc: acoustic control induction system (ACIS), dual independent variable valve timing w/intelligence and 4-2-1 tubular stainless steel exhaust manifold
Transmission: Electronic 6-Speed Automatic -inc: intelligence (ECT-i), sequential shift mode, uphill/downhill shift logic and TOW/HAUL mode
4.30 Axle Ratio
GVWR: 7,200 lbs
Transmission w/Driver Selectable Mode and Oil Cooler
Electronic Transfer Case
Part-Time Four-Wheel Drive
Engine Oil Cooler
710CCA Maintenance-Free Battery
170 Amp Alternator
Class IV Towing Equipment -inc: Hitch, Brake Controller and Trailer Sway Control
Trailer Wiring Harness
1630# Maximum Payload
Gas-Pressurized Shock Absorbers
Front Anti-Roll Bar
Hydraulic Power-Assist Speed-Sensing Steering
26.4 Gal. Fuel Tank
Single Stainless Steel Exhaust
Auto Locking Hubs
Double Wishbone Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs and Brake Assist
Brake Actuated Limited Slip Differential

EXTERIOR

Wheels: 18" Styled Steel
Tires: P255/70R18 AS
Regular Box Style
Wheels w/Silver Accents w/Hub Covers
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks
Black Rear Step Bumper w/Black Rub Strip/Fascia Accent
Black Side Windows Trim, Black Front Windshield Trim and Black Rear Window Trim
Black Door Handles
Black Power Heated Side Mirrors w/Manual Folding
Fixed Rear Window
Light Tinted Glass
Fixed Interval Wipers w/Heated Wiper Park

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215 LB
Options plus all stand... | (options to superse...

Front Windshield -inc: Sun Visor Strip
Fully Galvanized Steel Panels
Splash Guards
Gray Grille
Tailgate Rear Cargo Access
Manual Tailgate/Rear Door Lock
Manual-Leveling Fully Automatic Aero-Composite Halogen Daytime Running Auto High-Beam Headlamps
Cargo Lamp w/High Mount Stop Light

ENTERTAINMENT

Radio: AM/FM -inc: 6 speakers, 7" touch-screen display, Android Auto, Apple CarPlay, Amazon Alexa compatible, USB media port, 2 USB charge ports and Bluetooth hands-free phone capability w/advanced voice recognition and music streaming
Radio w/Seek-Scan, In-Dash Mounted Single CD, MP3 Player, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Steering Wheel Controls, Voice Activation, Radio Data System and External Memory Control
Streaming Audio
Fixed Antenna
SiriusXM Radio -inc: complimentary SiriusXM All Access 3-month trial subscription
1 LCD Monitor In The Front

INTERIOR

3-Passenger Front Bench Seat -inc: 40/20/40 split fold-down, 4-way manual adjustable front seats
40-20-40 Front Seats w/Cloth Back Material
Driver Seat
Passenger Seat
60-40 Folding Split-Bench Front Facing Fold-Up Cushion Rear Seat
Manual Tilt Steering Column
Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
Power Rear Windows
Front Cupholder
Rear Cupholder
Remote Keyless Entry w/4 Door Curb/Courtesy, Illuminated Entry and Panic Button
Cruise Control w/Steering Wheel Controls
Distance Pacing
Manual Air Conditioning
HVAC -inc: Underseat Ducts
Illuminated Locking Glove Box
Driver Foot Rest
Interior Trim -inc: Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert and Metal-Look Interior Accents
Full Cloth Headliner
Urethane Gear Shift Knob
Fabric Seat Trim
Day-Night Rearview Mirror
Mini Overhead Console w/Storage and 3 12V DC Power Outlets
Front And Rear Map Lights

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215 LB
Options plus all stand... | (options to superse...

Delay Off Interior Lighting
Full Carpet Floor Covering
Pickup Cargo Box Lights
Safety Connect Tracker System
Dashboard Storage, Driver / Passenger And Rear Door Bins
Power 1st Row Windows w/Driver 1-Touch Down
Delayed Accessory Power
Power Door Locks w/Autolock Feature
Systems Monitor
Trip Computer
Outside Temp Gauge
Analog Display
Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
Front Center Armrest w/Storage
1 Seatback Storage Pocket
Engine Immobilizer
Safety Connect -inc: 1-year trial, emergency SOS assistance and 24/7 Toyota Roadside Assistance
3 12V DC Power Outlets
Air Filtration

SAFETY

Electronic Stability Control (ESC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Pre-Collision System (PCS)
Lane Departure Alert (LDA) Lane Departure Warning
Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags
Curtain 1st And 2nd Row Airbags
Airbag Occupancy Sensor
Driver And Passenger Knee Airbag
Rear Child Safety Locks
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
Back-Up Camera

PROCESSING-OTHER

Wi-Fi Connect -inc: 4G connectivity and up to 2 GB of use within 3-month trial

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0215 LB
 Options plus all stand... | (options to superse...

Technical Specifications

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	12.6
EPA Greenhouse Gas Score	N/A

CHASSIS

Weight Information

Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Gross Axle Wt Rating - Front	4000 lbs
Gross Axle Wt Rating - Rear	4150 lbs
Curb Weight - Front	N/A lbs
Curb Weight - Rear	N/A lbs
Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs
Reserve Axle Capacity - Front	N/A lbs
Reserve Axle Capacity - Rear	N/A lbs
As Spec'd Curb Weight	N/A lbs
As Spec'd Payload	N/A lbs
Maximum Payload Capacity	N/A lbs
Gross Combined Wt Rating	16000 lbs
Gross Axle Weight Rating	8150.00 lbs
Curb Weight	N/A lbs
Reserve Axle Capacity	N/A lbs
Total Option Weight	0.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	7200.00 lbs

Trailerling

Dead Weight Hitch - Max Trailer Wt.	9800 lbs
Dead Weight Hitch - Max Tongue Wt.	980 lbs
Wt Distributing Hitch - Max Trailer Wt.	9800 lbs
Wt Distributing Hitch - Max Tongue Wt.	980 lbs
Maximum Trailerling Capacity	9800 lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0215 LB
 Options plus all stand... | (options to superse...

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Double Wishbone
Suspension Type - Rear	Leaf
Spring Capacity - Front	N/A lbs
Spring Capacity - Rear	N/A lbs
Axle Type - Front	Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	N/A lbs
Axle Capacity - Rear	N/A lbs
Axle Ratio (:1) - Front	4.30
Axle Ratio (:1) - Rear	4.30
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	
Rear Tire Order Code	
Spare Tire Order Code	
Front Tire Size	P255/70TR18
Rear Tire Size	P255/70TR18
Spare Tire Size	Full-Size
Front Tire Capacity	N/A lbs
Rear Tire Capacity	N/A lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215 LB
Options plus all stand... | (options to superse...

Wheels

Front Wheel Size	18 X 8 in
Rear Wheel Size	18 X 8 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Styled Steel
Rear Wheel Material	Styled Steel
Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	49 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	4-Wheel Disc
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	13.9 in
Rear Brake Rotor Diam x Thickness	13.6 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	26.4 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	N/A
Aux Fuel Tank Location	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215 LB
Options plus all stand... | (options to superse...

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	3.33
Second Gear Ratio (:1)	1.96
Third Gear Ratio (:1)	1.35
Fourth Gear Ratio (:1)	1.00
Fifth Gear Ratio (:1)	0.73
Sixth Gear Ratio (:1)	0.59
Reverse Ratio (:1)	3.06
Clutch Size	N/A in
Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	Electronic
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No

Mileage

EPA Fuel Economy Est - Hwy	17 MPG
Cruising Range - City	343.20 mi
EPA Fuel Economy Est - City	13 MPG
Fuel Economy Est-Combined	14 MPG
Cruising Range - Hwy	448.80 mi

Engine

Engine Order Code	
Engine Type	Regular Unleaded V-8
Displacement	5.7 L/346
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	381 @ 5600
SAE Net Torque @ RPM	401 @ 3600
Engine Oil Cooler	Regular Duty

Electrical

Cold Cranking Amps @ 0° F (Primary)	710
Cold Cranking Amps @ 0° F (2nd)	710
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	170

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0215 LB
 Options plus all stand... | (options to superse...

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	39.7 in
Front Leg Room	42.5 in
Front Shoulder Room	65.7 in
Front Hip Room	62.6 in
Second Head Room	38.7 in
Second Leg Room	34.7 in
Second Shoulder Room	65.6 in
Second Hip Room	62.6 in

Exterior Dimensions

Wheelbase	164.6 in
Length, Overall w/o rear bumper	N/A in
Length, Overall w/rear bumper	N/A in
Length, Overall	247.8 in
Width, Max w/o mirrors	79.9 in
Height, Overall	76.4 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	44.6 in
Front Bumper to Back of Cab	N/A in
Cab to Axle	60 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	34.3 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	10.6 in
Ground Clearance, Rear	10.6 in
Body Length	0.00 ft
Cab to Body	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215 LB
Options plus all stand... | (options to superse...

Cargo Area Dimensions

Cargo Box Length @ Floor	97.6 in
Cargo Box Width @ Top, Rear	66.4 in
Cargo Box Width @ Floor	66.4 in
Cargo Box Width @ Wheelhousings	50 in
Cargo Box (Area) Height	22.2 in
Tailgate Width	N/A in
Cargo Volume	N/A ft ³
Ext'd Cab Cargo Volume	N/A ft ³

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215SB
Options plus all standard equipment
(options to supersede std eq)

2020 Ram 1500 4x4 Quad Cab 6'4" Box



2020 Ram 1500 Tradesman 4x4 Quad Cab 6'4" Box (DT6L41)

CLASS 0215 SB

TRUCK 1/2 TON EXT CAB 4X4 SB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215SB
Options plus all stand... | (options to superse...

Vehicle Information

SELECTED MODEL

Code	Description
DT6L41	2020 Ram 1500 Tradesman 4x4 Quad Cab 6'4" Box

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
EZH	ENGINE: 5.7L V8 HEMI MDS VVT, -inc: GVWR: 7,100 lbs, HEMI badge, Active Noise Control System, Heavy Duty Engine Cooling, 26 Gallon Fuel Tank
DFR	TRANSMISSION: 8-SPEED AUTOMATIC (8HP75)
25A	QUICK ORDER PACKAGE 25A TRADESMAN, -inc: Engine: 5.7L V8 HEMI MDS VVT, Transmission: 8-Speed Automatic (8HP75), *Upon selection of this pkg, the cost of powertrain components will be added*
DMC	3.21 REAR AXLE RATIO, (STD)
WBF	WHEELS: 18" X 7.5" STEEL PAINTED, (STD)
TCP	TIRES: LT275/65R18C OWL ON/OFF ROAD
---	STANDARD PAINT
V9X9	BLACK, CLOTH 40/20/40 BENCH SEAT, -inc: Front Center Seat Cushion Storage, 3 Rear Seat Head Restraints
Z6D	GVWR: 7,100 LBS
A61	TRADESMAN LEVEL 1 EQUIPMENT GROUP, -inc: SiriusXM Satellite Radio, Carpet Floor Covering, Front & Rear Floor Mats, Rear Power Sliding Window
AHC	TRAILER TOW GROUP, -inc: Trailer Brake Control, Class IV Receiver Hitch, Black Trailer Tow Power Mirrors, Trailer tow mirrors are not power folding.
AWL	OFF ROAD GROUP, -inc: Off Road Decals, Steering Gear Skid Plate, Front Suspension Skid Plate, Front Extra HD Shock Absorbers, Rear Extra HD Shock Absorbers, Full Size Spare Tire, Tow Hooks, E-Locker Rear Axle, Transfer Case Skid Plate, Fuel Tank Skid Plate, Hill Descent Control, (DISC) *No Longer Factory Orderable, See Dealer for Current Availability*
XFH	CLASS IV RECEIVER HITCH
XHC	TRAILER BRAKE CONTROL
DSH	E-LOCKER REAR AXLE
LNJ	FRONT FOG LAMPS
CKE	CARPET FLOOR COVERING
CLF	FRONT & REAR RUBBER FLOOR MATS
XAN	BLIND SPOT & CROSS PATH DETECTION, -inc: LED Taillamps
XH4	PARKSENSE FRONT/REAR PARK ASSIST W/STOP, -inc: Front Fog Lamps

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215SB
Options plus all stand... | (options to superse...

Standard Equipment

MECHANICAL

Engine: 3.6L V6 24V VVT eTorque UPG I
Transmission: 8-Speed Automatic (850RE)
3.21 Rear Axle Ratio
GVWR: 6,800 lbs
50 State Emissions
Engine Auto Stop-Start Feature
Transmission w/Driver Selectable Mode and Sequential Shift Control w/Steering Wheel Controls
Electronic Transfer Case
Part-Time Four-Wheel Drive
Engine Oil Cooler
730CCA Maintenance-Free Battery
48V Belt Starter Generator
Class III Towing Equipment -inc: Hitch and Trailer Sway Control
Trailer Wiring Harness
1710# Maximum Payload
HD Shock Absorbers
Front And Rear Anti-Roll Bars
Electric Power-Assist Steering
23 Gal. Fuel Tank
Single Stainless Steel Exhaust
Auto Locking Hubs
Short And Long Arm Front Suspension w/Coil Springs
Multi-Link Rear Suspension w/Coil Springs
Regenerative 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake
Lithium Ion Traction Battery

EXTERIOR

Wheels: 18" x 7.5" Steel Painted
Tires: 275/65R18 BSW All Season
Regular Box Style
Wheels w/Hub Covers
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Front Bumper w/Black Rub Strip/Fascia Accent
Black Rear Step Bumper
Black Side Windows Trim
Black Door Handles
Black Power Heated Side Mirrors w/Manual Folding
Fixed Rear Window
Deep Tinted Glass

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215SB
Options plus all stand... | (options to superse...

Variable Intermittent Wipers
Galvanized Steel/Aluminum Panels
Black Grille
Front License Plate Bracket
Tailgate Rear Cargo Access
Tailgate/Rear Door Lock Included w/Power Door Locks
Fully Automatic Aero-Composite Halogen Daytime Running Headlamps w/Delay-Off
Cargo Lamp w/High Mount Stop Light
Perimeter/Approach Lights
Laminated Glass

ENTERTAINMENT

Radio: Uconnect 3 w/5" Display
Radio w/Seek-Scan, Clock, Aux Audio Input Jack, Voice Activation, Radio Data System and External Memory Control
6 Speakers
Streaming Audio
Fixed Antenna
1 LCD Monitor In The Front

INTERIOR

Driver Seat
Manual Adjust 4-Way Driver Seat
Passenger Seat
Manual Adjust 4-Way Front Passenger Seat
Front Facing Vinyl Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Engine Hour Meter and Trip Odometer
Power Rear Windows
Rear Folding Seat
Illuminated Front Cupholder
Compass
Proximity Key For Push Button Start Only
Valet Function
Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
Cruise Control w/Steering Wheel Controls
Manual Air Conditioning
HVAC -inc: Underseat Ducts and Console Ducts
Glove Box
Interior Trim -inc: Deluxe Sound Insulation, Metal-Look Instrument Panel Insert and Chrome/Metal-Look Interior Accents
Full Cloth Headliner
Urethane Gear Shift Knob
Heavy Duty Vinyl 40/20/40 Split Bench Seat
Day-Night Rearview Mirror
Passenger Visor Vanity Mirror

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215SB
Options plus all stand... | (options to superse...

Mini Overhead Console and 2 12V DC Power Outlets
Front Map Lights
Fade-To-Off Interior Lighting
Full Vinyl/Rubber Floor Covering
Pickup Cargo Box Lights
Instrument Panel Bin, Dashboard Storage, Driver And Passenger Door Bins
Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
Delayed Accessory Power
Power Door Locks w/Autolock Feature
Systems Monitor
Outside Temp Gauge
Analog Display
Seats w/Vinyl Back Material
Manual Adjustable Rear Head Restraints
Front Center Armrest
40/20/40 Split Bench Seat
4 Way Front Headrests
Sentry Key Engine Immobilizer
2 12V DC Power Outlets

SAFETY

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags
Curtain 1st And 2nd Row Airbags
Airbag Occupancy Sensor
Rear Child Safety Locks
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
ParkView Back-Up Camera

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0215SB
 Options plus all stand... | (options to superse...

Technical Specifications

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	10.3
EPA Greenhouse Gas Score	N/A

CHASSIS

Weight Information

Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Gross Axle Wt Rating - Front	3900 lbs
Gross Axle Wt Rating - Rear	4100 lbs
Curb Weight - Front	2902 lbs
Curb Weight - Rear	2189 lbs
Option Weight - Front	150.00 lbs
Option Weight - Rear	-106.00 lbs
Reserve Axle Capacity - Front	848.00 lbs
Reserve Axle Capacity - Rear	2017.00 lbs
As Spec'd Curb Weight	5135.00 lbs
As Spec'd Payload	1965.00 lbs
Maximum Payload Capacity	2009.00 lbs
Gross Combined Wt Rating	13900 lbs
Gross Axle Weight Rating	8000.00 lbs
Curb Weight	5091.00 lbs
Reserve Axle Capacity	2865.00 lbs
Total Option Weight	44.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	7100.00 lbs

Trailerling

Dead Weight Hitch - Max Trailer Wt.	8370 lbs
Dead Weight Hitch - Max Tongue Wt.	837 lbs
Wt Distributing Hitch - Max Trailer Wt.	8370 lbs
Wt Distributing Hitch - Max Tongue Wt.	837 lbs
Maximum Trailerling Capacity	8370 lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0215SB
 Options plus all stand... | (options to superse...

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Short And Long Arm
Suspension Type - Rear	Multi-Link
Spring Capacity - Front	N/A lbs
Spring Capacity - Rear	N/A lbs
Axle Type - Front	Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	N/A lbs
Axle Capacity - Rear	N/A lbs
Axle Ratio (:1) - Front	3.21
Axle Ratio (:1) - Rear	3.21
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	TCP
Rear Tire Order Code	TCP
Spare Tire Order Code	TBB
Front Tire Size	LT275/65SR18
Rear Tire Size	LT275/65SR18
Spare Tire Size	Full-Size
Front Tire Capacity	N/A lbs
Rear Tire Capacity	N/A lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215SB
Options plus all stand... | (options to superse...

Wheels

Front Wheel Size	18 X 7.5 in
Rear Wheel Size	18 X 7.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Styled Steel
Rear Wheel Material	Styled Steel
Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	46.2 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	4-Wheel Disc
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	14.9 in
Rear Brake Rotor Diam x Thickness	14.8 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	26 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	N/A
Aux Fuel Tank Location	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215SB
Options plus all stand... | (options to superse...

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	DFR
Trans Type	8
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.71
Second Gear Ratio (:1)	3.14
Third Gear Ratio (:1)	2.11
Fourth Gear Ratio (:1)	1.67
Fifth Gear Ratio (:1)	1.28
Sixth Gear Ratio (:1)	1.00
Reverse Ratio (:1)	3.29
Clutch Size	N/A in
Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	Electronic
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No
Seventh Gear Ratio (:1)	0.84
Eighth Gear Ratio (:1)	0.67

Mileage

EPA Fuel Economy Est - Hwy	21 MPG
Cruising Range - City	390.00 mi
EPA Fuel Economy Est - City	15 MPG
Fuel Economy Est-Combined	17 MPG
Cruising Range - Hwy	546.00 mi

Engine

Engine Order Code	EZH
Engine Type	Regular Unleaded V-8
Displacement	5.7 L/345
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	395 @ 5600
SAE Net Torque @ RPM	410 @ 3950
Engine Oil Cooler	Regular Duty

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215SB
Options plus all stand... | (options to superse...

Electrical

Cold Cranking Amps @ 0° F (Primary)	730
Cold Cranking Amps @ 0° F (2nd)	730
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	40.9 in
Front Leg Room	40.9 in
Front Shoulder Room	66 in
Front Hip Room	63.4 in
Second Head Room	39.2 in
Second Leg Room	35.6 in
Second Shoulder Room	65.7 in
Second Hip Room	63.4 in

Exterior Dimensions

Wheelbase	140.5 in
Length, Overall w/o rear bumper	N/A in
Length, Overall w/rear bumper	N/A in
Length, Overall	228.9 in
Width, Max w/o mirrors	82.1 in
Height, Overall	77.7 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	N/A in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	
Ground Clearance, Rear	
Body Length	0.00 ft
Cab to Body	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0215SB
Options plus all stand... | (options to superse...

Cargo Area Dimensions

Cargo Box Length @ Floor	76.3 in
Cargo Box Width @ Top, Rear	66.4 in
Cargo Box Width @ Floor	66.4 in
Cargo Box Width @ Wheelhousings	51 in
Cargo Box (Area) Height	21.5 in
Tailgate Width	60 in
Cargo Volume	61.5 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0217LB
Options plus all standard equipment
(options to supersede std eq)

2020 Ram 2500 4x4 Reg Cab 8' Box



2020 Ram 2500 Tradesman 4x4 Reg Cab 8' Box (DJ7L62)

CLASS 0217 LB

TRUCK 3/4 TON REG CAB 4X4 LB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0217LB
Options plus all stand... | (options to superse...

Vehicle Information

SELECTED MODEL

Code	Description
DJ7L62	2020 Ram 2500 Tradesman 4x4 Reg Cab 8' Box

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
ESA	ENGINE: 6.4L HEAVY DUTY V8 HEMI W/MDS, (STD)
DFX	TRANSMISSION: 8-SPEED AUTO (8HP75-LCV), (STD)
2ZA	QUICK ORDER PACKAGE 2ZA TRADESMAN, -inc: Engine: 6.4L Heavy Duty V8 HEMI w/MDS, Transmission: 8-Speed Auto (8HP75-LCV)
DME	3.73 AXLE RATIO, (STD)
WDA	WHEELS: 17" X 7.5" STEEL STYLED, (STD)
TWD	TIRES: LT245/70R17E BSW ALL-SEASON, (STD)
—	STANDARD PAINT
V9X9	BLACK, CLOTH 40/20/40 BENCH SEAT, -inc: 4 Way Front Headrests
ADB	PROTECTION GROUP, w/o ETL&AD2-inc: Tow Hooks, Transfer Case Skid Plate Shield
A61	TRADESMAN LEVEL 1 EQUIPMENT GROUP, -inc: Exterior Mirrors w/Heating Element, Front 1-Touch Down Power Windows, Speed Sensitive Power Locks, Satin Chrome Interior Door Handles, Fold-Away Power Heated Mirrors, Upgraded Door Trim Panels, Black Exterior Mirrors, Overhead Console, Remote Keyless Entry, Overhead Cupholder Lamp, w/ETL-inc: Active Noise Control System
DK3	ELECTRONIC SHIFT-ON-THE-FLY TRANSFER CASE
LNJ	FRONT FOG LAMPS
XAN	BLIND SPOT & CROSS PATH DETECTION, -inc: Exterior Mirrors w/Heating Element, LED Tail Lamps, Mirror Running Lights, Exterior Mirrors w/Supplemental Signals, Power-Folding Mirrors, Power Adjustable Folding Heated Black Tow Mirrors, Black Exterior Mirrors, Exterior Mirrors Courtesy Lamps, Trailer Tow Mirrors
XAG	PARKSENSE FRONT/REAR PARK ASSIST SYSTEM

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0217LB
Options plus all stand... | (options to superse...

Standard Equipment

MECHANICAL

Engine: 6.4L Heavy Duty V8 HEMI w/MDS
Transmission: 8-Speed Auto (8HP75-LCV)
3.73 Axle Ratio
GVWR: 10,000 lbs
50 State Emissions
Transmission w/Driver Selectable Mode and Sequential Shift Control
Manual Transfer Case
Part-Time Four-Wheel Drive
730CCA Maintenance-Free Battery w/Run Down Protection
180 Amp Alternator
Electronically Controlled Throttle
Tip Start
Class V Towing Equipment -inc: Hitch and Trailer Sway Control
Trailer Wiring Harness
3690# Maximum Payload
HD Shock Absorbers
Front And Rear Anti-Roll Bars
HD Suspension
Hydraulic Power-Assist Steering
32 Gal. Fuel Tank
Single Stainless Steel Exhaust
Auto Locking Hubs
Multi-Link Front Suspension w/Coil Springs
Multi-Link Rear Suspension w/Coil Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 17" x 7.5" Steel Styled
Tires: LT245/70R17E BSW All-Season
Regular Box Style
Wheels w/Silver Accents w/Hub Covers
Center Hub
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Front Bumper
Black Rear Step Bumper
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Manual Side Mirrors w/Manual Folding
Fixed Rear Window

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0217LB
Options plus all stand... | (options to superse...

Light Tinted Glass
Variable Intermittent Wipers
Galvanized Steel/Aluminum Panels
Black Grille
Front License Plate Bracket
Tailgate Rear Cargo Access
Manual Tailgate/Rear Door Lock
Fully Automatic Aero-Composite Halogen Daytime Running Headlamps w/Delay-Off
Cargo Lamp w/High Mount Stop Light

ENTERTAINMENT

Radio: Uconnect 3 w/5" Display
Radio w/Seek-Scan, Clock, Aux Audio Input Jack, Voice Activation, Radio Data System and External Memory Control
4 Speakers
Streaming Audio
Integrated Roof Antenna
1 LCD Monitor In The Front

INTERIOR

Driver Seat
Manual Adjust 4-Way Driver Seat
Passenger Seat
Manual Adjust 4-Way Front Passenger Seat
Manual Tilt Steering Column
Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Engine Hour Meter and Trip Odometer
Compass
Proximity Key For Push Button Start Only
Cruise Control w/Steering Wheel Controls
Manual Air Conditioning
Glove Box
Interior Trim -inc: Metal-Look Instrument Panel Insert and Chrome/Metal-Look Interior Accents
Full Cloth Headliner
Urethane Gear Shift Knob
Heavy Duty Vinyl 40/20/40 Split Bench Seat
Day-Night Rearview Mirror
Passenger Visor Vanity Mirror
2 12V DC Power Outlets
Partial Floor Console w/Storage and 2 12V DC Power Outlets
Front Map Lights
Fade-To-Off Interior Lighting
Full Vinyl/Rubber Floor Covering
Pickup Cargo Box Lights
Instrument Panel Bin, Dashboard Storage, Driver And Passenger Door Bins
Manual 1st Row Windows

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0217LB
Options plus all stand... | (options to superse...

Delayed Accessory Power
Systems Monitor
Outside Temp Gauge
Analog Display
Seats w/Vinyl Back Material
Armrests w/Storage
2-Way Front Head Restraints
40/20/40 Split Bench Seat
Front Armrest w/Cupholders
2 Way Rear Headrest Seat
Engine Immobilizer

SAFETY

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags
Curtain 1st Row Airbags
Airbag Occupancy Sensor
Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters and Pretensioners
ParkView Back-Up Camera

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0217LB
 Options plus all stand... | (options to superse...

Technical Specifications

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	N/A
EPA Greenhouse Gas Score	N/A

CHASSIS

Weight Information

Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Gross Axle Wt Rating - Front	5500 lbs
Gross Axle Wt Rating - Rear	6000 lbs
Curb Weight - Front	3688 lbs
Curb Weight - Rear	2622 lbs
Option Weight - Front	1.00 lbs
Option Weight - Rear	0.00 lbs
Reserve Axle Capacity - Front	1811.00 lbs
Reserve Axle Capacity - Rear	3378.00 lbs
As Spec'd Curb Weight	6311.00 lbs
As Spec'd Payload	3689.00 lbs
Maximum Payload Capacity	3690.00 lbs
Gross Combined Wt Rating	21500 lbs
Gross Axle Weight Rating	11500.00 lbs
Curb Weight	6310.00 lbs
Reserve Axle Capacity	5189.00 lbs
Total Option Weight	1.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	10000.00 lbs

Trailerling

Dead Weight Hitch - Max Trailer Wt.	14720 lbs
Dead Weight Hitch - Max Tongue Wt.	1472 lbs
Wt Distributing Hitch - Max Trailer Wt.	14720 lbs
Wt Distributing Hitch - Max Tongue Wt.	1472 lbs
Maximum Trailerling Capacity	14720 lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0217LB
 Options plus all stand... | (options to superse...

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Multi-Link
Suspension Type - Rear	Multi-Link
Spring Capacity - Front	N/A lbs
Spring Capacity - Rear	N/A lbs
Axle Type - Front	Non-Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	5250 lbs
Axle Capacity - Rear	6010 lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	TWD
Rear Tire Order Code	TWD
Spare Tire Order Code	
Front Tire Size	LT245/70SR17
Rear Tire Size	LT245/70SR17
Spare Tire Size	Full-Size
Front Tire Capacity	6000 lbs
Rear Tire Capacity	6000 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0217LB
Options plus all stand... | (options to superse...

Wheels

Front Wheel Size	17 X 7.5 in
Rear Wheel Size	17 X 7.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Styled Steel
Rear Wheel Material	Styled Steel
Spare Wheel Material	Steel

Steering

Steering Type	Re-Circulating Ball
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	45.4 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	4-Wheel Disc
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	14.2 in
Rear Brake Rotor Diam x Thickness	14.1 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	32 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	N/A
Aux Fuel Tank Location	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0217LB
Options plus all stand... | (options to superse...

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	DFX
Trans Type	8
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.71
Second Gear Ratio (:1)	3.14
Third Gear Ratio (:1)	2.11
Fourth Gear Ratio (:1)	1.67
Fifth Gear Ratio (:1)	1.28
Sixth Gear Ratio (:1)	1.00
Reverse Ratio (:1)	3.29
Clutch Size	N/A in
Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	Electronic
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No
Seventh Gear Ratio (:1)	0.84
Eighth Gear Ratio (:1)	0.67

Mileage

EPA Fuel Economy Est - Hwy	N/A MPG
Cruising Range - City	N/A mi
EPA Fuel Economy Est - City	N/A MPG
Fuel Economy Est-Combined	N/A MPG
Cruising Range - Hwy	N/A mi

Engine

Engine Order Code	ESA
Engine Type	Premium Unleaded V-8
Displacement	6.4 L/392
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	410 @ 5600
SAE Net Torque @ RPM	429 @ 4000
Engine Oil Cooler	None

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0217LB
 Options plus all stand... | (options to superse...

Electrical

Cold Cranking Amps @ 0° F (Primary)	730
Cold Cranking Amps @ 0° F (2nd)	730
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	180

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	3
Front Head Room	39.8 in
Front Leg Room	40.9 in
Front Shoulder Room	65.9 in
Front Hip Room	62.9 in
Second Head Room	N/A in
Second Leg Room	N/A in
Second Shoulder Room	N/A in
Second Hip Room	N/A in

Exterior Dimensions

Wheelbase	140.5 in
Length, Overall w/o rear bumper	N/A in
Length, Overall w/rear bumper	N/A in
Length, Overall	232 in
Width, Max w/o mirrors	79.4 in
Height, Overall	80.2 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	N/A in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.5 in
Ground Clearance, Rear	8.5 in
Body Length	0.00 ft
Cab to Body	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0217LB
Options plus all stand... | (options to superse...

Cargo Area Dimensions

Cargo Box Length @ Floor	98.3 in
Cargo Box Width @ Top, Rear	66.4 in
Cargo Box Width @ Floor	66.4 in
Cargo Box Width @ Wheelhousings	51 in
Cargo Box (Area) Height	20.2 in
Tailgate Width	60.4 in
Cargo Volume	74.7 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219LB
Options plus all standard equipment
(options to supersede std eq)

2020 Chevrolet Silverado 2500HD 4WD Double Cab 162"



**2020 Chevrolet Silverado 2500HD 4WD Double Cab 162" Work
Truck (CK20953)**

CLASS 0219 LB

TRUCK 3/4 TON EXT CAB 4X4 LB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219LB
Options plus all stand... | (options to superse...

Vehicle Information

SELECTED MODEL

Code	Description
CK20953	2020 Chevrolet Silverado 2500HD 4WD Double Cab 162" Work Truck

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
E63	DURABED, PICKUP BED, (STD)
FE9	EMISSIONS, FEDERAL REQUIREMENTS
L8T	ENGINE, 6.6L V8, with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb-ft of torque [629 N-m] @ 4000 rpm) (STD)
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, (STD), (Requires (L8T) 6.6L V8 gas engine.)
C7G	GVWR, 10,500 LBS. (4763 KG), (STD), (Requires CC20943 model and (L8T) 6.6L V8 gas engine with 18" or 20" wheels or CK20953 and (L8T) 6.6L V8 gas engine with 17" wheels.)
GT4	REAR AXLE, 3.73 RATIO, (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP, includes standard equipment
PYN	WHEELS, 17" (43.2 CM) PAINTED STEEL, SILVER, (STD)
QXT	TIRES, LT265/70R17E ALL-TERRAIN, BLACKWALL, (Included with (Z71) Z71 Off-Road Package.)
ZXT	TIRE, SPARE LT265/70R17E ALL-TERRAIN, BLACKWALL, (Included and only available with (QXT) LT265/70R17E all-terrain, blackwall tires with (E63) Durabed, pickup bed. Available to order when (ZW9) pickup bed delete and (QXT) LT265/70R17E all-terrain, blackwall tires are ordered.)
—	STANDARD PAINT
A52	SEATS, FRONT 40/20/40 SPLIT-BENCH (NO STORAGE), (STD)
H1T	JET BLACK, CLOTH SEAT TRIM
IOR	AUDIO SYSTEM, CHEVROLET INFOTAINMENT 3 SYSTEM, 7" diagonal color touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD)
ZLQ	WT FLEET CONVENIENCE PACKAGE, includes (AQQ) Remote Keyless Entry, (K34) Cruise Control, (QT5) EZ Lift power lock and release tailgate and (DBG) outside power-adjustable vertical trailing with heated upper glass; (Not available with (PCV) WT Convenience Package. With (ZW9) pickup bed delete, (QT5) EZ Lift power lock and release tailgate is deleted.)
PQA	WT SAFETY PACKAGE, includes (UD5) Front and Rear Park Assist, (UKC) Lane Change Alert with Side Blind Zone Alert, (UFG) Rear Cross Traffic Alert, (V46) Chrome front bumper and (VJH) Chrome rear bumper, (Requires (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package, (C49) rear-window defogger, (K14) 120-volt power outlet, (KC9) 120-volt bed-mounted power outlet, (JL1) trailer brake controller and (DWI) trailer mirrors. Not available with (UD7) rear park assist or (ZW9) pickup bed delete.)
NQH	TRANSFER CASE, TWO-SPEED ACTIVE, electronic Autotrac with push button control, (Requires 4WD models.)
JL1	TRAILER BRAKE CONTROLLER, INTEGRATED, (Requires (ZLQ) WT Fleet Convenience Package, (PCV) WT Convenience Package or (L5P) Duramax 6.6L Turbo-Diesel V8 engine. Included with (CMT) Gooseneck/5th Wheel Package.)
NZZ	SKID PLATES, protect the oil pan, front axle and transfer case, (Included with (Z71) Z71 Off-Road Package or (VYU) Snow Plow Prep Package.)
V46	BUMPER, FRONT CHROME, (Requires (VJH) Chrome rear bumper and (E63) Durabed, pickup bed. Included with (PQA) WT Safety Package.)
VJH	BUMPER, REAR CHROME, (Requires (V46) Chrome front bumper. Included with (PQA) WT Safety Package.)

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0219LB
 Options plus all stand... | (options to superse...

Code	Description
DWI	MIRRORS, OUTSIDE POWER-ADJUSTABLE VERTICAL TRAILERING WITH HEATED AND AUTO-DIMMING UPPER GLASS, lower convex mirrors, turn signal indicators, puddle lamps, perimeter lighting, auxiliary lighting, power folding/manual extending (extends 3.31" [84.25mm]) Includes (DD8) auto-dimming rearview mirror.), (Requires (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)
VK3	LICENSE PLATE KIT, FRONT, (will be shipped to orders with ship-to states that require front license plate)
QT5	TAILGATE, GATE FUNCTION MANUAL WITH EZ LIFT, includes power lock and release, (Included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package. Deleted when (ZW9) pickup bed delete is ordered.)
AQQ	REMOTE KEYLESS ENTRY, with 2 transmitters, (Included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)
K34	CRUISE CONTROL, ELECTRONIC, with set and resume speed, steering wheel-mounted, (Included with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)
KI4	POWER OUTLET, INSTRUMENT PANEL, 120-VOLT, (400 watts shared with (KC9) bed mounted power outlet), (Requires (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)
KC9	POWER OUTLET, BED MOUNTED, 120-VOLT, (400 watts shared with (KI4) instrument panel mounted power outlet), (Included and only available with (KI4) Power outlet. Not available with (ZW9) pickup bed delete.)
C49	DEFOGGER, REAR-WINDOW ELECTRIC, (Included with (PCV) WT Convenience Package. Required on Regular Cab and CC20753 Double Cab Standard Bed models.)
DD8	MIRROR, INSIDE REARVIEW AUTO-DIMMING, (Included and only available with (DWI) trailer mirrors.)
UD5	FRONT AND REAR PARK ASSIST, ULTRASONIC, (Included and only available with (PQA) WT Safety Package.)
UFG	REAR CROSS TRAFFIC ALERT, (Included and only available with (PQA) WT Safety Package.)
UKC	LANE CHANGE ALERT WITH SIDE BLIND ZONE ALERT, (Included and only available with (PQA) WT Safety Package.)
R9Y	FLEET FREE MAINTENANCE CREDIT., This option code provides a credit in lieu of the free oil changes, tire rotations and inspections for one maintenance service during 1st year of ownership. The invoice will detail the applicable credit. The customer will be responsible for all oil change, tire rotations and inspections costs for this vehicle., (Requires one of the following Fleet order types: FBC, FBN, FCA, FCN, FEF, FLS, FNR or FRC. Not available with FDR order type.), *CREDIT*

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219LB
Options plus all stand... | (options to superse...

Standard Equipment

PACKAGE

Trailer Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance (Deleted when (ZW9) pickup bed delete is ordered.)

MECHANICAL

Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb-ft of torque [629 N-m] @ 4000 rpm)

Transmission, 6-speed automatic, heavy-duty (Requires (L8T) 6.6L V8 gas engine.)

Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)

Durabed, pickup bed

GVWR, 10,500 lbs. (4763 kg) (Requires CC20943 model and (L8T) 6.6L V8 gas engine with 18" or 20" wheels or CK20953 and (L8T) 6.6L V8 gas engine with 17" wheels.)

Air filter, high-capacity

Air filtration monitoring

Transfer case, two-speed electronic shift with push button controls (Requires 4WD models.)

Differential, heavy-duty locking rear

Four wheel drive

Cooling, external engine oil cooler

Cooling, auxiliary external transmission oil cooler

Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)

Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)

Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section

Recovery hooks, front, frame-mounted, Black (Not included when (VQY) Chrome recovery hooks, LPO is ordered.)

Suspension Package

Steering, Recirculating Ball with smart flow power steering system

Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors

Brake lining wear indicator

Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)

EXTERIOR

Wheels, 17" (43.2 cm) painted steel, Silver

Tires, LT245/75R17E all-season, blackwall

Tire, spare LT245/75R17E all-season, blackwall (Included and only available with (QHQ) LT245/75R17E all-season, blackwall tires with (E63) Durabed, pickup bed. Available to order when (ZW9) pickup bed delete and (QHQ) LT245/75R17E all-season, blackwall tires are ordered)

Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)

Bumpers, front, Black

Bumpers, rear, Black

CornerStep, rear bumper

BedStep, Black integrated on forward portion of bed on driver and passenger side (Deleted when (ZW9) pickup bed delete is ordered.)

Moldings, beltline, Black

Cargo tie downs (12), fixed rated at 500 lbs per corner (Deleted with (ZW9) pickup bed delete.)

Grille (Front grille bar with "CHEVROLET" molded in Black, includes Black mesh inserts with small Gold bowtie emblem.)

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219LB
Options plus all stand... | (options to superse...

Headlamps, halogen reflector with halogen Daytime Running Lamps
Taillamps with incandescent tail, stop and reverse lights
Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel.
Mirrors, outside high-visibility vertical trailing lower convex mirrors, manual-folding/extending (extends 3.31" [84.25mm]), molded in Black
Mirror caps, Black
Glass, solar absorbing, tinted
Tailgate and bed rail protection cap, top
Tailgate, locking, utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (PCV) WT Convenience Package is ordered. Not available with (ZW9) pickup bed delete.) (Upgraded to (QT5) EZ Lift power lock and release tailgate when (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package is ordered. Not available with (ZW9) pickup bed delete.)
Tailgate, gate function manual, no EZ Lift (Deleted with (ZW9) pickup bed delete.)
Door handles, Black grained

ENTERTAINMENT

Audio system, Chevrolet Infotainment 3 system 7" diagonal color touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable.
Audio system feature, 6-speaker system (Requires Crew Cab or Double Cab model.)
Bluetooth for phone connectivity to vehicle infotainment system

INTERIOR

Seats, front 40/20/40 split-bench (no storage)
Vinyl seat trim
Seat adjuster, driver 4-way manual
Seat adjuster, passenger 4-way manual
Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Requires Crew Cab or Double cab model.)
Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
Steering wheel, urethane
Steering column, Tilt-Wheel, manual with wheel locking security feature
Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
Driver Information Center, 3.5" diagonal monochromatic display
Exterior Temperature Display located in radio display
Rear Seat Reminder (Requires Crew Cab or Double Cab model.)
Window, power front, drivers express up/down (Standard on Crew Cab and Double Cab models. On Regular Cab model, included and only available with (PCV) WT Convenience Package.) (Standard on Crew Cab and Double Cab models. On Regular Cab model, included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)
Window, power front, passenger express down (Standard on Crew Cab and Double Cab models. On Regular Cab model, included and only available with (PCV) WT Convenience Package.) (Standard on Crew Cab and Double Cab models. On Regular Cab model, included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)
Windows, power rear, express down (Not available on Regular Cab models.)
Door locks, power (Standard on Crew Cab and Double Cab models. On Regular Cab models, included and only available with (PCV) WT Convenience Package.) (Standard on Crew Cab and Double Cab models. On Regular Cab models, included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219LB
Options plus all stand... | (options to superse...

USB port, located on instrument panel
Power outlet, front auxiliary, 12-volt
Air conditioning, single-zone
Air vents, rear, heating/cooling (Not available on Regular Cab models.)
Mirror, inside rearview, manual tilt
Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted

SAFETY

StabiliTrak stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Daytime Running Lamps with automatic exterior lamp control
Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
Rear Vision Camera (Deleted with (ZW9) pickup bed delete.)
Hitch Guidance (Deleted with (ZW9) pickup bed delete.)
Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

PROCESSING-OTHER

Trailer Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering (Not available with (ZW9) pickup bed delete.)

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0219LB
 Options plus all stand... | (options to superse...

Technical Specifications

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year

EPA Greenhouse Gas Score

N/A

CHASSIS

Weight Information

Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Gross Axle Wt Rating - Front	4800 lbs
Gross Axle Wt Rating - Rear	6600 lbs
Curb Weight - Front	3873 lbs
Curb Weight - Rear	2766 lbs
Option Weight - Front	28.00 lbs
Option Weight - Rear	21.00 lbs
Reserve Axle Capacity - Front	899.00 lbs
Reserve Axle Capacity - Rear	3813.00 lbs
As Spec'd Curb Weight	6688.00 lbs
As Spec'd Payload	3812.00 lbs
Maximum Payload Capacity	3861.00 lbs
Gross Combined Wt Rating	24000 lbs
Gross Axle Weight Rating	11400.00 lbs
Curb Weight	6639.00 lbs
Reserve Axle Capacity	4712.00 lbs
Total Option Weight	49.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	10500.00 lbs

Trailerling

Dead Weight Hitch - Max Trailer Wt.	5000 lbs
Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	14500 lbs
Wt Distributing Hitch - Max Tongue Wt.	1450 lbs
Maximum Trailerling Capacity	14500 lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0219LB
 Options plus all stand... | (options to superse...

Frame	
Frame Type	Hydroformed
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Short/Long Arm
Suspension Type - Rear	Multi-Leaf Springs
Spring Capacity - Front	N/A lbs
Spring Capacity - Rear	N/A lbs
Axle Type - Front	N/A
Axle Type - Rear	N/A
Axle Capacity - Front	N/A lbs
Axle Capacity - Rear	N/A lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	51.0 mm
Shock Absorber Diameter - Rear	51.0 mm
Stabilizer Bar Diameter - Front	1.38 in
Stabilizer Bar Diameter - Rear	

Tires	
Front Tire Order Code	QXT
Rear Tire Order Code	QXT
Spare Tire Order Code	ZXT
Front Tire Size	LT265/70R17E
Rear Tire Size	LT265/70R17E
Spare Tire Size	LT265/70R17E
Front Tire Capacity	2760 lbs
Rear Tire Capacity	3195 lbs
Spare Tire Capacity	3195 lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219LB
Options plus all stand... | (options to superse...

Wheels

Front Wheel Size	17 x 7.5 in
Rear Wheel Size	17 x 7.5 in
Spare Wheel Size	17 x 7.5 in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Pwr
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	53.9 ft
Turning Diameter - Wall to Wall	

Brakes

Brake Type	Pwr
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	14.0 x 1.6 in
Rear Brake Rotor Diam x Thickness	14.1 x 1.3 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	36 gal
Aux Fuel Tank Capacity, Approx	
Fuel Tank Location	N/A
Aux Fuel Tank Location	

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219LB
Options plus all stand... | (options to superse...

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	MYD
Trans Type	6
Trans Description Cont.	Automatic
Trans Description Cont. Again	
First Gear Ratio (:1)	4.03
Second Gear Ratio (:1)	2.36
Third Gear Ratio (:1)	1.53
Fourth Gear Ratio (:1)	1.15
Fifth Gear Ratio (:1)	0.85
Sixth Gear Ratio (:1)	0.67
Reverse Ratio (:1)	3.06
Clutch Size	
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	Magna MP3023/4
Transfer Case Gear Ratio (:1), High	1.00
Transfer Case Gear Ratio (:1), Low	2.69
Transfer Case Power Take Off	

Mileage

EPA Fuel Economy Est - Hwy	
Cruising Range - City	0.00 mi
EPA Fuel Economy Est - City	
Fuel Economy Est-Combined	
Cruising Range - Hwy	0.00 mi

Engine

Engine Order Code	L8T
Engine Type	Gas V8
Displacement	6.6L/400
Fuel System	Direct Injection
SAE Net Horsepower @ RPM	401 @ 5200
SAE Net Torque @ RPM	464 @ 4000
Engine Oil Cooler	Yes

Electrical

Cold Cranking Amps @ 0° F (Primary)	720
Cold Cranking Amps @ 0° F (2nd)	
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	170

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0219LB
 Options plus all stand... | (options to superse...

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	43.03 in
Front Leg Room	44.53 in
Front Shoulder Room	66.02 in
Front Hip Room	61.18 in
Second Head Room	39.88 in
Second Leg Room	35.24 in
Second Shoulder Room	64.88 in
Second Hip Room	60.24 in

Exterior Dimensions

Wheelbase	162.48 in
Length, Overall w/o rear bumper	N/A in
Length, Overall w/rear bumper	N/A in
Length, Overall	256.46 in
Width, Max w/o mirrors	81.85 in
Height, Overall	79.8 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	55.2 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	N/A in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	10.15 in
Ground Clearance, Rear	10.15 in
Body Length	0.00 ft
Cab to Body	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219LB
Options plus all stand... | (options to superse...

Cargo Area Dimensions

Cargo Box Length @ Floor	98.27 in
Cargo Box Width @ Top, Rear	N/A in
Cargo Box Width @ Floor	71.4 in
Cargo Box Width @ Wheelhousings	50.55 in
Cargo Box (Area) Height	21 in
Tailgate Width	N/A in
Cargo Volume	83.5 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219SB
Options plus all standard equipment
(options to supersede std eq)

2020 Chevrolet Silverado 2500HD 4WD Double Cab 149"



**2020 Chevrolet Silverado 2500HD 4WD Double Cab 149" Work
Truck (CK20753)**

CLASS 0219 SB

TRUCK 3/4 TON EXT CAB 4X4 SB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219SB
Options plus all stand... | (options to superse...

Vehicle Information

SELECTED MODEL

Code	Description
CK20753	2020 Chevrolet Silverado 2500HD 4WD Double Cab 149" Work Truck

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
FE9	EMISSIONS, FEDERAL REQUIREMENTS
L8T	ENGINE, 6.6L V8, with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb-ft of torque [629 N-m] @ 4000 rpm) (STD)
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, (STD), (Requires (L8T) 6.6L V8 gas engine.)
JGC	GVWR, 10,350 LBS. (4695 KG), (STD), (Requires CC20743 model and (L8T) 6.6L V8 gas engine with 18" or 20" wheels or CK20753 and (L8T) 6.6L V8 gas engine with 17" wheels.)
GT4	REAR AXLE, 3.73 RATIO, (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP, includes standard equipment
PYN	WHEELS, 17" (43.2 CM) PAINTED STEEL, SILVER, (STD)
QXT	TIRES, LT265/70R17E ALL-TERRAIN, BLACKWALL, (Included with (Z71) Z71 Off-Road Package.)
ZXT	TIRE, SPARE LT265/70R17E ALL-TERRAIN, BLACKWALL, (Included and only available with (QXT) LT265/70R17E all-terrain, blackwall tires with (E63) Durabed, pickup bed. Available to order when (ZW9) pickup bed delete and (QXT) LT265/70R17E all-terrain, blackwall tires are ordered.)
_____	STANDARD PAINT
A52	SEATS, FRONT 40/20/40 SPLIT-BENCH (NO STORAGE), (STD)
H1T	JET BLACK, CLOTH SEAT TRIM
IOR	AUDIO SYSTEM, CHEVROLET INFOTAINMENT 3 SYSTEM, 7" diagonal color touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD)
ZLQ	WT FLEET CONVENIENCE PACKAGE, includes (AQQ) Remote Keyless Entry, (K34) Cruise Control, (QT5) EZ Lift power lock and release tailgate and (DBG) outside power-adjustable vertical trairling with heated upper glass; (Not available with (PCV) WT Convenience Package. With (ZW9) pickup bed delete, (QT5) EZ Lift power lock and release tailgate is deleted.)
PQA	WT SAFETY PACKAGE, includes (UD5) Front and Rear Park Assist, (UKC) Lane Change Alert with Side Blind Zone Alert, (UFG) Rear Cross Traffic Alert, (V46) Chrome front bumper and (VJH) Chrome rear bumper, (Requires (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package, (C49) rear-window defogger, (KI4) 120-volt power outlet, (KC9) 120-volt bed-mounted power outlet, (JL1) trailer brake controller and (DWI) trailer mirrors. Not available with (UD7) rear park assist or (ZW9) pickup bed delete.)
NQH	TRANSFER CASE, TWO-SPEED ACTIVE, electronic Autotrac with push button control, (Requires 4WD models.)
JL1	TRAILER BRAKE CONTROLLER, INTEGRATED, (Requires (ZLQ) WT Fleet Convenience Package, (PCV) WT Convenience Package or (L5P) Duramax 6.6L Turbo-Diesel V8 engine. Included with (CMT) Gooseneck/5th Wheel Package.)
NZZ	SKID PLATES, protect the oil pan, front axle and transfer case, (Included with (Z71) Z71 Off-Road Package or (VYU) Snow Plow Prep Package.)
V46	BUMPER, FRONT CHROME, (Requires (VJH) Chrome rear bumper and (E63) Durabed, pickup bed. Included with (PQA) WT Safety Package.)
VJH	BUMPER, REAR CHROME, (Requires (V46) Chrome front bumper. Included with (PQA) WT Safety Package.)

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0219SB
 Options plus all stand... | (options to superse...

Code	Description
DWI	MIRRORS, OUTSIDE POWER-ADJUSTABLE VERTICAL TRAILERING WITH HEATED AND AUTO-DIMMING UPPER GLASS, lower convex mirrors, turn signal indicators, puddle lamps, perimeter lighting, auxiliary lighting, power folding/manual extending (extends 3.31" [84.25mm]) Includes (DD8) auto-dimming rearview mirror.), (Requires (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)
VK3	LICENSE PLATE KIT, FRONT, (will be shipped to orders with ship-to states that require front license plate)
QT5	TAILGATE, GATE FUNCTION MANUAL WITH EZ LIFT, includes power lock and release, (Included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package. Deleted when (ZW9) pickup bed delete is ordered.)
AQQ	REMOTE KEYLESS ENTRY, with 2 transmitters, (Included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)
K34	CRUISE CONTROL, ELECTRONIC, with set and resume speed, steering wheel-mounted, (Included with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)
KI4	POWER OUTLET, INSTRUMENT PANEL, 120-VOLT, (400 watts shared with (KC9) bed mounted power outlet), (Requires (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)
KC9	POWER OUTLET, BED MOUNTED, 120-VOLT, (400 watts shared with (KI4) instrument panel mounted power outlet), (Included and only available with (KI4) Power outlet. Not available with (ZW9) pickup bed delete.)
C49	DEFOGGER, REAR-WINDOW ELECTRIC, (Included with (PCV) WT Convenience Package. Required on Regular Cab and CC20753 Double Cab Standard Bed models.)
DD8	MIRROR, INSIDE REARVIEW AUTO-DIMMING, (Included and only available with (DWI) trailer mirrors.)
UD5	FRONT AND REAR PARK ASSIST, ULTRASONIC, (Included and only available with (PQA) WT Safety Package.)
UFG	REAR CROSS TRAFFIC ALERT, (Included and only available with (PQA) WT Safety Package.)
UKC	LANE CHANGE ALERT WITH SIDE BLIND ZONE ALERT, (Included and only available with (PQA) WT Safety Package.)
R9Y	FLEET FREE MAINTENANCE CREDIT., This option code provides a credit in lieu of the free oil changes, tire rotations and inspections for one maintenance service during 1st year of ownership. The invoice will detail the applicable credit. The customer will be responsible for all oil change, tire rotations and inspections costs for this vehicle., (Requires one of the following Fleet order types: FBC, FBN, FCA, FCN, FEF, FLS, FNR or FRC. Not available with FDR order type.), *CREDIT*

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219SB
Options plus all stand... | (options to superse...

Standard Equipment

PACKAGE

Trailing Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance (Deleted when (ZW9) pickup bed delete is ordered.)

MECHANICAL

Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb-ft of torque [629 N-m] @ 4000 rpm)

Transmission, 6-speed automatic, heavy-duty (Requires (L8T) 6.6L V8 gas engine.)

Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)

Durabed, pickup bed

GVWR, 10,350 lbs. (4695 kg) (Requires CC20743 model and (L8T) 6.6L V8 gas engine with 18" or 20" wheels or CK20753 and (L8T) 6.6L V8 gas engine with 17" wheels.)

Air filter, high-capacity

Air filtration monitoring

Transfer case, two-speed electronic shift with push button controls (Requires 4WD models.)

Differential, heavy-duty locking rear

Four wheel drive

Cooling, external engine oil cooler

Cooling, auxiliary external transmission oil cooler

Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)

Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)

Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section

Recovery hooks, front, frame-mounted, Black (Not included when (VQY) Chrome recovery hooks, LPO is ordered.)

Suspension Package

Steering, Recirculating Ball with smart flow power steering system

Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors

Brake lining wear indicator

Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)

EXTERIOR

Wheels, 17" (43.2 cm) painted steel, Silver

Tires, LT245/75R17E all-season, blackwall

Tire, spare LT245/75R17E all-season, blackwall (Included and only available with (QHQ) LT245/75R17E all-season, blackwall tires with (E63) Durabed, pickup bed. Available to order when (ZW9) pickup bed delete and (QHQ) LT245/75R17E all-season, blackwall tires are ordered)

Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)

Bumpers, front, Black

Bumpers, rear, Black

CornerStep, rear bumper

BedStep, Black integrated on forward portion of bed on driver and passenger side (Deleted when (ZW9) pickup bed delete is ordered.)

Moldings, beltline, Black

Cargo tie downs (12), fixed rated at 500 lbs per corner (Deleted with (ZW9) pickup bed delete.)

Grille (Front grille bar with "CHEVROLET" molded in Black, includes Black mesh inserts with small Gold bowtie emblem.)

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219SB
Options plus all stand... | (options to superse...

Headlamps, halogen reflector with halogen Daytime Running Lamps
Taillamps with incandescent tail, stop and reverse lights
Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel.
Mirrors, outside high-visibility vertical trailing lower convex mirrors, manual-folding/extending (extends 3.31" [84.25mm]), molded in Black
Mirror caps, Black
Glass, solar absorbing, tinted
Tailgate and bed rail protection cap, top
Tailgate, locking, utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (PCV) WT Convenience Package is ordered. Not available with (ZW9) pickup bed delete.) (Upgraded to (QT5) EZ Lift power lock and release tailgate when (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package is ordered. Not available with (ZW9) pickup bed delete.)
Tailgate, gate function manual, no EZ Lift (Deleted with (ZW9) pickup bed delete.)
Door handles, Black grained

ENTERTAINMENT

Audio system, Chevrolet Infotainment 3 system 7" diagonal color touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable.
Audio system feature, 6-speaker system (Requires Crew Cab or Double Cab model.)
Bluetooth for phone connectivity to vehicle infotainment system

INTERIOR

Seats, front 40/20/40 split-bench (no storage)
Vinyl seat trim
Seat adjuster, driver 4-way manual
Seat adjuster, passenger 4-way manual
Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Requires Crew Cab or Double cab model.)
Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
Steering wheel, urethane
Steering column, Tilt-Wheel, manual with wheel locking security feature
Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
Driver Information Center, 3.5" diagonal monochromatic display
Exterior Temperature Display located in radio display
Rear Seat Reminder (Requires Crew Cab or Double Cab model.)
Window, power front, drivers express up/down (Standard on Crew Cab and Double Cab models. On Regular Cab model, included and only available with (PCV) WT Convenience Package.) (Standard on Crew Cab and Double Cab models. On Regular Cab model, included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)
Window, power front, passenger express down (Standard on Crew Cab and Double Cab models. On Regular Cab model, included and only available with (PCV) WT Convenience Package.) (Standard on Crew Cab and Double Cab models. On Regular Cab model, included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)
Windows, power rear, express down (Not available on Regular Cab models.)
Door locks, power (Standard on Crew Cab and Double Cab models. On Regular Cab models, included and only available with (PCV) WT Convenience Package.) (Standard on Crew Cab and Double Cab models. On Regular Cab models, included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219SB
Options plus all stand... | (options to superse...

USB port, located on instrument panel
Power outlet, front auxiliary, 12-volt
Air conditioning, single-zone
Air vents, rear, heating/cooling (Not available on Regular Cab models.)
Mirror, inside rearview, manual tilt
Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted

SAFETY

StabiliTrak stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Daytime Running Lamps with automatic exterior lamp control
Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
Rear Vision Camera (Deleted with (ZW9) pickup bed delete.)
Hitch Guidance (Deleted with (ZW9) pickup bed delete.)
Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

PROCESSING-OTHER

Trailer Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering (Not available with (ZW9) pickup bed delete.)

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0219SB
 Options plus all stand... | (options to superse...

Technical Specifications

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year

EPA Greenhouse Gas Score

N/A

CHASSIS

Weight Information

Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Gross Axle Wt Rating - Front	4800 lbs
Gross Axle Wt Rating - Rear	6390 lbs
Curb Weight - Front	3813 lbs
Curb Weight - Rear	2732 lbs
Option Weight - Front	28.00 lbs
Option Weight - Rear	21.00 lbs
Reserve Axle Capacity - Front	959.00 lbs
Reserve Axle Capacity - Rear	3637.00 lbs
As Spec'd Curb Weight	6594.00 lbs
As Spec'd Payload	3756.00 lbs
Maximum Payload Capacity	3805.00 lbs
Gross Combined Wt Rating	24000 lbs
Gross Axle Weight Rating	11190.00 lbs
Curb Weight	6545.00 lbs
Reserve Axle Capacity	4596.00 lbs
Total Option Weight	49.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	10350.00 lbs

Trailerling

Dead Weight Hitch - Max Trailer Wt.	5000 lbs
Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	14500 lbs
Wt Distributing Hitch - Max Tongue Wt.	1450 lbs
Maximum Trailerling Capacity	14500 lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0219SB
 Options plus all stand... | (options to superse...

Frame	
Frame Type	Hydroformed
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Short/Long Arm
Suspension Type - Rear	Multi-Leaf Springs
Spring Capacity - Front	N/A lbs
Spring Capacity - Rear	N/A lbs
Axle Type - Front	N/A
Axle Type - Rear	N/A
Axle Capacity - Front	N/A lbs
Axle Capacity - Rear	N/A lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	51.0 mm
Shock Absorber Diameter - Rear	51.0 mm
Stabilizer Bar Diameter - Front	1.38 in
Stabilizer Bar Diameter - Rear	

Tires	
Front Tire Order Code	QXT
Rear Tire Order Code	QXT
Spare Tire Order Code	ZXT
Front Tire Size	LT265/70R17E
Rear Tire Size	LT265/70R17E
Spare Tire Size	LT265/70R17E
Front Tire Capacity	2760 lbs
Rear Tire Capacity	3195 lbs
Spare Tire Capacity	3195 lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219SB
Options plus all stand... | (options to superse...

Wheels

Front Wheel Size	17 x 7.5 in
Rear Wheel Size	17 x 7.5 in
Spare Wheel Size	17 x 7.5 in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Pwr
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	49.5 ft
Turning Diameter - Wall to Wall	

Brakes

Brake Type	Pwr
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	14.0 x 1.6 in
Rear Brake Rotor Diam x Thickness	14.1 x 1.3 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	36 gal
Aux Fuel Tank Capacity, Approx	
Fuel Tank Location	N/A
Aux Fuel Tank Location	

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219SB
Options plus all stand... | (options to superse...

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	MYD
Trans Type	6
Trans Description Cont.	Automatic
Trans Description Cont. Again	
First Gear Ratio (:1)	4.03
Second Gear Ratio (:1)	2.36
Third Gear Ratio (:1)	1.53
Fourth Gear Ratio (:1)	1.15
Fifth Gear Ratio (:1)	0.85
Sixth Gear Ratio (:1)	0.67
Reverse Ratio (:1)	3.06
Clutch Size	
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	Magna MP3023/4
Transfer Case Gear Ratio (:1), High	1.00
Transfer Case Gear Ratio (:1), Low	2.69
Transfer Case Power Take Off	

Mileage

EPA Fuel Economy Est - Hwy	
Cruising Range - City	0.00 mi
EPA Fuel Economy Est - City	
Fuel Economy Est-Combined	
Cruising Range - Hwy	0.00 mi

Engine

Engine Order Code	L8T
Engine Type	Gas V8
Displacement	6.6L/400
Fuel System	Direct Injection
SAE Net Horsepower @ RPM	401 @ 5200
SAE Net Torque @ RPM	464 @ 4000
Engine Oil Cooler	Yes

Electrical

Cold Cranking Amps @ 0° F (Primary)	720
Cold Cranking Amps @ 0° F (2nd)	
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	170

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0219SB
 Options plus all stand... | (options to superse...

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	43.03 in
Front Leg Room	44.53 in
Front Shoulder Room	66.02 in
Front Hip Room	61.18 in
Second Head Room	39.88 in
Second Leg Room	35.24 in
Second Shoulder Room	64.88 in
Second Hip Room	60.24 in

Exterior Dimensions

Wheelbase	149.4 in
Length, Overall w/o rear bumper	N/A in
Length, Overall w/rear bumper	N/A in
Length, Overall	240.45 in
Width, Max w/o mirrors	81.85 in
Height, Overall	79.95 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	42.1 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	N/A in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	10.19 in
Ground Clearance, Rear	10.19 in
Body Length	0.00 ft
Cab to Body	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0219SB
Options plus all stand... | (options to superse...

Cargo Area Dimensions

Cargo Box Length @ Floor	82.25 in
Cargo Box Width @ Top, Rear	N/A in
Cargo Box Width @ Floor	71.4 in
Cargo Box Width @ Wheelhousings	51.85 in
Cargo Box (Area) Height	21 in
Tailgate Width	N/A in
Cargo Volume	69.5 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0225LB
Options plus all standard equipment
(options to supersede std eq)

2020 Ford Super Duty F-250 SRW 4WD Crew Cab 8' Box



2020 Ford Super Duty F-250 SRW XL 4WD Crew Cab 8' Box (W2B)

CLASS 0225 LB

TRUCK 3/4 TON CREW CAB 4X4 LB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0225LB
Options plus all stand... | (options to superse...

Vehicle Information

SELECTED MODEL

Code	Description
W2B	2020 Ford Super Duty F-250 SRW XL 4WD Crew Cab 8' Box

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
996	ENGINE: 6.2L 2-VALVE SOHC EFI NA V8 FLEX-FUEL, (STD)
44S	TRANSMISSION: TORQSHIFT-G 6-SPD AUTO W/SELECTSHIFT, (STD)
600A	ORDER CODE 600A
X37	3.73 AXLE RATIO, (STD)
64A	WHEELS: 17" ARGENT PAINTED STEEL, -inc: painted hub covers/center ornaments (STD)
TBM	TIRES: LT245/75RX17E BSW A/T, w/o 17X-inc: LT245/75Rx17E BSW A/S spare tire w/17X-inc: LT245/75Rx17E BSW A/T spare tire
—	STANDARD PAINT
1S	MEDIUM EARTH GRAY, CLOTH 40/20/40 SPLIT BENCH SEAT, -inc: center armrest, cupholder, storage and driver's side manual lumbar
90L	POWER EQUIPMENT GROUP, -inc: Deletes passenger-side lock cylinder, upgraded door trim panel, Accessory Delay, Advanced Security Pack, SecuriLock Passive Anti-Theft System (PATS) and inclination/intrusion sensors, Power Locks, Remote Keyless Entry, Manual Telescoping/Folding Trailer Tow Mirrors, power heated glass, heated convex spotter mirror and integrated clearance lights and turn signal indicators, Power Front & Rear Seat Windows, 1-touch up/down driver/passenger window, Power Tailgate Lock
96F	FLEET DRIVER ASSISTANCE PACKAGE, -inc: Blind Spot Information System (BLIS), cross-traffic alert and trailer tow (BLIS sensor in taillamp), Pre-Collision Assist, Automatic Emergency Braking (AEB), automatic high beam and forward collision warning, Lane-Keeping Alert, (LPO) Requires valid FIN code.
41P	TRANSFER CASE & FUEL TANK SKID PLATES
525	STEERING WHEEL-MOUNTED CRUISE CONTROL, (LPO) Requires valid FIN code.
94P	PRE-COLLISION ASSIST, -inc: Automatic Emergency Braking (AEB), automatic high beam and forward collision warning
76R	REVERSE SENSING SYSTEM
60B	BLIND SPOT INFORMATION SYSTEM (BLIS), -inc: cross-traffic alert and trailer tow (BLIS sensor in taillamp)

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0225LB
Options plus all stand... | (options to superse...

Standard Equipment

MECHANICAL

Engine: 6.2L 2-Valve SOHC EFI NA V8 Flex-Fuel
Transmission: TorqShift-G 6-Spd Auto w/SelectShift
3.73 Axle Ratio
GVWR: 10,000 lb Payload Package
50-State Emissions System
Transmission w/Oil Cooler
Electronic Transfer Case
Part-Time Four-Wheel Drive
72-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection
157 Amp Alternator
Class V Towing Equipment -inc: Hitch and Trailer Sway Control
Trailer Wiring Harness
3210# Maximum Payload
HD Shock Absorbers
Front Anti-Roll Bar
Firm Suspension
Hydraulic Power-Assist Steering
Single Stainless Steel Exhaust
48 Gal. Fuel Tank
Auto Locking Hubs
Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 17" Argent Painted Steel -inc: painted hub covers/center ornaments
Tires: LT245/75Rx17E BSW A/S (4)
Regular Box Style
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks
Black Rear Step Bumper
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Manual Side Mirrors w/Manual Folding
Manual Extendable Trailer Style Mirrors
Fixed Rear Window
Light Tinted Glass
Variable Intermittent Wipers
Aluminum Panels

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0225LB
Options plus all stand... | (options to superse...

Black Grille
Front License Plate Bracket
Tailgate Rear Cargo Access
Manual Tailgate/Rear Door Lock
Autolamp Fully Automatic Aero-Composite Halogen Daytime Running Lights Preference Setting Headlamps w/Delay-Off
Cargo Lamp w/High Mount Stop Light

ENTERTAINMENT

Radio: AM/FM Stereo w/MP3 Player -inc: 4 speakers
Radio w/Seek-Scan
Fixed Antenna
SYNC Communications & Entertainment System -inc: enhanced voice recognition w/911 Assist, 4.2" LCD center stack screen, AppLink and 1 smart-charging USB-C port

INTERIOR

4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
60-40 Folding Split-Bench Front Facing Fold-Up Cushion Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
Manual Rear Windows
FordPass Connect 4G LTE WiFi Mobile Hotspot Internet Access
Rear Cupholder
Manual Air Conditioning
HVAC -inc: Underseat Ducts
Illuminated Locking Glove Box
Interior Trim -inc: Chrome Interior Accents
Full Cloth Headliner
Urethane Gear Shift Knob
HD Vinyl 40/20/40 Split Bench Seat -inc: center armrest, cupholder, storage and driver's side manual lumbar
Day-Night Rearview Mirror
Passenger Visor Vanity Mirror
2 12V DC Power Outlets
Full Overhead Console w/Storage and 2 12V DC Power Outlets
Fade-To-Off Interior Lighting
Front And Rear Map Lights
Full Vinyl/Rubber Floor Covering
Underhood And Pickup Cargo Box Lights
Smart Device Remote Engine Start
Instrument Panel Covered Bin and Dashboard Storage
Manual 1st Row Windows
Systems Monitor
Trip Computer
Outside Temp Gauge
Analog Display

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0225LB
Options plus all stand... | (options to superse...

Seats w/Vinyl Back Material
Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
Securilock Anti-Theft Ignition (pats) Engine Immobilizer
Air Filtration

SAFETY

AdvanceTrac w/Roll Stability Control Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning
Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute
Safety Canopy System Curtain 1st And 2nd Row Airbags
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point and Height Adjusters
Dual Stage Driver And Passenger Front Airbags
Back-Up Camera

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0225LB
 Options plus all stand... | (options to superse...

Technical Specifications

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	N/A
EPA Greenhouse Gas Score	N/A

CHASSIS

Weight Information

Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Gross Axle Wt Rating - Front	5200 lbs
Gross Axle Wt Rating - Rear	6340 lbs
Curb Weight - Front	3991 lbs
Curb Weight - Rear	2727 lbs
Option Weight - Front	41.00 lbs
Option Weight - Rear	24.00 lbs
Reserve Axle Capacity - Front	1168.00 lbs
Reserve Axle Capacity - Rear	3589.00 lbs
As Spec'd Curb Weight	6783.00 lbs
As Spec'd Payload	3217.00 lbs
Maximum Payload Capacity	3282.00 lbs
Gross Combined Wt Rating	19500 lbs
Gross Axle Weight Rating	11540.00 lbs
Curb Weight	6718.00 lbs
Reserve Axle Capacity	4757.00 lbs
Total Option Weight	65.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	10000.00 lbs

Trailerling

Dead Weight Hitch - Max Trailer Wt.	12300 lbs
Dead Weight Hitch - Max Tongue Wt.	1230 lbs
Wt Distributing Hitch - Max Trailer Wt.	12300 lbs
Wt Distributing Hitch - Max Tongue Wt.	1230 lbs
Maximum Trailerling Capacity	12300 lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0225LB
 Options plus all stand... | (options to superse...

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Other
Suspension Type - Rear	Leaf
Spring Capacity - Front	5200 lbs
Spring Capacity - Rear	6340 lbs
Axle Type - Front	Non-Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	6000 lbs
Axle Capacity - Rear	6200 lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	TBM
Rear Tire Order Code	TBM
Spare Tire Order Code	TBM
Front Tire Size	LT245/75SR17
Rear Tire Size	LT245/75SR17
Spare Tire Size	Full-Size
Front Tire Capacity	6390 lbs
Rear Tire Capacity	6390 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	645
Revolutions/Mile @ 45 mph - Rear	645
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0225LB
Options plus all stand... | (options to superse...

Wheels

Front Wheel Size	17 X 7.5 in
Rear Wheel Size	17 X 7.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Re-Circulating Ball
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	57.8 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	4-Wheel Disc
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	14.3 in
Rear Brake Rotor Diam x Thickness	14.3 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	48 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	N/A
Aux Fuel Tank Location	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0225LB
Options plus all stand... | (options to superse...

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	44S
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.17
Second Gear Ratio (:1)	2.34
Third Gear Ratio (:1)	1.52
Fourth Gear Ratio (:1)	1.14
Fifth Gear Ratio (:1)	0.87
Sixth Gear Ratio (:1)	0.69
Reverse Ratio (:1)	3.40
Clutch Size	N/A in
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	Electronic
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No

Mileage

EPA Fuel Economy Est - Hwy	N/A MPG
Cruising Range - City	N/A mi
EPA Fuel Economy Est - City	N/A MPG
Fuel Economy Est-Combined	N/A MPG
Cruising Range - Hwy	N/A mi

Engine

Engine Order Code	996
Engine Type	Regular Unleaded V-8
Displacement	6.2 L/379
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	385 @ 5750
SAE Net Torque @ RPM	430 @ 3800
Engine Oil Cooler	None

Electrical

Cold Cranking Amps @ 0° F (Primary)	650
Cold Cranking Amps @ 0° F (2nd)	650
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	157

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0225LB
 Options plus all stand... | (options to superse...

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	40.8 in
Front Leg Room	43.9 in
Front Shoulder Room	66.7 in
Front Hip Room	62.5 in
Second Head Room	40.4 in
Second Leg Room	43.6 in
Second Shoulder Room	65.9 in
Second Hip Room	64.7 in

Exterior Dimensions

Wheelbase	176 in
Length, Overall w/o rear bumper	N/A in
Length, Overall w/rear bumper	N/A in
Length, Overall	266.2 in
Width, Max w/o mirrors	80 in
Height, Overall	81.3 in
Overhang, Front	38.2 in
Overhang, Rear w/o bumper	
Front Bumper to Back of Cab	N/A in
Cab to Axle	56.1 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	37.9 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.2 in
Ground Clearance, Rear	8.2 in
Body Length	0.00 ft
Cab to Body	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0225LB
Options plus all stand... | (options to superse...

Cargo Area Dimensions

Cargo Box Length @ Floor	98.1 in
Cargo Box Width @ Top, Rear	66.9 in
Cargo Box Width @ Floor	66.9 in
Cargo Box Width @ Wheelhousings	50.5 in
Cargo Box (Area) Height	21.1 in
Tailgate Width	60.5 in
Cargo Volume	78.5 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0225SB
Options plus all standard equipment
(options to supersede std eq)

2020 Ford Super Duty F-250 SRW 4WD Crew Cab 6.75' Box



2020 Ford Super Duty F-250 SRW XL 4WD Crew Cab 6.75' Box (W2B)

CLASS 0225 SB

TRUCK 3/4 TON CREW CAB 4X4 SB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0225SB
Options plus all stand... | (options to superse...

Vehicle Information

SELECTED MODEL

Code	Description
W2B	2020 Ford Super Duty F-250 SRW XL 4WD Crew Cab 6.75' Box

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
996	ENGINE: 6.2L 2-VALVE SOHC EFI NA V8 FLEX-FUEL, (STD)
44S	TRANSMISSION: TORQSHIFT-G 6-SPD AUTO W/SELECTSHIFT, (STD)
600A	ORDER CODE 600A
X37	3.73 AXLE RATIO, (STD)
64A	WHEELS: 17" ARGENT PAINTED STEEL, -inc: painted hub covers/center ornaments (STD)
TBM	TIRES: LT245/75RX17E BSW A/T, w/o 17X-inc: LT245/75Rx17E BSW A/S spare tire w/17X-inc: LT245/75Rx17E BSW A/T spare tire
—	STANDARD PAINT
1S	MEDIUM EARTH GRAY, CLOTH 40/20/40 SPLIT BENCH SEAT, -inc: center armrest, cupholder, storage and driver's side manual lumbar
90L	POWER EQUIPMENT GROUP, -inc: Deletes passenger-side lock cylinder, upgraded door trim panel, Accessory Delay, Advanced Security Pack, SecuriLock Passive Anti-Theft System (PATS) and inclination/intrusion sensors, Power Locks, Remote Keyless Entry, Manual Telescoping/Folding Trailer Tow Mirrors, power heated glass, heated convex spotter mirror and integrated clearance lights and turn signal indicators, Power Front & Rear Seat Windows, 1-touch up/down driver/passenger window, Power Tailgate Lock
96F	FLEET DRIVER ASSISTANCE PACKAGE, -inc: Blind Spot Information System (BLIS), cross-traffic alert and trailer tow (BLIS sensor in taillamp), Pre-Collision Assist, Automatic Emergency Braking (AEB), automatic high beam and forward collision warning, Lane-Keeping Alert, (LPO) Requires valid FIN code.
41P	TRANSFER CASE & FUEL TANK SKID PLATES
525	STEERING WHEEL-MOUNTED CRUISE CONTROL, (LPO) Requires valid FIN code.
94P	PRE-COLLISION ASSIST, -inc: Automatic Emergency Braking (AEB), automatic high beam and forward collision warning
76R	REVERSE SENSING SYSTEM
60B	BLIND SPOT INFORMATION SYSTEM (BLIS), -inc: cross-traffic alert and trailer tow (BLIS sensor in taillamp)

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0225SB
Options plus all stand... | (options to superse...

Standard Equipment

MECHANICAL

Engine: 6.2L 2-Valve SOHC EFI NA V8 Flex-Fuel
Transmission: TorqShift-G 6-Spd Auto w/SelectShift
3.73 Axle Ratio
GVWR: 10,000 lb Payload Package
50-State Emissions System
Transmission w/Oil Cooler
Electronic Transfer Case
Part-Time Four-Wheel Drive
72-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection
157 Amp Alternator
Class V Towing Equipment -inc: Hitch and Trailer Sway Control
Trailer Wiring Harness
3470# Maximum Payload
HD Shock Absorbers
Front Anti-Roll Bar
Firm Suspension
Hydraulic Power-Assist Steering
34 Gal. Fuel Tank
Single Stainless Steel Exhaust
Auto Locking Hubs
Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 17" Argent Painted Steel -inc: painted hub covers/center ornaments
Tires: LT245/75Rx17E BSW A/S (4)
Regular Box Style
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks
Black Rear Step Bumper
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Manual Side Mirrors w/Manual Folding
Manual Extendable Trailer Style Mirrors
Fixed Rear Window
Light Tinted Glass
Variable Intermittent Wipers
Aluminum Panels

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0225SB
Options plus all stand... | (options to superse...

Black Grille
Front License Plate Bracket
Tailgate Rear Cargo Access
Manual Tailgate/Rear Door Lock
Autolamp Fully Automatic Aero-Composite Halogen Daytime Running Lights Preference Setting Headlamps w/Delay-Off
Cargo Lamp w/High Mount Stop Light

ENTERTAINMENT

Radio: AM/FM Stereo w/MP3 Player -inc: 4 speakers
Radio w/Seek-Scan
Fixed Antenna
SYNC Communications & Entertainment System -inc: enhanced voice recognition w/911 Assist, 4.2" LCD center stack screen, AppLink and 1 smart-charging USB-C port

INTERIOR

4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
60-40 Folding Split-Bench Front Facing Fold-Up Cushion Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
Manual Rear Windows
FordPass Connect 4G LTE WiFi Mobile Hotspot Internet Access
Rear Cupholder
Manual Air Conditioning
HVAC -inc: Underseat Ducts
Illuminated Locking Glove Box
Interior Trim -inc: Chrome Interior Accents
Full Cloth Headliner
Urethane Gear Shift Knob
HD Vinyl 40/20/40 Split Bench Seat -inc: center armrest, cupholder, storage and driver's side manual lumbar
Day-Night Rearview Mirror
Passenger Visor Vanity Mirror
2 12V DC Power Outlets
Full Overhead Console w/Storage and 2 12V DC Power Outlets
Fade-To-Off Interior Lighting
Front And Rear Map Lights
Full Vinyl/Rubber Floor Covering
Underhood And Pickup Cargo Box Lights
Smart Device Remote Engine Start
Instrument Panel Covered Bin and Dashboard Storage
Manual 1st Row Windows
Systems Monitor
Trip Computer
Outside Temp Gauge
Analog Display

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0225SB
Options plus all stand... | (options to superse...

Seats w/Vinyl Back Material
Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
Securilock Anti-Theft Ignition (pats) Engine Immobilizer
Air Filtration

SAFETY

AdvanceTrac w/Roll Stability Control Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning
Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute
Safety Canopy System Curtain 1st And 2nd Row Airbags
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point and Height Adjusters
Dual Stage Driver And Passenger Front Airbags
Back-Up Camera

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0225SB
 Options plus all stand... | (options to superse...

Technical Specifications

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	N/A
EPA Greenhouse Gas Score	N/A

CHASSIS

Weight Information

Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Gross Axle Wt Rating - Front	4800 lbs
Gross Axle Wt Rating - Rear	6340 lbs
Curb Weight - Front	3810 lbs
Curb Weight - Rear	2652 lbs
Option Weight - Front	41.00 lbs
Option Weight - Rear	24.00 lbs
Reserve Axle Capacity - Front	949.00 lbs
Reserve Axle Capacity - Rear	3664.00 lbs
As Spec'd Curb Weight	6527.00 lbs
As Spec'd Payload	3473.00 lbs
Maximum Payload Capacity	3538.00 lbs
Gross Combined Wt Rating	19500 lbs
Gross Axle Weight Rating	11140.00 lbs
Curb Weight	6462.00 lbs
Reserve Axle Capacity	4613.00 lbs
Total Option Weight	65.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	10000.00 lbs

Trailerling

Dead Weight Hitch - Max Trailer Wt.	12500 lbs
Dead Weight Hitch - Max Tongue Wt.	1250 lbs
Wt Distributing Hitch - Max Trailer Wt.	12500 lbs
Wt Distributing Hitch - Max Tongue Wt.	1250 lbs
Maximum Trailerling Capacity	12500 lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0225SB
 Options plus all stand... | (options to superse...

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Other
Suspension Type - Rear	Leaf
Spring Capacity - Front	4800 lbs
Spring Capacity - Rear	6340 lbs
Axle Type - Front	Non-Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	6000 lbs
Axle Capacity - Rear	6200 lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	TBM
Rear Tire Order Code	TBM
Spare Tire Order Code	TBM
Front Tire Size	LT245/75SR17
Rear Tire Size	LT245/75SR17
Spare Tire Size	Full-Size
Front Tire Capacity	6390 lbs
Rear Tire Capacity	6390 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	645
Revolutions/Mile @ 45 mph - Rear	645
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0225SB
Options plus all stand... | (options to superse...

Wheels

Front Wheel Size	17 X 7.5 in
Rear Wheel Size	17 X 7.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Re-Circulating Ball
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	53 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	4-Wheel Disc
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	14.3 in
Rear Brake Rotor Diam x Thickness	14.3 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	34 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	N/A
Aux Fuel Tank Location	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0225SB
Options plus all stand... | (options to superse...

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	44S
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.17
Second Gear Ratio (:1)	2.34
Third Gear Ratio (:1)	1.52
Fourth Gear Ratio (:1)	1.14
Fifth Gear Ratio (:1)	0.87
Sixth Gear Ratio (:1)	0.69
Reverse Ratio (:1)	3.40
Clutch Size	N/A in
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	Electronic
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No

Mileage

EPA Fuel Economy Est - Hwy	N/A MPG
Cruising Range - City	N/A mi
EPA Fuel Economy Est - City	N/A MPG
Fuel Economy Est-Combined	N/A MPG
Cruising Range - Hwy	N/A mi

Engine

Engine Order Code	996
Engine Type	Regular Unleaded V-8
Displacement	6.2 L/379
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	385 @ 5750
SAE Net Torque @ RPM	430 @ 3800
Engine Oil Cooler	None

Electrical

Cold Cranking Amps @ 0° F (Primary)	650
Cold Cranking Amps @ 0° F (2nd)	650
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	157

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0225SB
 Options plus all stand... | (options to superse...

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	40.8 in
Front Leg Room	43.9 in
Front Shoulder Room	66.7 in
Front Hip Room	62.5 in
Second Head Room	40.4 in
Second Leg Room	43.6 in
Second Shoulder Room	65.9 in
Second Hip Room	64.7 in

Exterior Dimensions

Wheelbase	160 in
Length, Overall w/o rear bumper	N/A in
Length, Overall w/rear bumper	N/A in
Length, Overall	250 in
Width, Max w/o mirrors	80 in
Height, Overall	81.5 in
Overhang, Front	38.2 in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	39.9 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	38.1 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.2 in
Ground Clearance, Rear	8.2 in
Body Length	0.00 ft
Cab to Body	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0225SB
Options plus all stand... | (options to superse...

Cargo Area Dimensions

Cargo Box Length @ Floor	81.9 in
Cargo Box Width @ Top, Rear	66.9 in
Cargo Box Width @ Floor	66.9 in
Cargo Box Width @ Wheelhousings	50.5 in
Cargo Box (Area) Height	21.1 in
Tailgate Width	60.5 in
Cargo Volume	65.4 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0229 ACC
Options plus all standard equipment
(options to supersede std eq)

2020 Toyota Tacoma 4WD Access Cab 6' Bed V6 AT (Natl)



**2020 Toyota Tacoma 4WD SR5 Access Cab 6' Bed V6 AT (Natl)
(7558)**

CLASS 0229 ACC

TRUCK MIDSIZE ACCESS CAB 4X4

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0229 ACC
Options plus all stand... | (options to superse...

Vehicle Information

SELECTED MODEL

Code	Description
7558	2020 Toyota Tacoma 4WD SR5 Access Cab 6' Bed V6 AT (Natl)

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
FE	50 STATE EMISSIONS
SL	SR5 PACKAGE, -inc: Bar Grey Ring Chrome Front Grille, Color-Keyed Overfenders
AL	WHEELS: 16" X 7J SILVER ALLOY, (STD)
—	STANDARD PAINT
FC14	CEMENT, FABRIC SEAT TRIM
DN	SR5 PARKING SONAR & NAVIGATION PACKAGE, -inc: Radio: Premium w/AM/FM/Nav/App Suite, 6 speakers, 8" high-resolution touch-screen display w/split screen, auxiliary port, USB media port, Siri eyes free, advanced voice recognition, Bluetooth hands-free phone capability, phone book access and music streaming, cache radio, HD Radio, HD predictive traffic and doppler weather overlay, SiriusXM satellite radio w/complimentary SiriusXM Satellite All Access 3-month trial subscription included, Apple CarPlay, Android Auto, Amazon Alexa, SiriusXM and Gracenotes album cover art, Auto-Dimming Inside Rearview Mirror, Rear Parking Assist Sonar
TP	TECHNOLOGY PACKAGE, -inc: Color-Keyed Rear Bumper, Rear Parking Assist Sonar, Blind Spot Monitor w/Rear Cross Traffic Alert, Mesh Front Grille
EE	RADIO: PREMIUM W/AM/FM/NAV/APP SUITE, -inc: 6 speakers, 8" high-resolution touch-screen display w/split screen, auxiliary port, USB media port, Siri eyes free, advanced voice recognition, Bluetooth hands-free phone capability, phone book access and music streaming, cache radio, HD Radio, HD predictive traffic and doppler weather overlay, SiriusXM satellite radio w/complimentary SiriusXM Satellite All Access 3-month trial subscription included, Apple CarPlay, Android Auto, Amazon Alexa, SiriusXM and Gracenotes album cover art
63	ALL WEATHER FLOOR LINERS, (PPO), *PRICE TO FOLLOW*

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0229 ACC
Options plus all stand... | (options to superse...

Standard Equipment

MECHANICAL

Engine: 3.5L Atkinson-Cycle V6 -inc: VVT-iW wider intake and VVT-i exhaust
Transmission: 6-Speed Automatic -inc: electronically controlled w/intelligence
Axle Ratio: 3.91
GVWR: 5,600 lbs
Transmission w/Oil Cooler
Electronic Transfer Case
Part-Time Four-Wheel Drive
Engine Oil Cooler
Battery w/Run Down Protection
130 Amp Alternator
Class IV Towing Equipment -inc: Hitch and Trailer Sway Control
Trailer Wiring Harness
1 Skid Plate
1295# Maximum Payload
Gas-Pressurized Shock Absorbers
Front Anti-Roll Bar
Hydraulic Power-Assist Speed-Sensing Steering
21.1 Gal. Fuel Tank
Single Stainless Steel Exhaust
Auto Locking Hubs
Double Wishbone Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
Front Disc/Rear Drum Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
Brake Actuated Limited Slip Differential

EXTERIOR

Wheels: 16" x 7J Silver Alloy
Tires: P245/75R16 AS
Regular Composite Box Style
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Body-Colored Front Bumper w/1 Tow Hook
Chrome Rear Step Bumper w/Black Rub Strip/Fascia Accent
Black Side Windows Trim, Black Front Windshield Trim and Black Rear Window Trim
Body-Colored Door Handles
Body-Colored Fender Flares
Body-Colored Power Side Mirrors w/Manual Folding
Sliding Rear Window
Deep Tinted Glass
Variable Intermittent Wipers

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0229 ACC
Options plus all stand... | (options to superse...

Fully Galvanized Steel Panels
Black Grille w/Chrome Surround
Reverse Opening Rear Doors
Tailgate Rear Cargo Access
Manual Tailgate/Rear Door Lock
Integrated Storage
Auto Off Projector Beam Halogen Auto High-Beam Headlamps
Daytime Running Lamps -inc: black bezel
Front Fog Lamps -inc: driving lamps

ENTERTAINMENT

Radio: AM/FM/HD Radio -inc: 6 speakers, 7" high-resolution touch-screen display, auxiliary port, USB media port, iPod connectivity and control, advanced voice recognition, Bluetooth hands-free phone capability, phone book access and music streaming, Scout GPS Link compatible, Siri eyes free, SiriusXM satellite radio w/complimentary SiriusXM Satellite Radio All Access w/3 month trial subscription included, Apple CarPlay, Android Auto, Amazon Alexa, SiriusXM and HD traffic and weather
Radio w/Seek-Scan, Clock, Speed Compensated Volume Control and Steering Wheel Controls
Integrated Roof Antenna
2 LCD Monitors In The Front

INTERIOR

Front Bucket Seats -inc: 8-way power adjustable driver seat w/lumbar support and 4-way manual passenger seat
Driver Seat
Passenger Seat
Jump Front Facing Fold-Up Cushion Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
Fixed Rear Windows
Wi-Fi Connect with up to 2GB within 3-month trial Mobile Hotspot Internet Access
Leather/Metal-Look Steering Wheel
Front Cupholder
Rear Cupholder
Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
Cruise Control w/Steering Wheel Controls
Distance Pacing
Manual Air Conditioning
Locking Glove Box
Driver Foot Rest
Full Cloth Headliner
Cloth Door Trim Insert
Urethane Gear Shift Knob
Interior Trim -inc: Metal-Look Door Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
Fabric Seat Trim
Day-Night Auto-Dimming Rearview Mirror
Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, Rear Console w/Storage and 2 12V DC Power Outlets
Front Map Lights

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0229 ACC
Options plus all stand... | (options to superse...

Fade-To-Off Interior Lighting
Full Carpet Floor Covering
Instrument Panel Bin, Interior Concealed Storage, Driver / Passenger And Rear Door Bins and 2nd Row Underseat Storage
Power 1st Row Windows w/Driver 1-Touch Down
Delayed Accessory Power
Power Door Locks w/Autolock Feature
Outside Temp Gauge
Analog Display
Trip Computer
Seats w/Cloth Back Material
Manual Anti-Whiplash Adjustable Front Head Restraints and Fixed Rear Head Restraints
Front Center Armrest
Engine Immobilizer
2 12V DC Power Outlets
Air Filtration

SAFETY

Electronic Stability Control (ESC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Safety Connect with 1-year trial Emergency Sps
Toyota Safety Sense P (TSS-P)
Lane Departure Alert (LDA) Lane Departure Warning
Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags w/Passenger Off Switch
Curtain 1st And 2nd Row Airbags
Airbag Occupancy Sensor
Driver And Passenger Knee Airbag
Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters and Pretensioners
Back-Up Camera

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0229 ACC
 Options plus all stand... | (options to superse...

Technical Specifications

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	8.9
EPA Greenhouse Gas Score	N/A

CHASSIS

Weight Information

Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Gross Axle Wt Rating - Front	N/A lbs
Gross Axle Wt Rating - Rear	N/A lbs
Curb Weight - Front	N/A lbs
Curb Weight - Rear	N/A lbs
Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs
Reserve Axle Capacity - Front	N/A lbs
Reserve Axle Capacity - Rear	N/A lbs
As Spec'd Curb Weight	N/A lbs
As Spec'd Payload	N/A lbs
Maximum Payload Capacity	N/A lbs
Gross Combined Wt Rating	11360 lbs
Gross Axle Weight Rating	N/A lbs
Curb Weight	N/A lbs
Reserve Axle Capacity	N/A lbs
Total Option Weight	0.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	5600.00 lbs

Trailerling

Dead Weight Hitch - Max Trailer Wt.	6500 lbs
Dead Weight Hitch - Max Tongue Wt.	650 lbs
Wt Distributing Hitch - Max Trailer Wt.	6500 lbs
Wt Distributing Hitch - Max Tongue Wt.	650 lbs
Maximum Trailerling Capacity	6500 lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0229 ACC
 Options plus all stand... | (options to superse...

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Double Wishbone
Suspension Type - Rear	Leaf
Spring Capacity - Front	N/A lbs
Spring Capacity - Rear	N/A lbs
Axle Type - Front	Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	N/A lbs
Axle Capacity - Rear	N/A lbs
Axle Ratio (:1) - Front	3.91
Axle Ratio (:1) - Rear	3.91
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	
Rear Tire Order Code	
Spare Tire Order Code	
Front Tire Size	P245/75SR16
Rear Tire Size	P245/75SR16
Spare Tire Size	Full-Size
Front Tire Capacity	N/A lbs
Rear Tire Capacity	N/A lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0229 ACC
Options plus all stand... | (options to superse...

Wheels

Front Wheel Size	16 X 7 in
Rear Wheel Size	16 X 7 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum
Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	40.6 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	Front Disc/Rear Drum
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	N/A
Front Brake Rotor Diam x Thickness	10.8 in
Rear Brake Rotor Diam x Thickness	10 in
Drum - Rear (Yes or)	Yes
Rear Drum Diam x Width	10 in

Fuel Tank

Fuel Tank Capacity, Approx	21.1 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	N/A
Aux Fuel Tank Location	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0229 ACC
Options plus all stand... | (options to superse...

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	3.60
Second Gear Ratio (:1)	2.09
Third Gear Ratio (:1)	1.49
Fourth Gear Ratio (:1)	1.00
Fifth Gear Ratio (:1)	0.69
Sixth Gear Ratio (:1)	0.58
Reverse Ratio (:1)	3.73
Clutch Size	N/A in
Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	Electronic
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No

Mileage

EPA Fuel Economy Est - Hwy	22 MPG
Cruising Range - City	379.80 mi
EPA Fuel Economy Est - City	18 MPG
Fuel Economy Est-Combined	20 MPG
Cruising Range - Hwy	464.20 mi

Engine

Engine Order Code	
Engine Type	Regular Unleaded V-6
Displacement	3.5 L/211
Fuel System	Port/Direct Injection
SAE Net Horsepower @ RPM	278 @ 6000
SAE Net Torque @ RPM	265 @ 4600
Engine Oil Cooler	Regular Duty

Electrical

Cold Cranking Amps @ 0° F (Primary)	N/A
Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	130

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0229 ACC
 Options plus all stand... | (options to superse...

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	4
Front Head Room	39.7 in
Front Leg Room	42.9 in
Front Shoulder Room	58.3 in
Front Hip Room	57.2 in
Second Head Room	34.9 in
Second Leg Room	24.6 in
Second Shoulder Room	56.5 in
Second Hip Room	51.7 in

Exterior Dimensions

Wheelbase	127.4 in
Length, Overall w/o rear bumper	N/A in
Length, Overall w/rear bumper	N/A in
Length, Overall	212.3 in
Width, Max w/o mirrors	75.2 in
Height, Overall	70.6 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	N/A in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	N/A in
Ground Clearance, Rear	N/A in
Body Length	0.00 ft
Cab to Body	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0229 ACC
Options plus all stand... | (options to superse...

Cargo Area Dimensions

Cargo Box Length @ Floor	73.7 in
Cargo Box Width @ Top, Rear	56.7 in
Cargo Box Width @ Floor	56.7 in
Cargo Box Width @ Wheelhousings	41.5 in
Cargo Box (Area) Height	19.1 in
Tailgate Width	N/A in
Cargo Volume	N/A ft ³
Ext'd Cab Cargo Volume	N/A ft ³

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0229 CRW
Options plus all standard equipment
(options to supersede std eq)

2020 Toyota Tacoma 4WD Double Cab 5' Bed V6 AT (Natl)



**2020 Toyota Tacoma 4WD SR5 Double Cab 5' Bed V6 AT (Natl)
(7540)**

CLASS 0229 CRW

TRUCK MIDSIZE CREW CAB 4X4

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0229 CRW
Options plus all stand... | (options to superse...

Vehicle Information

SELECTED MODEL

Code	Description
7540	2020 Toyota Tacoma 4WD SR5 Double Cab 5' Bed V6 AT (Natl)

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
FE	50 STATE EMISSIONS
SL	SR5 PACKAGE, -inc: Bar Grey Ring Chrome Front Grille
AL	WHEELS: 16" X 7J SILVER ALLOY, (STD)
—	STANDARD PAINT
FC14	CEMENT, FABRIC SEAT TRIM (FC)
DN	SR5 PARKING SONAR & NAVIGATION PACKAGE, -inc: Radio: Premium w/AM/FM/Nav/App Suite, 6 speakers, 8" high-resolution touch-screen display w/split screen, auxiliary port, USB media port, Siri eyes free, advanced voice recognition, Bluetooth hands-free phone capability, phone book access and music streaming, cache radio, HD Radio, HD predictive traffic and doppler weather overlay, Apple CarPlay, Android Auto, Amazon Alexa, SiriusXM and SiriusXM satellite radio w/complimentary SiriusXM All Access 90-day trial subscription included, Auto-Dimming Inside Rearview Mirror, Rear Parking Assist Sonar
TP	TECHNOLOGY PACKAGE, -inc: Blind Spot Monitor w/Rear Cross Traffic Alert
EE	RADIO: PREMIUM W/AM/FM/NAV/APP SUITE, -inc: 6 speakers, 8" high-resolution touch-screen display w/split screen, auxiliary port, USB media port, Siri eyes free, advanced voice recognition, Bluetooth hands-free phone capability, phone book access and music streaming, cache radio, HD Radio, HD predictive traffic and doppler weather overlay, Apple CarPlay, Android Auto, Amazon Alexa, SiriusXM and SiriusXM satellite radio w/complimentary SiriusXM All Access 90-day trial subscription included
63	ALL WEATHER FLOOR LINERS, (PPO), *PRICE TO FOLLOW*

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0229 CRW
Options plus all stand... | (options to superse...

Standard Equipment

MECHANICAL

Engine: 3.5L Atkinson-Cycle V6 -inc: VVT-iW wider intake and VVT-i exhaust
Transmission: 6-Speed Automatic -inc: electronically controlled w/intelligence
Axle Ratio: 3.91
GVWR: 5,600 lbs
Transmission w/Oil Cooler
Electronic Transfer Case
Part-Time Four-Wheel Drive
Engine Oil Cooler
Battery w/Run Down Protection
130 Amp Alternator
Class IV Towing Equipment -inc: Hitch and Trailer Sway Control
Trailer Wiring Harness
1 Skid Plate
1175# Maximum Payload
Gas-Pressurized Shock Absorbers
Front Anti-Roll Bar
Hydraulic Power-Assist Speed-Sensing Steering
21.1 Gal. Fuel Tank
Single Stainless Steel Exhaust
Auto Locking Hubs
Double Wishbone Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
Front Disc/Rear Drum Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
Brake Actuated Limited Slip Differential

EXTERIOR

Wheels: 16" x 7J Silver Alloy
Tires: P245/75R16 AS
Regular Composite Box Style
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Body-Colored Front Bumper w/1 Tow Hook
Chrome Rear Step Bumper w/Black Rub Strip/Fascia Accent
Black Side Windows Trim, Black Front Windshield Trim and Black Rear Window Trim
Body-Colored Door Handles
Color-Keyed Overfenders
Body-Colored Power Side Mirrors w/Manual Folding
Variable Intermittent Wipers
Power Sliding Rear Window w/Privacy Glass
Fully Galvanized Steel Panels

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0229 CRW
Options plus all stand... | (options to superse...

Black Grille w/Chrome Surround
Tailgate Rear Cargo Access
Manual Tailgate/Rear Door Lock
Integrated Storage
Auto Off Projector Beam Halogen Auto High-Beam Headlamps
Daytime Running Lamps -inc: black bezel
Front Fog Lamps -inc: driving lamps

ENTERTAINMENT

Radio: AM/FM/HD Radio -inc: 6 speakers, 7" high-resolution touch-screen display, auxiliary port, USB media port, iPod connectivity and control, advanced voice recognition, Bluetooth hands-free phone capability, phone book access and music streaming, Scout GPS Link compatible, Siri eyes free, SiriusXM satellite radio w/complimentary SiriusXM Satellite Radio All Access w/3 month trial subscription included, Apple CarPlay, Android Auto, Amazon Alexa, SiriusXM and HD traffic and weather
Radio w/Seek-Scan, Clock, Speed Compensated Volume Control and Steering Wheel Controls
Integrated Roof Antenna
2 LCD Monitors In The Front

INTERIOR

Front Bucket Seats -inc: 8-way power adjustable driver seat w/lumbar support and 4-way manual passenger seat
Driver Seat
Passenger Seat
60-40 Folding Split-Bench Front Facing Flip Forward Cushion/Seatback Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
Power Rear Windows
Wi-Fi Connect with up to 2GB within 3-month trial Mobile Hotspot Internet Access
Leather/Metal-Look Steering Wheel
Front Cupholder
Rear Cupholder
Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
Cruise Control w/Steering Wheel Controls
Distance Pacing
Manual Air Conditioning
HVAC -inc: Underseat Ducts
Locking Glove Box
Driver Foot Rest
Full Cloth Headliner
Cloth Door Trim Insert
Urethane Gear Shift Knob
Interior Trim -inc: Metal-Look Door Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
Fabric Seat Trim (FC)
Day-Night Auto-Dimming Rearview Mirror
Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 2 12V DC Power Outlets
Front Map Lights
Fade-To-Off Interior Lighting

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0229 CRW
Options plus all stand... | (options to superse...

Full Carpet Floor Covering
Instrument Panel Bin, Interior Concealed Storage, Driver / Passenger And Rear Door Bins and 2nd Row Underseat Storage
Power 1st Row Windows w/Driver 1-Touch Down
Delayed Accessory Power
Power Door Locks w/Autolock Feature
Outside Temp Gauge
Analog Display
Trip Computer
Seats w/Cloth Back Material
Front Center Armrest
Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
Engine Immobilizer
2 12V DC Power Outlets
Air Filtration

SAFETY

Electronic Stability Control (ESC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Safety Connect with 1-year trial Emergency Sos
Toyota Safety Sense P (TSS-P)
Lane Departure Alert (LDA) Lane Departure Warning
Low Tire Pressure Warning
Curtain 1st And 2nd Row Airbags
Airbag Occupancy Sensor
Driver And Passenger Knee Airbag
Dual Stage Driver And Passenger Front Airbags
Rear Child Safety Locks
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
Back-Up Camera

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0229 CRW
 Options plus all stand... | (options to superse...

Technical Specifications

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	8.9
EPA Greenhouse Gas Score	N/A

CHASSIS

Weight Information

Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Gross Axle Wt Rating - Front	N/A lbs
Gross Axle Wt Rating - Rear	N/A lbs
Curb Weight - Front	N/A lbs
Curb Weight - Rear	N/A lbs
Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs
Reserve Axle Capacity - Front	N/A lbs
Reserve Axle Capacity - Rear	N/A lbs
As Spec'd Curb Weight	N/A lbs
As Spec'd Payload	N/A lbs
Maximum Payload Capacity	N/A lbs
Gross Combined Wt Rating	11360 lbs
Gross Axle Weight Rating	N/A lbs
Curb Weight	N/A lbs
Reserve Axle Capacity	N/A lbs
Total Option Weight	0.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	5600.00 lbs

Trailerling

Dead Weight Hitch - Max Trailer Wt.	6400 lbs
Dead Weight Hitch - Max Tongue Wt.	640 lbs
Wt Distributing Hitch - Max Trailer Wt.	6400 lbs
Wt Distributing Hitch - Max Tongue Wt.	640 lbs
Maximum Trailerling Capacity	6400 lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0229 CRW
 Options plus all stand... | (options to superse...

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Double Wishbone
Suspension Type - Rear	Leaf
Spring Capacity - Front	N/A lbs
Spring Capacity - Rear	N/A lbs
Axle Type - Front	Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	N/A lbs
Axle Capacity - Rear	N/A lbs
Axle Ratio (:1) - Front	3.91
Axle Ratio (:1) - Rear	3.91
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	
Rear Tire Order Code	
Spare Tire Order Code	
Front Tire Size	P245/75SR16
Rear Tire Size	P245/75SR16
Spare Tire Size	Full-Size
Front Tire Capacity	N/A lbs
Rear Tire Capacity	N/A lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0229 CRW
 Options plus all stand... | (options to superse...

Wheels

Front Wheel Size	16 X 7 in
Rear Wheel Size	16 X 7 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum
Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	40.6 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	Front Disc/Rear Drum
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	N/A
Front Brake Rotor Diam x Thickness	10.8 in
Rear Brake Rotor Diam x Thickness	10 in
Drum - Rear (Yes or)	Yes
Rear Drum Diam x Width	10 in

Fuel Tank

Fuel Tank Capacity, Approx	21.1 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	N/A
Aux Fuel Tank Location	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0229 CRW
Options plus all stand... | (options to superse...

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	3.60
Second Gear Ratio (:1)	2.09
Third Gear Ratio (:1)	1.49
Fourth Gear Ratio (:1)	1.00
Fifth Gear Ratio (:1)	0.69
Sixth Gear Ratio (:1)	0.58
Reverse Ratio (:1)	3.73
Clutch Size	N/A in
Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	Electronic
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No

Mileage

EPA Fuel Economy Est - Hwy	22 MPG
Cruising Range - City	379.80 mi
EPA Fuel Economy Est - City	18 MPG
Fuel Economy Est-Combined	20 MPG
Cruising Range - Hwy	464.20 mi

Engine

Engine Order Code	
Engine Type	Regular Unleaded V-6
Displacement	3.5 L/211
Fuel System	Port/Direct Injection
SAE Net Horsepower @ RPM	278 @ 6000
SAE Net Torque @ RPM	265 @ 4600
Engine Oil Cooler	Regular Duty

Electrical

Cold Cranking Amps @ 0° F (Primary)	N/A
Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	130

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0229 CRW
 Options plus all stand... | (options to superse...

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	5
Front Head Room	39.7 in
Front Leg Room	42.9 in
Front Shoulder Room	58.3 in
Front Hip Room	57.2 in
Second Head Room	38.3 in
Second Leg Room	32.6 in
Second Shoulder Room	58.9 in
Second Hip Room	56.3 in

Exterior Dimensions

Wheelbase	127.4 in
Length, Overall w/o rear bumper	N/A in
Length, Overall w/rear bumper	N/A in
Length, Overall	212.3 in
Width, Max w/o mirrors	74.4 in
Height, Overall	70.6 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	N/A in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	N/A in
Ground Clearance, Rear	N/A in
Body Length	0.00 ft
Cab to Body	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0229 CRW
Options plus all stand... | (options to superse...

Cargo Area Dimensions

Cargo Box Length @ Floor	60.5 in
Cargo Box Width @ Top, Rear	56.7 in
Cargo Box Width @ Floor	56.7 in
Cargo Box Width @ Wheelhousings	41.5 in
Cargo Box (Area) Height	19.1 in
Tailgate Width	N/A in
Cargo Volume	N/A ft ³
Ext'd Cab Cargo Volume	N/A ft ³

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0276ESB
Options plus all standard equipment
(options to supersede std eq)

2020 Ram 1500 4x4 Crew Cab 5'7" Box



2020 Ram 1500 Tradesman 4x4 Crew Cab 5'7" Box (DT6L98)

CLASS 0276 ESB

TRUCK 1/2 TON CREW CAB 4X4 ESB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0276ESB
Options plus all stand... | (options to superse...

Vehicle Information

SELECTED MODEL

Code	Description
DT6L98	2020 Ram 1500 Tradesman 4x4 Crew Cab 5'7" Box

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
EZH	ENGINE: 5.7L V8 HEMI MDS VVT, -inc: GVWR: 7,100 lbs, Hemi Badge, Active Noise Control System, 180 Amp Alternator, Heavy Duty Engine Cooling
DFR	TRANSMISSION: 8-SPEED AUTOMATIC (8HP75)
25A	QUICK ORDER PACKAGE 25A TRADESMAN, -inc: Engine: 5.7L V8 HEMI MDS VVT, Transmission: 8-Speed Automatic (8HP75), *Upon selection of this pkg, the cost of powertrain components will be added*
DMH	3.92 REAR AXLE RATIO
WBF	WHEELS: 18" X 7.5" STEEL PAINTED, (STD)
TCP	TIRES: LT275/65R18C OWL ON/OFF ROAD
___	STANDARD PAINT
V9X9	BLACK, CLOTH 40/20/40 BENCH SEAT, -inc: Manual Adjust 4-Way Driver Seat, Front Center Seat Cushion Storage, Manual Adjust 4-Way Front Passenger Seat, 3 Rear Seat Head Restraints
Z6D	GVWR: 7,100 LBS
A61	TRADESMAN LEVEL 1 EQUIPMENT GROUP, -inc: SiriusXM Satellite Radio, 2nd Row In Floor Storage Bins, Carpet Floor Covering, Front & Rear Floor Mats, Rear Power Sliding Window
AHC	TRAILER TOW GROUP, -inc: Trailer Brake Control, Class IV Receiver Hitch, Black Trailer Tow Power Mirrors, Trailer tow mirrors are not power folding.
AWL	OFF ROAD GROUP, -inc: Tires: LT275/65R18C OWL On/Off Road, Off Road Decals, Steering Gear Skid Plate, Front Suspension Skid Plate, Front Extra HD Shock Absorbers, Rear Extra HD Shock Absorbers, Tire: Full Size Spare, Tow Hooks, E-Locker Rear Axle, Transfer Case Skid Plate, Fuel Tank Skid Plate, Hill Descent Control
XFH	CLASS IV RECEIVER HITCH
XHC	TRAILER BRAKE CONTROL
DSH	E-LOCKER REAR AXLE
LNJ	FRONT FOG LAMPS
CKE	CARPET FLOOR COVERING
CLF	FRONT & REAR RUBBER FLOOR MATS
XAN	BLIND SPOT & CROSS PATH DETECTION, -inc: LED Taillamps
XH4	PARKSENSE FR/RR PARK ASSIST W/STOP, -inc: Front Fog Lamps

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0276ESB
Options plus all stand... | (options to superse...

Standard Equipment

MECHANICAL

Engine: 3.6L V6 24V VVT eTorque UPG I
Transmission: 8-Speed Automatic (850RE)
3.21 Rear Axle Ratio
GVWR: 6,900 lbs
50 State Emissions
Engine Auto Stop-Start Feature
Transmission w/Driver Selectable Mode and Sequential Shift Control w/Steering Wheel Controls
Electronic Transfer Case
Part-Time Four-Wheel Drive
Engine Oil Cooler
730CCA Maintenance-Free Battery
48V Belt Starter Generator
Class III Towing Equipment -inc: Hitch and Trailer Sway Control
Trailer Wiring Harness
1770# Maximum Payload
HD Shock Absorbers
Front And Rear Anti-Roll Bars
Electric Power-Assist Steering
Single Stainless Steel Exhaust
26 Gal. Fuel Tank
Auto Locking Hubs
Short And Long Arm Front Suspension w/Coil Springs
Multi-Link Rear Suspension w/Coil Springs
Regenerative 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake
Lithium Ion Traction Battery

EXTERIOR

Wheels: 18" x 7.5" Steel Painted
Tires: 275/65R18 BSW All Season
Regular Box Style
Wheels w/Hub Covers
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Front Bumper w/Black Rub Strip/Fascia Accent
Black Rear Step Bumper
Black Side Windows Trim
Black Door Handles
Black Power Heated Side Mirrors w/Manual Folding
Fixed Rear Window
Deep Tinted Glass

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0276ESB
Options plus all stand... | (options to superse...

Variable Intermittent Wipers
Galvanized Steel/Aluminum Panels
Black Grille
Front License Plate Bracket
Tailgate Rear Cargo Access
Tailgate/Rear Door Lock Included w/Power Door Locks
Fully Automatic Aero-Composite Halogen Daytime Running Headlamps w/Delay-Off
Cargo Lamp w/High Mount Stop Light
Perimeter/Approach Lights
Laminated Glass

ENTERTAINMENT

Radio: Uconnect 3 w/5" Display
Radio w/Seek-Scan, Clock, Aux Audio Input Jack, Voice Activation, Radio Data System and External Memory Control
6 Speakers
Streaming Audio
Fixed Antenna
1 LCD Monitor In The Front

INTERIOR

4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
Front Facing Vinyl Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Engine Hour Meter and Trip Odometer
Power Rear Windows
Rear Folding Seat
Illuminated Front Cupholder
Rear Cupholder
Compass
Proximity Key For Push Button Start Only
Valet Function
Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
Cruise Control w/Steering Wheel Controls
Manual Air Conditioning
HVAC -inc: Underseat Ducts and Console Ducts
Glove Box
Interior Trim -inc: Deluxe Sound Insulation, Metal-Look Instrument Panel Insert and Chrome/Metal-Look Interior Accents
Full Cloth Headliner
Urethane Gear Shift Knob
Heavy Duty Vinyl 40/20/40 Split Bench Seat
Day-Night Rearview Mirror
Passenger Visor Vanity Mirror
Mini Overhead Console and 1 12V DC Power Outlet

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0276ESB
Options plus all stand... | (options to superse...

Front Map Lights
Fade-To-Off Interior Lighting
Full Vinyl/Rubber Floor Covering
Pickup Cargo Box Lights
Instrument Panel Bin, Dashboard Storage, RamBin Interior Concealed Storage, Driver / Passenger And Rear Door Bins
Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
Delayed Accessory Power
Power Door Locks w/Autolock Feature
Systems Monitor
Outside Temp Gauge
Analog Display
Seats w/Vinyl Back Material
Manual Adjustable Rear Head Restraints
Front Center Armrest
40/20/40 Split Bench Seat
4 Way Front Headrests
Sentry Key Engine Immobilizer
1 12V DC Power Outlet

SAFETY

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags
Curtain 1st And 2nd Row Airbags
Airbag Occupancy Sensor
Rear Child Safety Locks
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
ParkView Back-Up Camera

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0276ESB
 Options plus all stand... | (options to superse...

Technical Specifications

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	10.3
EPA Greenhouse Gas Score	N/A

CHASSIS

Weight Information

Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Gross Axle Wt Rating - Front	3900 lbs
Gross Axle Wt Rating - Rear	4100 lbs
Curb Weight - Front	2926 lbs
Curb Weight - Rear	2207 lbs
Option Weight - Front	167.00 lbs
Option Weight - Rear	-41.00 lbs
Reserve Axle Capacity - Front	807.00 lbs
Reserve Axle Capacity - Rear	1934.00 lbs
As Spec'd Curb Weight	5259.00 lbs
As Spec'd Payload	1841.00 lbs
Maximum Payload Capacity	1967.00 lbs
Gross Combined Wt Rating	13900 lbs
Gross Axle Weight Rating	8000.00 lbs
Curb Weight	5133.00 lbs
Reserve Axle Capacity	2741.00 lbs
Total Option Weight	126.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	7100.00 lbs

Trailerling

Dead Weight Hitch - Max Trailer Wt.	8240 lbs
Dead Weight Hitch - Max Tongue Wt.	824 lbs
Wt Distributing Hitch - Max Trailer Wt.	8240 lbs
Wt Distributing Hitch - Max Tongue Wt.	824 lbs
Maximum Trailerling Capacity	8240 lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0276ESB
 Options plus all stand... | (options to superse...

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Short And Long Arm
Suspension Type - Rear	Multi-Link
Spring Capacity - Front	N/A lbs
Spring Capacity - Rear	N/A lbs
Axle Type - Front	Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	N/A lbs
Axle Capacity - Rear	N/A lbs
Axle Ratio (:1) - Front	3.92
Axle Ratio (:1) - Rear	3.92
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	TCP
Rear Tire Order Code	TCP
Spare Tire Order Code	TBB
Front Tire Size	LT275/65SR18
Rear Tire Size	LT275/65SR18
Spare Tire Size	Full-Size
Front Tire Capacity	N/A lbs
Rear Tire Capacity	N/A lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0276ESB
Options plus all stand... | (options to superse...

Wheels

Front Wheel Size	18 X 7.5 in
Rear Wheel Size	18 X 7.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Styled Steel
Rear Wheel Material	Styled Steel
Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	46.2 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	4-Wheel Disc
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	14.9 in
Rear Brake Rotor Diam x Thickness	14.8 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	26 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	N/A
Aux Fuel Tank Location	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0276ESB
Options plus all stand... | (options to superse...

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	DFR
Trans Type	8
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.71
Second Gear Ratio (:1)	3.14
Third Gear Ratio (:1)	2.11
Fourth Gear Ratio (:1)	1.67
Fifth Gear Ratio (:1)	1.28
Sixth Gear Ratio (:1)	1.00
Reverse Ratio (:1)	3.29
Clutch Size	N/A in
Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	Electronic
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No
Seventh Gear Ratio (:1)	0.84
Eighth Gear Ratio (:1)	0.67

Mileage

EPA Fuel Economy Est - Hwy	21 MPG
Cruising Range - City	390.00 mi
EPA Fuel Economy Est - City	15 MPG
Fuel Economy Est-Combined	17 MPG
Cruising Range - Hwy	546.00 mi

Engine

Engine Order Code	EZH
Engine Type	Regular Unleaded V-8
Displacement	5.7 L/345
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	395 @ 5600
SAE Net Torque @ RPM	410 @ 3950
Engine Oil Cooler	Regular Duty

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0276ESB
 Options plus all stand... | (options to superse...

Electrical

Cold Cranking Amps @ 0° F (Primary)	730
Cold Cranking Amps @ 0° F (2nd)	730
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	180

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	40.9 in
Front Leg Room	40.9 in
Front Shoulder Room	66 in
Front Hip Room	63.4 in
Second Head Room	39.8 in
Second Leg Room	45.2 in
Second Shoulder Room	65.7 in
Second Hip Room	63.4 in

Exterior Dimensions

Wheelbase	144.5 in
Length, Overall w/o rear bumper	N/A in
Length, Overall w/rear bumper	N/A in
Length, Overall	232.9 in
Width, Max w/o mirrors	82.1 in
Height, Overall	77.6 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	N/A in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	
Ground Clearance, Rear	
Body Length	0.00 ft
Cab to Body	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0276ESB
Options plus all stand... | (options to superse...

Cargo Area Dimensions

Cargo Box Length @ Floor	67.4 in
Cargo Box Width @ Top, Rear	66.4 in
Cargo Box Width @ Floor	66.4 in
Cargo Box Width @ Wheelhousings	51 in
Cargo Box (Area) Height	21.4 in
Tailgate Width	60 in
Cargo Volume	53.9 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0276SB
Options plus all standard equipment
(options to supersede std eq)

2020 Ram 1500 4x4 Crew Cab 6'4" Box



2020 Ram 1500 Tradesman 4x4 Crew Cab 6'4" Box (DT6L91)

CLASS 0213 LB

TRUCK 1/2 TON CREW CAB 4X4 SB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0276SB
Options plus all stand... | (options to superse...

Vehicle Information

SELECTED MODEL

Code	Description
DT6L91	2020 Ram 1500 Tradesman 4x4 Crew Cab 6'4" Box

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
EZH	ENGINE: 5.7L V8 HEMI MDS VVT, -inc: GVWR: 7,100 lbs, Hemi Badge, Active Noise Control System, 180 Amp Alternator, Heavy Duty Engine Cooling
DFR	TRANSMISSION: 8-SPEED AUTOMATIC (8HP75)
25A	QUICK ORDER PACKAGE 25A TRADESMAN, -inc: Engine: 5.7L V8 HEMI MDS VVT, Transmission: 8-Speed Automatic (8HP75), *Upon selection of this pkg, the cost of powertrain components will be added*
DMH	3.92 REAR AXLE RATIO
WBF	WHEELS: 18" X 7.5" STEEL PAINTED, (STD)
TCP	TIRES: LT275/65R18C OWL ON/OFF ROAD
___	STANDARD PAINT
V9X9	BLACK, CLOTH 40/20/40 BENCH SEAT, -inc: Manual Adjust 4-Way Driver Seat, Front Center Seat Cushion Storage, Manual Adjust 4-Way Front Passenger Seat, 3 Rear Seat Head Restraints
Z6D	GVWR: 7,100 LBS
A61	TRADESMAN LEVEL 1 EQUIPMENT GROUP, -inc: SiriusXM Satellite Radio, 2nd Row In Floor Storage Bins, Carpet Floor Covering, Front & Rear Floor Mats, Rear Power Sliding Window
AHC	TRAILER TOW GROUP, -inc: Trailer Brake Control, Class IV Receiver Hitch, Black Trailer Tow Power Mirrors, Trailer tow mirrors are not power folding.
AWL	OFF ROAD GROUP, -inc: Tires: LT275/65R18C OWL On/Off Road, Off Road Decals, Steering Gear Skid Plate, Front Suspension Skid Plate, Front Extra HD Shock Absorbers, Rear Extra HD Shock Absorbers, Tire: Full Size Spare, Tow Hooks, E-Locker Rear Axle, Transfer Case Skid Plate, Fuel Tank Skid Plate, Hill Descent Control
XFH	CLASS IV RECEIVER HITCH
XHC	TRAILER BRAKE CONTROL
DSH	E-LOCKER REAR AXLE
LNJ	FRONT FOG LAMPS
CKE	CARPET FLOOR COVERING
CLF	FRONT & REAR RUBBER FLOOR MATS
XAN	BLIND SPOT & CROSS PATH DETECTION, -inc: LED Taillamps
XH4	PARKSENSE FR/RR PARK ASSIST W/STOP, -inc: Front Fog Lamps

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0276SB
Options plus all stand... | (options to superse...

Standard Equipment

MECHANICAL

Engine: 3.6L V6 24V VVT eTorque UPG I
Transmission: 8-Speed Automatic (850RE)
3.21 Rear Axle Ratio
GVWR: 6,900 lbs
50 State Emissions
Engine Auto Stop-Start Feature
Transmission w/Driver Selectable Mode and Sequential Shift Control
Electronic Transfer Case
Part-Time Four-Wheel Drive
Engine Oil Cooler
730CCA Maintenance-Free Battery
48V Belt Starter Generator
Class III Towing Equipment -inc: Hitch and Trailer Sway Control
Trailer Wiring Harness
1670# Maximum Payload
HD Shock Absorbers
Front And Rear Anti-Roll Bars
Electric Power-Assist Steering
Single Stainless Steel Exhaust
26 Gal. Fuel Tank
Auto Locking Hubs
Short And Long Arm Front Suspension w/Coil Springs
Multi-Link Rear Suspension w/Coil Springs
Regenerative 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake
Lithium Ion Traction Battery

EXTERIOR

Wheels: 18" x 7.5" Steel Painted
Tires: 275/65R18 BSW All Season
Regular Box Style
Wheels w/Hub Covers
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Front Bumper w/Black Rub Strip/Fascia Accent
Black Rear Step Bumper
Black Side Windows Trim
Black Door Handles
Black Power Heated Side Mirrors w/Manual Folding
Fixed Rear Window
Deep Tinted Glass

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0276SB
Options plus all stand... | (options to superse...

Variable Intermittent Wipers
Galvanized Steel/Aluminum Panels
Black Grille
Front License Plate Bracket
Tailgate Rear Cargo Access
Tailgate/Rear Door Lock Included w/Power Door Locks
Fully Automatic Aero-Composite Halogen Daytime Running Headlamps w/Delay-Off
Cargo Lamp w/High Mount Stop Light
Perimeter/Approach Lights
Laminated Glass

ENTERTAINMENT

Radio: Uconnect 3 w/5" Display
Radio w/Seek-Scan, Clock, Aux Audio Input Jack, Voice Activation, Radio Data System and External Memory Control
6 Speakers
Streaming Audio
Fixed Antenna
1 LCD Monitor In The Front

INTERIOR

4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
Front Facing Vinyl Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Engine Hour Meter and Trip Odometer
Power Rear Windows
Rear Folding Seat
Illuminated Front Cupholder
Rear Cupholder
Compass
Proximity Key For Push Button Start Only
Valet Function
Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
Cruise Control w/Steering Wheel Controls
Manual Air Conditioning
HVAC -inc: Underseat Ducts and Console Ducts
Glove Box
Interior Trim -inc: Deluxe Sound Insulation, Metal-Look Instrument Panel Insert and Chrome/Metal-Look Interior Accents
Full Cloth Headliner
Urethane Gear Shift Knob
Heavy Duty Vinyl 40/20/40 Split Bench Seat
Day-Night Rearview Mirror
Passenger Visor Vanity Mirror
Mini Overhead Console and 1 12V DC Power Outlet

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0276SB
Options plus all stand... | (options to superse...

Front Map Lights
Fade-To-Off Interior Lighting
Full Vinyl/Rubber Floor Covering
Pickup Cargo Box Lights
Instrument Panel Bin, Dashboard Storage, RamBin Interior Concealed Storage, Driver / Passenger And Rear Door Bins
Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
Delayed Accessory Power
Power Door Locks w/Autolock Feature
Systems Monitor
Outside Temp Gauge
Analog Display
Seats w/Vinyl Back Material
Manual Adjustable Rear Head Restraints
Front Center Armrest
40/20/40 Split Bench Seat
4 Way Front Headrests
Sentry Key Engine Immobilizer
1 12V DC Power Outlet

SAFETY

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags
Curtain 1st And 2nd Row Airbags
Airbag Occupancy Sensor
Rear Child Safety Locks
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
ParkView Back-Up Camera

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0276SB
 Options plus all stand... | (options to superse...

Technical Specifications

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	10.3
EPA Greenhouse Gas Score	N/A

CHASSIS

Weight Information

Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Gross Axle Wt Rating - Front	3900 lbs
Gross Axle Wt Rating - Rear	4100 lbs
Curb Weight - Front	2979 lbs
Curb Weight - Rear	2248 lbs
Option Weight - Front	186.00 lbs
Option Weight - Rear	-94.00 lbs
Reserve Axle Capacity - Front	735.00 lbs
Reserve Axle Capacity - Rear	1946.00 lbs
As Spec'd Curb Weight	5319.00 lbs
As Spec'd Payload	1781.00 lbs
Maximum Payload Capacity	1873.00 lbs
Gross Combined Wt Rating	13900 lbs
Gross Axle Weight Rating	8000.00 lbs
Curb Weight	5227.00 lbs
Reserve Axle Capacity	2681.00 lbs
Total Option Weight	92.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	7100.00 lbs

Trailerling

Dead Weight Hitch - Max Trailer Wt.	8140 lbs
Dead Weight Hitch - Max Tongue Wt.	814 lbs
Wt Distributing Hitch - Max Trailer Wt.	8140 lbs
Wt Distributing Hitch - Max Tongue Wt.	814 lbs
Maximum Trailerling Capacity	8140 lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0276SB
 Options plus all stand... | (options to superse...

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Short And Long Arm
Suspension Type - Rear	Multi-Link
Spring Capacity - Front	N/A lbs
Spring Capacity - Rear	N/A lbs
Axle Type - Front	Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	N/A lbs
Axle Capacity - Rear	N/A lbs
Axle Ratio (:1) - Front	3.92
Axle Ratio (:1) - Rear	3.92
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	TCP
Rear Tire Order Code	TCP
Spare Tire Order Code	TBB
Front Tire Size	LT275/65SR18
Rear Tire Size	LT275/65SR18
Spare Tire Size	Full-Size
Front Tire Capacity	N/A lbs
Rear Tire Capacity	N/A lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0276SB
Options plus all stand... | (options to superse...

Wheels

Front Wheel Size	18 X 7.5 in
Rear Wheel Size	18 X 7.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Styled Steel
Rear Wheel Material	Styled Steel
Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	48.7 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	4-Wheel Disc
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	14.9 in
Rear Brake Rotor Diam x Thickness	14.8 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	26 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	N/A
Aux Fuel Tank Location	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0276SB
Options plus all stand... | (options to superse...

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	DFR
Trans Type	8
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.71
Second Gear Ratio (:1)	3.14
Third Gear Ratio (:1)	2.11
Fourth Gear Ratio (:1)	1.67
Fifth Gear Ratio (:1)	1.28
Sixth Gear Ratio (:1)	1.00
Reverse Ratio (:1)	3.29
Clutch Size	N/A in
Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	Electronic
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No
Seventh Gear Ratio (:1)	0.84
Eighth Gear Ratio (:1)	0.67

Mileage

EPA Fuel Economy Est - Hwy	21 MPG
Cruising Range - City	390.00 mi
EPA Fuel Economy Est - City	15 MPG
Fuel Economy Est-Combined	17 MPG
Cruising Range - Hwy	546.00 mi

Engine

Engine Order Code	EZH
Engine Type	Regular Unleaded V-8
Displacement	5.7 L/345
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	395 @ 5600
SAE Net Torque @ RPM	410 @ 3950
Engine Oil Cooler	Regular Duty

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0276SB
 Options plus all stand... | (options to superse...

Electrical

Cold Cranking Amps @ 0° F (Primary)	730
Cold Cranking Amps @ 0° F (2nd)	730
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	180

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	40.9 in
Front Leg Room	40.9 in
Front Shoulder Room	66 in
Front Hip Room	63.4 in
Second Head Room	39.8 in
Second Leg Room	45.2 in
Second Shoulder Room	65.7 in
Second Hip Room	63.4 in

Exterior Dimensions

Wheelbase	153.5 in
Length, Overall w/o rear bumper	N/A in
Length, Overall w/rear bumper	N/A in
Length, Overall	241.8 in
Width, Max w/o mirrors	82.1 in
Height, Overall	77.5 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	N/A in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	
Ground Clearance, Rear	
Body Length	0.00 ft
Cab to Body	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0276SB
Options plus all stand... | (options to superse...

Cargo Area Dimensions

Cargo Box Length @ Floor	76.3 in
Cargo Box Width @ Top, Rear	66.4 in
Cargo Box Width @ Floor	66.4 in
Cargo Box Width @ Wheelhousings	51 in
Cargo Box (Area) Height	21.5 in
Tailgate Width	60 in
Cargo Volume	61.5 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0601
Options plus all standard equipment
(options to supersede std eq)

2020 Toyota Camry Auto (Natl)



2020 Toyota Camry LE Auto (Natl) (2532)

CLASS 0601

SEDAN MIDSIZE 4 DOOR

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0601
Options plus all stand... | (options to superse...

Vehicle Information

SELECTED MODEL

Code	Description
2532	2020 Toyota Camry LE Auto (Natl)

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
FE	50 STATE EMISSIONS
—	STANDARD PAINT
FA20	BLACK, FABRIC SEAT TRIM
CP	CONVENIENCE PACKAGE, -inc: HomeLink, Auto-Dimming Rearview Mirror, Smart Key System w/Push Button Start
BD	BLIND SPOT MONITOR W/REAR CROSS TRAFFIC ALERT
2T	ALL-WEATHER FLOOR LINER PACKAGE, -inc: all-weather floor liners and cargo tray, (PPO)

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0601
Options plus all stand... | (options to superse...

Standard Equipment

MECHANICAL

Engine: 2.5L I-4 DOHC 16-Valve -inc: VVT-iE intake and VVT-i exhaust
Transmission: 8-Speed Direct Shift ECT-i Automatic -inc: sequential shift mode
Engine Auto Stop-Start Feature
Transmission w/Sequential Shift Control
Front-Wheel Drive
2.80 Axle Ratio
Battery w/Run Down Protection
Gas-Pressurized Shock Absorbers
Front And Rear Anti-Roll Bars
Electric Power-Assist Speed-Sensing Steering
Single Stainless Steel Exhaust
16 Gal. Fuel Tank
Strut Front Suspension w/Coil Springs
Multi-Link Rear Suspension w/Coil Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 7.5J x 17" Alloy
Tires: 215/55R17 AS
Steel Spare Wheel
Compact Spare Tire Mounted Inside Under Cargo
Clearcoat Paint
Body-Colored Front Bumper
Body-Colored Rear Bumper
Chrome Side Windows Trim
Body-Colored Door Handles
Body-Colored Power Side Mirrors w/Manual Folding
Fixed Rear Window w/Defroster
Light Tinted Glass
Variable Intermittent Wipers
Front Windshield -inc: Sun Visor Strip
Galvanized Steel/Aluminum Panels
Colored Grille
Trunk Rear Cargo Access
Fully Automatic Projector Beam Led Low/High Beam Daytime Running Auto High-Beam Headlamps w/Delay-Off

ENTERTAINMENT

Radio: AM/FM Audio System -inc: 6 speakers, 7" touch-screen, Android Auto and Apple CarPlay and Amazon Alexa compatible, USB media port, 2 USB charge ports, hands-free phone capability, advanced voice recognition and music streaming via Bluetooth wireless technology, SiriusXM w/3-month All Access trial and Connected Services including Safety Connect w/1-year trial, Wi-Fi Connect w/up to 2 GB within 3-month trial,
Radio w/Seek-Scan, Clock, Speed Compensated Volume Control and Steering Wheel Controls
Window Grid And Roof Mount Antenna

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0601
Options plus all stand... | (options to superse...

2 LCD Monitors In The Front

INTERIOR

Front Bucket Seats -inc: 8-way power-adjustable driver seat w/power lumbar support and 6-way adjustable front passenger seat

Driver Seat

6-Way Passenger Seat -inc: Manual Recline, Height Adjustment and Fore/Aft Movement

60-40 Folding Bench Front Facing Fold Forward Seatback Rear Seat

Manual Tilt/Telescoping Steering Column

Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer

Power Rear Windows

Front Cupholder

Rear Cupholder

Valet Function

Remote Keyless Entry w/Integrated Key Transmitter, 2 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button

Remote Releases -Inc: Power Cargo Access and Power Fuel

Cruise Control w/Steering Wheel Controls

Distance Pacing

Manual Air Conditioning

HVAC -inc: Underseat Ducts

Illuminated Locking Glove Box

Driver Foot Rest

Interior Trim -inc: Simulated Wood/Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents

Full Cloth Headliner

Urethane Gear Shift Knob

Fabric Seat Trim

Day-Night Rearview Mirror

Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Auxiliary Mirror

Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 1 12V DC Power Outlet

Front And Rear Map Lights

Fade-To-Off Interior Lighting

Full Carpet Floor Covering

Carpet Floor Trim and Carpet Trunk Lid/Rear Cargo Door Trim

Cargo Area Concealed Storage

Cargo Space Lights

FOB Controls -inc: Trunk/Hatch/Tailgate and Windows

Instrument Panel Covered Bin, Driver / Passenger And Rear Door Bins

Power 1st Row Windows w/Front And Rear 1-Touch Up/Down

Delayed Accessory Power

Power Door Locks w/Autolock Feature

Trip Computer

Outside Temp Gauge

Analog Display

Seats w/Cloth Back Material

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0601
Options plus all stand... | (options to superse...

Manual Adjustable Front Head Restraints and Fixed Rear Head Restraints
1 Seatback Storage Pocket
Front Center Armrest and Rear Center Armrest
Engine Immobilizer
Perimeter Alarm
1 12V DC Power Outlet
Air Filtration

SAFETY

Electronic Stability Control (ESC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Toyota Safety Sense P (TSS-P)
Lane Departure Alert with Steering Assist (LDA w/SA) Lane Keeping Assist
Lane Departure Alert with Steering Assist (LDA w/SA) Lane Departure Warning
Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags
Curtain 1st And 2nd Row Airbags
Airbag Occupancy Sensor
Driver And Passenger Knee Airbag and Rear Side-Impact Airbag
Rear Child Safety Locks
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
Back-Up Camera

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0601
 Options plus all stand... | (options to superse...

Technical Specifications

VEHICLE

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	N/A
EPA Greenhouse Gas Score	N/A

Vehicle

EPA Classification	Mid-Size Cars
--------------------	---------------

POWERTRAIN

Transmission

Drivetrain	Front Wheel Drive
Trans Order Code	
Trans Type	8
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	5.25
Second Gear Ratio (:1)	3.03
Third Gear Ratio (:1)	1.95
Fourth Gear Ratio (:1)	1.46
Fifth Gear Ratio (:1)	1.22
Sixth Gear Ratio (:1)	1.00
Reverse Ratio (:1)	4.01
Clutch Size	N/A in
Final Drive Axle Ratio (:1)	2.80
Seventh Gear Ratio (:1)	0.81
Eighth Gear Ratio (:1)	0.67

Mileage

EPA Fuel Economy Est - Hwy	39 (2019) MPG
Cruising Range - City	448.00 mi
EPA Fuel Economy Est - City	28 (2019) MPG
Fuel Economy Est-Combined	32 (2019) MPG
Cruising Range - Hwy	624.00 mi
EPA MPG Equivalent - City	N/A
EPA MPG Equivalent - Hwy	N/A
EPA MPG Equivalent - Combined	N/A
Battery Range	N/A mi

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0601
Options plus all stand... | (options to superse...

Engine

Engine Order Code	
Engine Type	Regular Unleaded I-4
Displacement	2.5 L/152
Fuel System	Port/Direct Injection
SAE Net Horsepower @ RPM	203 @ 6600
SAE Net Torque @ RPM	184 @ 5000

Electrical

Cold Cranking Amps @ 0° F (Primary)	N/A
Maximum Alternator Capacity (amps)	N/A

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	5
Passenger Volume	100.4 ft ³
Front Head Room	38.3 in
Front Leg Room	42.1 in
Front Shoulder Room	57.7 in
Front Hip Room	55.4 in
Second Head Room	38 in
Second Leg Room	38 in
Second Shoulder Room	55.7 in
Second Hip Room	54.7 in

Exterior Dimensions

Wheelbase	111.2 in
Length, Overall	192.1 in
Width, Max w/o mirrors	72.4 in
Height, Overall	56.9 in
Track Width, Front	62.6 in
Track Width, Rear	62.8 in
Min Ground Clearance	5.7 in
Liftover Height	N/A in

Cargo Area Dimensions

Trunk Volume	15.1 ft ³
--------------	----------------------

CHASSIS

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0601
Options plus all stand... | (options to superse...

Weight Information

Base Curb Weight	3296 lbs
------------------	----------

Trailer

Dead Weight Hitch - Max Trailer Wt.	N/A lbs
-------------------------------------	---------

Dead Weight Hitch - Max Tongue Wt.	N/A lbs
------------------------------------	---------

Wt Distributing Hitch - Max Trailer Wt.	N/A lbs
---	---------

Wt Distributing Hitch - Max Tongue Wt.	N/A lbs
--	---------

Suspension

Suspension Type - Front	Strut
-------------------------	-------

Suspension Type - Rear	Multi-Link
------------------------	------------

Suspension Type - Front (Cont.)	Strut
---------------------------------	-------

Suspension Type - Rear (Cont.)	Multi-Link
--------------------------------	------------

Shock Absorber Diameter - Front	N/A mm
---------------------------------	--------

Shock Absorber Diameter - Rear	N/A mm
--------------------------------	--------

Stabilizer Bar Diameter - Front	N/A in
---------------------------------	--------

Stabilizer Bar Diameter - Rear	N/A in
--------------------------------	--------

Tires

Front Tire Order Code	STDTR
-----------------------	-------

Rear Tire Order Code	STDTR
----------------------	-------

Spare Tire Order Code	
-----------------------	--

Front Tire Size	P215/55VR17
-----------------	-------------

Rear Tire Size	P215/55VR17
----------------	-------------

Spare Tire Size	Compact
-----------------	---------

Wheels

Front Wheel Size	17 X 7.5 in
------------------	-------------

Rear Wheel Size	17 X 7.5 in
-----------------	-------------

Spare Wheel Size	Compact in
------------------	------------

Front Wheel Material	Aluminum
----------------------	----------

Rear Wheel Material	Aluminum
---------------------	----------

Spare Wheel Material	Steel
----------------------	-------

Steering

Steering Type	Rack-Pinion
---------------	-------------

Steering Ratio (:1), Overall	N/A
------------------------------	-----

Lock to Lock Turns (Steering)	N/A
-------------------------------	-----

Turning Diameter - Curb to Curb	37.4 ft
---------------------------------	---------

Turning Diameter - Wall to Wall	N/A ft
---------------------------------	--------

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0601
Options plus all stand... | (options to superse...

Brakes

Brake Type	4-Wheel Disc
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	12 in
Rear Brake Rotor Diam x Thickness	11.1 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	16 gal
Aux Fuel Tank Capacity, Approx	N/A gal

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0601H
Options plus all standard equipment
(options to supersede std eq)

2020 Toyota Camry CVT (Natl)



2020 Toyota Camry Hybrid LE CVT (Natl) (2559)

CLASS 0601H

SEDAN MIDSIZE 4 DOOR HYBRID

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0601H
Options plus all stand... | (options to superse...

Vehicle Information

SELECTED MODEL

Code	Description
2559	2020 Toyota Camry Hybrid LE CVT (Natl)

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
FE	50 STATE EMISSIONS
—	STANDARD PAINT
FA20	BLACK, FABRIC SEAT TRIM
IZ	FLEET CONVENIENCE PACKAGE, -inc: Rear Cross Traffic Alert, HomeLink, Auto-Dimming Rearview Mirror, Blind Spot Monitoring
2T	ALL-WEATHER FLOOR LINER PACKAGE, -inc: all-weather floor liners and cargo tray, (PPO)

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0601H
Options plus all stand... | (options to superse...

Standard Equipment

MECHANICAL

Engine: 2.5L I-4 DOHC 16-Valve Hybrid -inc: VVT-iE intake, VVT-i exhaust, permanent magnet synchronous motor and lithium-ion battery pack
Transmission: Electronic Continuously Variable -inc: normal, ECO, EV and sport drive modes
Engine Auto Stop-Start Feature
Transmission w/Sequential Shift Control
Front-Wheel Drive
3.29 Axle Ratio
Battery w/Run Down Protection
Hybrid Electric Motor
Gas-Pressurized Shock Absorbers
Front And Rear Anti-Roll Bars
Electric Power-Assist Speed-Sensing Steering
Single Stainless Steel Exhaust
13.2 Gal. Fuel Tank
Strut Front Suspension w/Coil Springs
Double Wishbone Rear Suspension w/Coil Springs
Regenerative 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake

EXTERIOR

Wheels: 6.5J x 16" Steel -inc: wheel covers
Tires: P205/65R16 AS
Steel Spare Wheel
Compact Spare Tire Mounted Inside Under Cargo
Clearcoat Paint
Body-Colored Front Bumper
Body-Colored Rear Bumper
Chrome Side Windows Trim
Body-Colored Door Handles
Body-Colored Power Side Mirrors w/Manual Folding
Fixed Rear Window w/Defroster
Light Tinted Glass
Variable Intermittent Wipers
Front Windshield -inc: Sun Visor Strip
Galvanized Steel/Aluminum Panels
Colored Grille
Trunk Rear Cargo Access
Fully Automatic Projector Beam Led Low/High Beam Daytime Running Auto High-Beam Headlamps w/Delay-Off
LED Brakelights

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0601H
Options plus all stand... | (options to superse...

ENTERTAINMENT

Radio: AM/FM Audio System -inc: 6 speakers, 7" touch-screen, Android Auto and Apple CarPlay and Amazon Alexa compatible, USB media port, 2 USB charge ports, hands-free phone capability, advanced voice recognition and music streaming via Bluetooth wireless technology, SiriusXM w/3-month All Access trial and Connected Services including Safety Connect w/1-year trial, Wi-Fi Connect w/up to 2 GB within 3-month trial
Radio w/Seek-Scan, Clock, Speed Compensated Volume Control and Steering Wheel Controls
Window Grid Antenna
2 LCD Monitors In The Front

INTERIOR

Front Bucket Seats -inc: 8-way power-adjustable driver seat w/power lumbar support and 6-way adjustable front passenger seat
Driver Seat
6-Way Passenger Seat -inc: Manual Recline, Height Adjustment and Fore/Aft Movement
60-40 Folding Bench Front Facing Fold Forward Seatback Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Traction Battery Level, Power/Regen, Trip Odometer and Trip Computer
Power Rear Windows
Wi-Fi Connect with up to 2GB within 3-month trial Mobile Hotspot Internet Access
Front Cupholder
Rear Cupholder
Valet Function
Remote Keyless Entry w/Integrated Key Transmitter, 2 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
Remote Releases -Inc: Power Cargo Access and Power Fuel
Proximity Key For Doors And Push Button Start
Cruise Control w/Steering Wheel Controls
Distance Pacing w/Traffic Stop-Go
HVAC -inc: Underseat Ducts
Dual Zone Front Automatic Air Conditioning
Illuminated Locking Glove Box
Driver Foot Rest
Interior Trim -inc: Simulated Wood/Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
Full Cloth Headliner
Urethane Gear Shift Knob
Fabric Seat Trim
Day-Night Rearview Mirror
Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Auxiliary Mirror
Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 1 12V DC Power Outlet
Front And Rear Map Lights
Fade-To-Off Interior Lighting
Full Carpet Floor Covering
Carpet Floor Trim and Carpet Trunk Lid/Rear Cargo Door Trim
Cargo Space Lights
FOB Controls -inc: Trunk/Hatch/Tailgate and Windows

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0601H
Options plus all stand... | (options to superse...

Instrument Panel Covered Bin, Driver / Passenger And Rear Door Bins
Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
Delayed Accessory Power
Power Door Locks w/Autolock Feature
Trip Computer
Outside Temp Gauge
Analog Display
Seats w/Cloth Back Material
Manual Adjustable Front Head Restraints and Fixed Rear Head Restraints
1 Seatback Storage Pocket
Front Center Armrest and Rear Center Armrest
Engine Immobilizer
Perimeter Alarm
1 12V DC Power Outlet
Air Filtration

SAFETY

Electronic Stability Control (ESC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Toyota Safety Sense P (TSS-P)
Lane Departure Alert with Steering Assist (LDA w/SA) Lane Keeping Assist
Lane Departure Alert with Steering Assist (LDA w/SA) Lane Departure Warning
Safety Connect with 1-year trial Emergency Sos
Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags
Curtain 1st And 2nd Row Airbags
Airbag Occupancy Sensor
Driver And Passenger Knee Airbag and Rear Side-Impact Airbag
Rear Child Safety Locks
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
Back-Up Camera

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0601H
Options plus all stand... | (options to superse...

Technical Specifications

VEHICLE

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	3.4
EPA Greenhouse Gas Score	N/A

Vehicle

EPA Classification	Mid-Size Cars
--------------------	---------------

POWERTRAIN

Transmission

Drivetrain	Front Wheel Drive
Trans Order Code	
Trans Type	1
Trans Description Cont.	CVT w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	N/A
Reverse Ratio (:1)	N/A
Clutch Size	N/A in
Final Drive Axle Ratio (:1)	3.29

Mileage

EPA Fuel Economy Est - Hwy	53 MPG
Cruising Range - City	673.20 mi
EPA Fuel Economy Est - City	51 MPG
Fuel Economy Est-Combined	52 MPG
Cruising Range - Hwy	699.60 mi
EPA MPG Equivalent - City	N/A
EPA MPG Equivalent - Hwy	N/A
EPA MPG Equivalent - Combined	N/A
Battery Range	N/A mi

Engine

Engine Order Code	
Engine Type	Gas/Electric I-4
Displacement	2.5 L/152
Fuel System	Port/Direct Injection
SAE Net Horsepower @ RPM	208 @ 5700
SAE Net Torque @ RPM	163 @ 3600

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0601H
Options plus all stand... | (options to superse...

Electrical

Cold Cranking Amps @ 0° F (Primary)	N/A
Maximum Alternator Capacity (amps)	N/A

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	5
Passenger Volume	99.9 ft ³
Front Head Room	38.3 in
Front Leg Room	42.1 in
Front Shoulder Room	57.7 in
Front Hip Room	55.4 in
Second Head Room	37.6 in
Second Leg Room	38 in
Second Shoulder Room	55.7 in
Second Hip Room	54.6 in

Exterior Dimensions

Wheelbase	111.2 in
Length, Overall	192.1 in
Width, Max w/o mirrors	72.4 in
Height, Overall	56.9 in
Track Width, Front	63 in
Track Width, Rear	63.2 in
Min Ground Clearance	5.7 in
Liftover Height	N/A in

Cargo Area Dimensions

Trunk Volume	15.1 ft ³
--------------	----------------------

CHASSIS

Weight Information

Base Curb Weight	3472 lbs
------------------	----------

Trailer

Dead Weight Hitch - Max Trailer Wt.	N/A lbs
Dead Weight Hitch - Max Tongue Wt.	N/A lbs
Wt Distributing Hitch - Max Trailer Wt.	N/A lbs
Wt Distributing Hitch - Max Tongue Wt.	N/A lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0601H
Options plus all stand... | (options to superse...

Suspension

Suspension Type - Front	Strut
Suspension Type - Rear	Double Wishbone
Suspension Type - Front (Cont.)	Strut
Suspension Type - Rear (Cont.)	Double Wishbone
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires

Front Tire Order Code	
Rear Tire Order Code	
Spare Tire Order Code	
Front Tire Size	P205/65VR16
Rear Tire Size	P205/65VR16
Spare Tire Size	Compact

Wheels

Front Wheel Size	16 X 6.5 in
Rear Wheel Size	16 X 6.5 in
Spare Wheel Size	Compact in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Lock to Lock Turns (Steering)	N/A
Turning Diameter - Curb to Curb	37.4 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	4-Wheel Disc
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	12 in
Rear Brake Rotor Diam x Thickness	11.1 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0601H
Options plus all stand... | (options to superse...

Fuel Tank

Fuel Tank Capacity, Approx	13.2 gal
Aux Fuel Tank Capacity, Approx	N/A gal

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0604
Options plus all standard equipment
(options to supersede std eq)

2020 Subaru Impreza 5-door CVT



2020 Subaru Impreza Premium 5-door CVT (LLD)

CLASS 0604

SEDAN COMPACT 4 DOOR

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0604
Options plus all stand... | (options to superse...

Vehicle Information

SELECTED MODEL

Code	Description
LLD	2020 Subaru Impreza Premium 5-door CVT

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
11	STANDARD MODEL
---	STANDARD PAINT
BCJ20	BLACK, CLOTH UPHOLSTERY
OLF	ALL-WEATHER FLOOR LINERS, -inc: Part number J501SFL110, (PIO) Not intended for use on top of or in conjunction with any other floor mat.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0604
Options plus all stand... | (options to superse...

Standard Equipment

MECHANICAL

Engine: 2.0L DOHC DAVCS VVT -inc: Electronic Throttle Control (ETC)
Transmission: Lineartronic Continuously Variable -inc: low shift mode and steering wheel paddle-shift control switches and 7-speed manual shift mode
Full-Time All-Wheel Drive
3.70 Axle Ratio
Battery w/Run Down Protection
Stablex Gas-Pressurized Shock Absorbers
Front And Rear Anti-Roll Bars
Electric Power-Assist Speed-Sensing Steering
13.2 Gal. Fuel Tank
Single Stainless Steel Exhaust
Strut Front Suspension w/Coil Springs
Double Wishbone Rear Suspension w/Coil Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 16" x 6.5" Machine Finish J Alum.-Alloy -inc: Black, silver aluminum-alloy wheel center cap w/Subaru 6 star logo
Tires: 205/55R16 89V AS
Steel Spare Wheel
Compact Spare Tire Mounted Inside Under Cargo
Clearcoat Paint
Body-Colored Front Bumper
Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
Black Side Windows Trim and Black Rear Window Trim
Body-Colored Door Handles
Body-Colored Power Heated Side Mirrors w/Manual Folding
Fixed Rear Window w/Fixed Interval Wiper and Defroster
Light Tinted Glass
Variable Intermittent Wipers w/Heated Wiper Park
Galvanized Steel/Aluminum Panels
Lip Spoiler
Black Grille w/Chrome Surround
Liftgate Rear Cargo Access
Tailgate/Rear Door Lock Included w/Power Door Locks
Roof Rack Rails Only
Fully Automatic Aero-Composite Halogen Daytime Running Headlamps w/Delay-Off
Front Fog Lamps
Perimeter/Approach Lights

ENTERTAINMENT

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0604
Options plus all stand... | (options to superse...

Radio: Subaru STARLINK 6.5" Multimedia Plus System -inc: AM/FM stereo, HD radio, single disc CD player, MP3/WMA/CRR/RW file capability, multi-touch gesture high resolution 6.5 LCD display screen, Bluetooth audio streaming connectivity, Bluetooth hands-free phone connectivity, Bluetooth hands-free SMS text messaging connectivity (applicable w/compatible cell phone), iPod control capability, rear-vision camera display, SiriusXM All Access radio (subscription required), SiriusXM Travel Link (subscription required), smartphone integration, AHA, Android Auto, CarPlay, Pandora, 6 speakers, 3.5mm auxiliary input jack, dual input USB ports, roof mounted antenna and audio/satellite connected services

Radio w/Seek-Scan, Clock, Steering Wheel Controls and Radio Data System

Integrated Roof Antenna

Digital Signal Processor

2 LCD Monitors In The Front

INTERIOR

Heated Front Bucket Seats -inc: 6-way manual driver's seat, 4-way manual passenger seat, driver's seat height adjuster (pump lever type), front passenger's seatback pocket, height and tilt adjustable front seat head restraints and whiplash reducing

6-Way Driver Seat

4-Way Passenger Seat

60-40 Folding Bench Front Facing Fold Forward Seatback Rear Seat

Manual Tilt/Telescoping Steering Column

Gauges -inc: Speedometer, Odometer, Tachometer, Trip Odometer and Trip Computer

Power Rear Windows and Fixed 3rd Row Windows

Front Cupholder

Rear Cupholder

Valet Function

Remote Releases -Inc: Power Cargo Access and Mechanical Fuel

Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button

Cruise Control w/Steering Wheel Controls

Distance Pacing w/Traffic Stop-Go

Manual Air Conditioning

HVAC -inc: Underseat Ducts

Illuminated Locking Glove Box

Driver Foot Rest

Interior Trim -inc: Simulated Carbon Fiber Instrument Panel Insert, Simulated Carbon Fiber Door Panel Insert and Metal-Look Interior Accents

Full Tricot Cloth Headliner

Cloth Door Trim Insert

Urethane Gear Shift Knob

Cloth Upholstery

Day-Night Rearview Mirror

Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Auxiliary Mirror

Full Floor Console w/Covered Storage, Mini Overhead Console and 2 12V DC Power Outlets

Front Map Lights

Delay Off Interior Lighting

Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats

Carpet Floor Trim

Roll-Up Cargo Cover

Cargo Space Lights

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0604
Options plus all stand... | (options to superse...

FOB Controls -inc: Trunk/Hatch/Tailgate
Tracker System
Instrument Panel Bin, Driver / Passenger And Rear Door Bins
Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
Delayed Accessory Power
Power Door Locks w/Autolock Feature
Systems Monitor
Trip Computer
Outside Temp Gauge
Digital/Analog Display
Redundant Digital Speedometer
Seats w/Cloth Back Material
Manual Adjustable Rear Head Restraints
Front Center Armrest
Perimeter Alarm
Engine Immobilizer
2 12V DC Power Outlets
Air Filtration

SAFETY

Vehicle Dynamics Control Electronic Stability Control (ESC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
EyeSight Pre-Collision Braking
EyeSight Lane Keep Assist Lane Keeping Assist
EyeSight Lane Keep Assist Lane Departure Warning
Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags
Curtain 1st And 2nd Row Airbags
Airbag Occupancy Sensor
Driver Knee Airbag
Rear Child Safety Locks
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0604
 Options plus all stand... | (options to superse...

Technical Specifications

VEHICLE

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	5.7
EPA Greenhouse Gas Score	N/A

Vehicle

EPA Classification	Small Station Wagon
--------------------	---------------------

POWERTRAIN

Transmission

Drivetrain	All Wheel Drive
Trans Order Code	
Trans Type	7
Trans Description Cont.	CVT w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	3.44 - 0.64
Second Gear Ratio (:1)	N/A
Third Gear Ratio (:1)	N/A
Fourth Gear Ratio (:1)	N/A
Fifth Gear Ratio (:1)	N/A
Sixth Gear Ratio (:1)	N/A
Reverse Ratio (:1)	3.52
Clutch Size	N/A in
Final Drive Axle Ratio (:1)	3.70
Seventh Gear Ratio (:1)	0.53

Mileage

EPA Fuel Economy Est - Hwy	36 MPG
Cruising Range - City	369.60 mi
EPA Fuel Economy Est - City	28 MPG
Fuel Economy Est-Combined	31 MPG
Cruising Range - Hwy	475.20 mi
EPA MPG Equivalent - City	N/A
EPA MPG Equivalent - Hwy	N/A
EPA MPG Equivalent - Combined	N/A
Battery Range	N/A mi

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0604
Options plus all stand... | (options to superse...

Engine	
Engine Order Code	
Engine Type	Regular Unleaded H-4
Displacement	2.0 L/122
Fuel System	Gasoline Direct Injection
SAE Net Horsepower @ RPM	152 @ 6000
SAE Net Torque @ RPM	145 @ 4000

Electrical	
Cold Cranking Amps @ 0° F (Primary)	N/A
Maximum Alternator Capacity (amps)	N/A

Cooling System	
Total Cooling System Capacity	N/A qts

DIMENSIONS

Interior Dimensions	
Passenger Capacity	5
Passenger Volume	100.9 ft ³
Front Head Room	39.8 in
Front Leg Room	43.1 in
Front Shoulder Room	56.7 in
Front Hip Room	55.1 in
Second Head Room	38 in
Second Leg Room	36.5 in
Second Shoulder Room	55.6 in
Second Hip Room	55.2 in

Exterior Dimensions	
Wheelbase	105.1 in
Length, Overall	175.6 in
Width, Max w/o mirrors	70 in
Height, Overall	58.9 in
Track Width, Front	60.6 in
Track Width, Rear	60.8 in
Min Ground Clearance	5.1 in
Rear Door Opening Height	N/A in
Rear Door Opening Width	N/A in
Liftover Height	N/A in

Cargo Area Dimensions	
Cargo Volume with Rear Seat Up	20.8 ft ³
Cargo Volume with Rear Seat Down	55.3 ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0604
 Options plus all stand... | (options to superse...

Trunk Volume	N/A ft³
--------------	---------

CHASSIS

Weight Information

Base Curb Weight	3093 lbs
------------------	----------

Trailer

Dead Weight Hitch - Max Trailer Wt.	N/A lbs
-------------------------------------	---------

Dead Weight Hitch - Max Tongue Wt.	N/A lbs
------------------------------------	---------

Wt Distributing Hitch - Max Trailer Wt.	N/A lbs
---	---------

Wt Distributing Hitch - Max Tongue Wt.	N/A lbs
--	---------

Suspension

Suspension Type - Front	Strut
-------------------------	-------

Suspension Type - Rear	Double Wishbone
------------------------	-----------------

Suspension Type - Front (Cont.)	Strut
---------------------------------	-------

Suspension Type - Rear (Cont.)	Double Wishbone
--------------------------------	-----------------

Shock Absorber Diameter - Front	N/A mm
---------------------------------	--------

Shock Absorber Diameter - Rear	N/A mm
--------------------------------	--------

Stabilizer Bar Diameter - Front	N/A in
---------------------------------	--------

Stabilizer Bar Diameter - Rear	N/A in
--------------------------------	--------

Tires

Front Tire Order Code	
-----------------------	--

Rear Tire Order Code	
----------------------	--

Spare Tire Order Code	
-----------------------	--

Front Tire Size	P205/55VR16
-----------------	-------------

Rear Tire Size	P205/55VR16
----------------	-------------

Spare Tire Size	Compact
-----------------	---------

Wheels

Front Wheel Size	16 X 6.5 in
------------------	-------------

Rear Wheel Size	16 X 6.5 in
-----------------	-------------

Spare Wheel Size	Compact in
------------------	------------

Front Wheel Material	Aluminum
----------------------	----------

Rear Wheel Material	Aluminum
---------------------	----------

Spare Wheel Material	Steel
----------------------	-------

Steering

Steering Type	Rack-Pinion
---------------	-------------

Steering Ratio (:1), Overall	N/A
------------------------------	-----

Lock to Lock Turns (Steering)	N/A
-------------------------------	-----

Turning Diameter - Curb to Curb	35.4 ft
---------------------------------	---------

Turning Diameter - Wall to Wall	N/A ft
---------------------------------	--------

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0604
Options plus all stand... | (options to superse...

Brakes

Brake Type	4-Wheel Disc
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	10.9 in
Rear Brake Rotor Diam x Thickness	10.8 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	13.2 gal
Aux Fuel Tank Capacity, Approx	N/A gal

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0604H
Options plus all standard equipment
(options to supersede std eq)

2020 Toyota Prius (Natl)



2020 Toyota Prius LE (Natl) (1223)

CLASS 0604H

SEDAN COMPACT 4 DOOR HYBRID

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0604H
Options plus all stand... | (options to superse...

Vehicle Information

SELECTED MODEL

Code	Description
1223	2020 Toyota Prius LE (Natl)

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
FE	50 STATE FEDERAL EMISSIONS
___	STANDARD PAINT
FD20	BLACK, FABRIC SEAT TRIM
2T	ALL-WEATHER FLOOR LINER PACKAGE, -inc: Cargo Liner, All-Weather Floor Liners, (PPO)

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0604H
Options plus all stand... | (options to superse...

Standard Equipment

MECHANICAL

Engine: 1.8L 4-Cylinder DOHC 16V VVT-i -inc: aluminum block and head
Transmission: Continuously Variable Automatic -inc: Electronically Controlled (ECVT)
Engine Auto Stop-Start Feature
Front-Wheel Drive
4.11 Axle Ratio
Battery w/Run Down Protection
Hybrid Electric Motor
Gas-Pressurized Shock Absorbers
Front And Rear Anti-Roll Bars
Electric Power-Assist Steering
11.3 Gal. Fuel Tank
Single Stainless Steel Exhaust
Strut Front Suspension w/Coil Springs
Double Wishbone Rear Suspension w/Coil Springs
Regenerative 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
Lithium Ion Traction Battery

EXTERIOR

Wheels: 15" 5-Spoke Alloy w/Full Wheel Covers
Tires: P195/65R15
Steel Spare Wheel
Compact Spare Tire Mounted Inside Under Cargo
Clearcoat Paint
Body-Colored Front Bumper w/Black Bumper Insert
Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
Black Side Windows Trim, Black Front Windshield Trim and Black Rear Window Trim
Body-Colored Door Handles
Body-Colored Power Heated Side Mirrors w/Manual Folding
Fixed Rear Window w/Fixed Interval Wiper and Defroster
Light Tinted Glass
Variable Intermittent Wipers
Galvanized Steel/Aluminum Panels
Lip Spoiler
Black Grille
Front License Plate Bracket
Liftgate Rear Cargo Access
Tailgate/Rear Door Lock Included w/Power Door Locks
Auto Off Projector Beam Led Low/High Beam Auto High-Beam Daytime Running Lights Preference Setting Headlamps w/Delay-Off
LED Brakelights

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0604H
Options plus all stand... | (options to superse...

ENTERTAINMENT

Radio: Audio -inc: 6 speakers, 7" touch-screen, AM/FM, Scout GPS Link compatible w/up to 3-year trial, Siri Eyes Free, Apple CarPlay and Amazon Alexa compatible, USB media port, 2 USB charge ports, hands-free phone capability, advanced voice recognition, music streaming via Bluetooth wireless technology and Connected Services (Safety Connect w/3-year trial and Wi-Fi Connect powered by Verizon w/up to 2 GB within 6-month trail)

Radio w/Seek-Scan, Clock, Speed Compensated Volume Control and Steering Wheel Controls

Integrated Roof Antenna

3 LCD Monitors In The Front

INTERIOR

Front Bucket Seats -inc: extended seatback pockets, 6-way adjustable driver's seat and 4-way adjustable front passenger seat

Driver Seat

Passenger Seat

60-40 Folding Bench Front Facing Fold Forward Seatback Rear Seat

Manual Tilt/Telescoping Steering Column

Gauges -inc: Speedometer, Odometer, Traction Battery Level, Power/Regen, Trip Odometer and Trip Computer

Power Rear Windows

Front Cupholder

Rear Cupholder

Proximity Key For Doors And Push Button Start

Remote Keyless Entry w/Integrated Key Transmitter, 2 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button

Remote Releases -Inc: Power Fuel

Cruise Control w/Steering Wheel Controls

Distance Pacing

Automatic Air Conditioning

HVAC -inc: Underseat Ducts

Illuminated Glove Box

Driver Foot Rest

Interior Trim -inc: Piano Black Instrument Panel Insert, Piano Black Door Panel Insert and Chrome/Metal-Look Interior Accents

Full Cloth Headliner

Urethane Gear Shift Knob

Fabric Seat Trim

Day-Night Rearview Mirror

Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination

Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 1 12V DC Power Outlet

Front Map Lights

Fade-To-Off Interior Lighting

Full Carpet Floor Covering

Carpet Floor Trim

Cargo Area Concealed Storage

Folding Cargo Cover

Cargo Space Lights

Driver And Passenger Door Bins

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0604H
Options plus all stand... | (options to superse...

Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
Delayed Accessory Power
Power Door Locks w/Autolock Feature
Systems Monitor
Trip Computer
Outside Temp Gauge
Digital Display
Seats w/Cloth Back Material
Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
Front Center Armrest and Rear Center Armrest
Engine Immobilizer
1 12V DC Power Outlet
Air Filtration

SAFETY

Electronic Stability Control (ESC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Lane Departure Alert with Steering Assist (LDA w/SA) Lane Keeping Assist
Lane Departure Alert with Steering Assist (LDA w/SA) Lane Departure Warning
Intelligent Clearance Sonar (ICS) w/Intelligent Parking Assist (IPA) Automated Parking Sensors
Blind Spot Monitor w/Lane Change Assist Blind Spot Sensor
Toyota Safety Sense P (TSS-P) and Rear Cross-Traffic Alert (RCTA)
Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags
Curtain 1st And 2nd Row Airbags
Airbag Occupancy Sensor
Driver Knee Airbag and Passenger Cushion Front Airbag
Rear Child Safety Locks
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
Back-Up Camera

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0604H
Options plus all stand... | (options to superse...

Technical Specifications

VEHICLE

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	3.4
EPA Greenhouse Gas Score	N/A

Vehicle

EPA Classification	Mid-Size Cars
--------------------	---------------

POWERTRAIN

Transmission

Drivetrain	Front Wheel Drive
Trans Order Code	
Trans Type	1
Trans Description Cont.	CVT w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	N/A
Reverse Ratio (:1)	N/A
Clutch Size	N/A in
Final Drive Axle Ratio (:1)	4.11

Mileage

EPA Fuel Economy Est - Hwy	50 MPG
Cruising Range - City	610.20 mi
EPA Fuel Economy Est - City	54 MPG
Fuel Economy Est-Combined	52 MPG
Cruising Range - Hwy	565.00 mi
EPA MPG Equivalent - City	N/A
EPA MPG Equivalent - Hwy	N/A
EPA MPG Equivalent - Combined	N/A
Battery Range	N/A mi

Engine

Engine Order Code	
Engine Type	Gas/Electric I-4
Displacement	1.8 L/110
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	121 @ 5200
SAE Net Torque @ RPM	105 @ 3600

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0604H
 Options plus all stand... | (options to superse...

Electrical

Cold Cranking Amps @ 0° F (Primary)	N/A
Maximum Alternator Capacity (amps)	N/A

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	5
Passenger Volume	93.1 ft ³
Front Head Room	39.4 in
Front Leg Room	42.3 in
Front Shoulder Room	55 in
Front Hip Room	53.4 in
Second Head Room	37.4 in
Second Leg Room	33.4 in
Second Shoulder Room	53 in
Second Hip Room	51.9 in

Exterior Dimensions

Wheelbase	106.3 in
Length, Overall	180 in
Width, Max w/o mirrors	69.3 in
Height, Overall	57.9 in
Track Width, Front	60.2 in
Track Width, Rear	60.6 in
Min Ground Clearance	N/A in
Liftover Height	N/A in

Cargo Area Dimensions

Cargo Volume with Rear Seat Up	24.6 ft ³
Cargo Volume with Rear Seat Down	N/A ft ³
Trunk Volume	N/A ft ³

CHASSIS

Weight Information

Base Curb Weight	3040 lbs
------------------	----------

Trailerling

Dead Weight Hitch - Max Trailer Wt.	N/A lbs
Dead Weight Hitch - Max Tongue Wt.	N/A lbs
Wt Distributing Hitch - Max Trailer Wt.	N/A lbs
Wt Distributing Hitch - Max Tongue Wt.	N/A lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 0604H
 Options plus all stand... | (options to superse...

Suspension

Suspension Type - Front	Strut
Suspension Type - Rear	Double Wishbone
Suspension Type - Front (Cont.)	Strut
Suspension Type - Rear (Cont.)	Double Wishbone
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires

Front Tire Order Code	
Rear Tire Order Code	
Spare Tire Order Code	
Front Tire Size	P195/65SR15
Rear Tire Size	P195/65SR15
Spare Tire Size	Compact

Wheels

Front Wheel Size	15 X 6.5 in
Rear Wheel Size	15 X 6.5 in
Spare Wheel Size	Compact in
Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum
Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Lock to Lock Turns (Steering)	N/A
Turning Diameter - Curb to Curb	33.5 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	4-Wheel Disc
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	10 in
Rear Brake Rotor Diam x Thickness	10.2 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0604H
Options plus all stand... | (options to superse...

Fuel Tank

Fuel Tank Capacity, Approx	11.3 gal
Aux Fuel Tank Capacity, Approx	N/A gal

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 0607
Options plus all standard equipment
(options to supersede std eq)

2020 Toyota Avalon (Natl)



2020 Toyota Avalon Hybrid XLE (Natl) (3504)

CLASS 0607

SEDAN FULLSIZE 4 DOOR HYBRID

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0607
Options plus all stand... | (options to superse...

Vehicle Information

SELECTED MODEL

Code	Description
3504	2020 Toyota Avalon Hybrid XLE (Natl)

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
FE	50 STATE EMISSIONS
---	STANDARD PAINT
EA20	BLACK, SOFTEX SEAT TRIM
2T	ALL WEATHER LINER PACKAGE, -inc: All Weather Floor Liners, Cargo Tray, (PPO)

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0607
Options plus all stand... | (options to superse...

Standard Equipment

MECHANICAL

Engine: 2.5L DOHC 16-Valve 4-Cylinder w/VVT-i -inc: eco, normal sport and EV drive modes
Transmission: Continuously Variable -inc: sequential shift mode
Engine Auto Stop-Start Feature
Transmission w/Driver Selectable Mode and Sequential Shift Control
Front-Wheel Drive
Battery w/Run Down Protection
Hybrid Electric Motor
Gas-Pressurized Shock Absorbers
Front And Rear Anti-Roll Bars
Electric Power-Assist Speed-Sensing Steering
13.2 Gal. Fuel Tank
Single Stainless Steel Exhaust
Strut Front Suspension w/Coil Springs
Multi-Link Rear Suspension w/Coil Springs
Regenerative 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake
Nickel Metal Hydride Traction Battery

EXTERIOR

Wheels: 17" x 7.5" Silver-Painted Alloy
Tires: P215/55R17 AS
Steel Spare Wheel
Compact Spare Tire Mounted Inside Under Cargo
Clearcoat Paint
Body-Colored Front Bumper
Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent and Chrome Bumper Insert
Chrome Side Windows Trim and Black Front Windshield Trim
Body-Colored Door Handles
Body-Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
Fixed Rear Window w/Defroster
Light Tinted Glass
Variable Intermittent Wipers
Front Windshield -inc: Sun Visor Strip
Fully Galvanized Steel Panels
Black Grille w/Chrome Surround
Trunk Rear Cargo Access
Fully Automatic Aero-Composite Led Low/High Beam Daytime Running Auto High-Beam Headlamps w/Delay-Off
Perimeter/Approach Lights
LED Brakelights
Laminated Glass

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0607
Options plus all stand... | (options to superse...

ENTERTAINMENT

Radio: Premium Audio w/Dynamic Navigation (041N) -inc: 8 speakers, 9" touch screen, audio jack, USB 2.0 port w/iPod connectivity and control, voice recognition, Bluetooth hands-free phone capability and music streaming, Apple CarPlay, Scout GPS Link w/3-year trial, Siri Eyes Free, HD Radio, Entune App Suite and SiriusXM satellite radio w/3-month SiriusXM All Access trial
Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls and Radio Data System
Window Grid Antenna
2 LCD Monitors In The Front

INTERIOR

8-way Adjustable Heated Front Seats -inc: 2-way power-adjustable lumbar
8-Way Power Driver Seat -inc: Power Recline, Height Adjustment, Fore/Aft Movement and Cushion Tilt
8-Way Power Passenger Seat -inc: Power Recline, Height Adjustment, Fore/Aft Movement and Cushion Tilt
60-40 Folding Bench Front Facing Fold Forward Seatback Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Traction Battery Level, Power/Regen, Trip Odometer and Trip Computer
Power Rear Windows
Selective Service Internet Access
Leather Steering Wheel
Front Cupholder
Rear Cupholder
Compass
Proximity Key For Doors And Push Button Start
Remote Keyless Entry w/Integrated Key Transmitter, 2 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
Remote Releases -Inc: Power Cargo Access and Power Fuel
HomeLink Garage Door Transmitter
Cruise Control w/Steering Wheel Controls
Distance Pacing w/Traffic Stop-Go
Dual Zone Front Automatic Air Conditioning
HVAC -inc: Underseat Ducts and Console Ducts
Illuminated Locking Glove Box
Driver Foot Rest
Interior Trim -inc: Simulated Wood Instrument Panel Insert, Simulated Wood Door Panel Insert, Leather Console Insert, Metal-Look Interior Accents and Leatherette Upholstered Dashboard
Full Cloth Headliner
Leatherette Door Trim Insert
Leather/Metal-Look Gear Shift Knob
Softex Seat Trim
Day-Night Auto-Dimming Rearview Mirror
Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 1 12V DC Power Outlet
Front And Rear Map Lights
Fade-To-Off Interior Lighting
Full Carpet Floor Covering

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0607
Options plus all stand... | (options to superse...

Carpet Floor Trim and Carpet Trunk Lid/Rear Cargo Door Trim
Cargo Area Concealed Storage
Cargo Space Lights
FOB Controls -inc: Trunk/Hatch/Tailgate
Tracker System
Instrument Panel Covered Bin, Driver / Passenger And Rear Door Bins
Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
Delayed Accessory Power
Power Door Locks w/Autolock Feature
Redundant Digital Speedometer
Trip Computer
Outside Temp Gauge
Analog Display
Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
Front Center Armrest and Rear Center Armrest w/Storage
2 Seatback Storage Pockets
Perimeter Alarm
Engine Immobilizer
1 12V DC Power Outlet
Air Filtration

SAFETY

Electronic Stability Control (ESC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Safety Connect with 1-year trial Emergency Sos
Blind Spot Monitor (BSM) Blind Spot Sensor
Pre-Collision System (PCS) and Rear Cross-Traffic Alert (RCTA)
Lane Departure Alert with Steering Assist (LDA w/SA) Lane Keeping Assist
Lane Departure Alert with Steering Assist (LDA w/SA) Lane Departure Warning
Tire Specific Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags
Curtain 1st And 2nd Row Airbags
Airbag Occupancy Sensor
Driver And Passenger Knee Airbag and Rear Side-Impact Airbag
Rear Child Safety Locks
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
Back-Up Camera

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0607
Options plus all stand... | (options to superse...

Technical Specifications

VEHICLE

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	4.0
EPA Greenhouse Gas Score	N/A

Vehicle

EPA Classification	Mid-Size Cars
--------------------	---------------

POWERTRAIN

Transmission

Drivetrain	Front Wheel Drive
Trans Order Code	
Trans Type	1
Trans Description Cont.	CVT w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	N/A
Reverse Ratio (:1)	N/A
Clutch Size	N/A in
Final Drive Axle Ratio (:1)	N/A

Mileage

EPA Fuel Economy Est - Hwy	44 MPG
Cruising Range - City	567.60 mi
EPA Fuel Economy Est - City	43 MPG
Fuel Economy Est-Combined	44 MPG
Cruising Range - Hwy	580.80 mi
EPA MPG Equivalent - City	N/A
EPA MPG Equivalent - Hwy	N/A
EPA MPG Equivalent - Combined	N/A
Battery Range	N/A mi

Engine

Engine Order Code	
Engine Type	Gas/Electric I-4
Displacement	2.5 L/152
Fuel System	Port/Direct Injection
SAE Net Horsepower @ RPM	215 @ 5700
SAE Net Torque @ RPM	163 @ 3600

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0607
Options plus all stand... | (options to superse...

Electrical

Cold Cranking Amps @ 0° F (Primary)	N/A
Maximum Alternator Capacity (amps)	N/A

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	5
Passenger Volume	103.8 ft ³
Front Head Room	38.5 in
Front Leg Room	42.1 in
Front Shoulder Room	58.3 in
Front Hip Room	55.8 in
Second Head Room	37.9 in
Second Leg Room	40.4 in
Second Shoulder Room	57.1 in
Second Hip Room	54.8 in

Exterior Dimensions

Wheelbase	113 in
Length, Overall	195.9 in
Width, Max w/o mirrors	72.8 in
Height, Overall	56.5 in
Track Width, Front	63 in
Track Width, Rear	63.6 in
Min Ground Clearance	5.3 in
Liftover Height	N/A in

Cargo Area Dimensions

Trunk Volume	16.1 ft ³
--------------	----------------------

CHASSIS

Weight Information

Base Curb Weight	3638 lbs
------------------	----------

Trailer

Dead Weight Hitch - Max Trailer Wt.	N/A lbs
Dead Weight Hitch - Max Tongue Wt.	N/A lbs
Wt Distributing Hitch - Max Trailer Wt.	N/A lbs
Wt Distributing Hitch - Max Tongue Wt.	N/A lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0607
Options plus all stand... | (options to superse...

Suspension

Suspension Type - Front	Strut
Suspension Type - Rear	Multi-Link
Suspension Type - Front (Cont.)	Strut
Suspension Type - Rear (Cont.)	Multi-Link
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires

Front Tire Order Code	
Rear Tire Order Code	
Spare Tire Order Code	
Front Tire Size	P215/55VR17
Rear Tire Size	P215/55VR17
Spare Tire Size	Compact

Wheels

Front Wheel Size	17 X 7.5 in
Rear Wheel Size	17 X 7.5 in
Spare Wheel Size	Compact in
Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum
Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Lock to Lock Turns (Steering)	N/A
Turning Diameter - Curb to Curb	37.7 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	4-Wheel Disc
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	12 in
Rear Brake Rotor Diam x Thickness	11.1 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 0607
Options plus all stand... | (options to superse...

Fuel Tank

Fuel Tank Capacity, Approx	13.2 gal
Aux Fuel Tank Capacity, Approx	N/A gal

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 4801
Options plus all standard equipment
(options to supersede std eq)

2020 Ford Escape FWD



2020 Ford Escape SE Sport Hybrid FWD (U0B)

CLASS 4801

UTILITY SPORT COMPACT FWD HYBRID

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4801
Options plus all stand... | (options to superse...

Vehicle Information

SELECTED MODEL

Code	Description
U0B	2020 Ford Escape SE Sport Hybrid FWD

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
99Z	ENGINE: 2.5L IVCT ATKINSON CYCLE I-4 HYBRID, (STD)
445	TRANSMISSION: ECVT, (STD)
201A	EQUIPMENT GROUP 201A
—	STANDARD PAINT
4H	DARK EARTH GRAY, HEATED UNIQUE CLOTH FRONT BUCKET SEATS, -inc: 10-way power driver seat (includes power lumbar and power recline) and 4-way manual front passenger (fore/aft w/manual recline)
153	FRONT LICENSE PLATE BRACKET, -inc: Standard in states requiring two license plates and optional to all others
50C	FRONT & REAR FLOOR LINERS
47B	EASY ACCESS CARGO SHADE
60S	REVERSE SENSING SYSTEM, Requires valid FIN code.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4801
Options plus all stand... | (options to superse...

Standard Equipment

MECHANICAL

Engine: 2.5L iVCT Atkinson Cycle I-4 Hybrid
Transmission: eCVT
2.91 Axle Ratio
GVWR: TBD
50-State Emissions System
Engine Auto Stop-Start Feature
Transmission w/Driver Selectable Mode and Oil Cooler
Front-Wheel Drive
Battery w/Run Down Protection
Hybrid Electric Motor
Gas-Pressurized Shock Absorbers
Front And Rear Anti-Roll Bars
Electric Power-Assist Speed-Sensing Steering
Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
14.2 Gal. Fuel Tank
Strut Front Suspension w/Coil Springs
Short And Long Arm Rear Suspension w/Coil Springs
Regenerative 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake
Brake Actuated Limited Slip Differential
Lithium Ion Traction Battery

EXTERIOR

Wheels: 17" Ebony Black Painted Aluminum
Tires: 225/65R17 AS BSW
Spare Tire Mobility Kit
Clearcoat Paint
Body-Colored Front Bumper w/Metal-Look Rub Strip/Fascia Accent and Black Bumper Insert
Black Rear Bumper w/Metal-Look Rub Strip/Fascia Accent
Black Bodyside Cladding and Black Wheel Well Trim
Black Side Windows Trim
Body-Colored Door Handles
Black Power Heated Side Mirrors w/Manual Folding
Fixed Rear Window w/Fixed Interval Wiper and Defroster
Variable Intermittent Wipers
Deep Tinted Glass
Fully Galvanized Steel Panels
Lip Spoiler
Black Grille
Liftgate Rear Cargo Access
Tailgate/Rear Door Lock Included w/Power Door Locks

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4801
Options plus all stand... | (options to superse...

Autolamp Fully Automatic Projector Beam Halogen Auto High-Beam Daytime Running Lights Preference Setting Headlamps w/Delay-Off

LED Brakelights

ENTERTAINMENT

Radio: AM/FM Stereo -inc: 6 speakers, speed compensated volume and SiriusXM radio w/a 6 month prepaid subscription, Note: SiriusXM audio and data services each require a subscription sold separately, or as a package, by Sirius XM Radio Inc, If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates, Fees and taxes apply, To cancel you must call SiriusXM at 1-866-635-2349, See SiriusXM Customer Agreement for complete terms at www.siriusxm.com, All fees and programming subject to change, Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc SiriusXM service is not available in Alaska and Hawaii.

Radio w/Seek-Scan, Clock, Aux Audio Input Jack, Steering Wheel Controls and Radio Data System

Integrated Roof Antenna

SYNC 3 Communications & Entertainment System -inc: enhanced voice recognition, 8" LCD capacitive touchscreen in center stack w/swipe capability, AppLink, 911 Assist, Apple CarPlay, Android Auto compatibility and 2 smart-charging USB ports

2 LCD Monitors In The Front

INTERIOR

8-Way Driver Seat

Passenger Seat

60-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Cloth Rear Seat

Manual Tilt/Telescoping Steering Column

Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Traction Battery Level, Power/Regen, Trip Odometer and Trip Computer

Power Rear Windows and Fixed 3rd Row Windows

Leather Steering Wheel

Front Cupholder

Rear Cupholder

Compass

Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button

Keypad

Proximity Key For Doors And Push Button Start

Remote Releases -Inc: Power Fuel

FordPass Connect -inc: 4G LTE Wi-Fi hotspot that connects up to 10 devices (includes a complimentary trial subscription of 3 months or 3 gigabytes - whichever comes first, Wireless service plan required after trial subscription ends, Visit www.att.com/ford to start complimentary trail and sign up for a wireless service plan), Remote start w/specific time scheduling, lock and unlock, locate parked vehicle and check vehicle status (service for 1 year from the vehicle sale date as recorded by the dealer)

Cruise Control w/Steering Wheel Controls

HVAC -inc: Underseat Ducts and Console Ducts

Voice Activated Automatic Air Conditioning

Illuminated Glove Box

Driver Foot Rest

Full Cloth Headliner

Cloth Door Trim Insert

Metal-Look Gear Shift Knob

Interior Trim -inc: Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4801
Options plus all stand... | (options to superse...

Heated Unique Cloth Front Bucket Seats -inc: 10-way power driver seat (includes power lumbar and power recline) and 4-way manual front passenger (fore/aft w/manual recline)
Day-Night Rearview Mirror
Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 2 12V DC Power Outlets
Front And Rear Map Lights
Fade-To-Off Interior Lighting
Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
Carpet Floor Trim
Cargo Area Concealed Storage
Cargo Features -inc: Spare Tire Mobility Kit
Cargo Space Lights
FOB Controls -inc: Trunk/Hatch/Tailgate
Instrument Panel Bin, Driver / Passenger And Rear Door Bins
Power 1st Row Windows w/Driver 1-Touch Down
Delayed Accessory Power
Power Door Locks w/Autolock Feature
Systems Monitor
Trip Computer
Outside Temp Gauge
Analog Display
Seats w/Cloth Back Material
Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
1 Seatback Storage Pocket
Front Center Armrest and Rear Center Armrest
Securilock Anti-Theft Ignition (pats) Engine Immobilizer
Air Filtration
2 12V DC Power Outlets

SAFETY

AdvanceTrac w/Roll Stability Control Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Ford Co-Pilot360 - Blind Spot Information System (BLIS) Blind Spot Sensor
Ford Co-Pilot360 - Automatic Emergency Braking (AEB) and Ford Co-Pilot360 - Cross-Traffic Alert
Lane Keeping Alert Lane Keeping Assist
Lane Keeping Alert Lane Departure Warning
Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags
Safety Canopy System Curtain 1st And 2nd Row Airbags
Airbag Occupancy Sensor
Driver Knee Airbag
Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4801
Options plus all stand... | (options to superse...

Rear Child Safety Locks
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
Back-Up Camera

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 4801
 Options plus all stand... | (options to superse...

Technical Specifications

VEHICLE

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	4.3
EPA Greenhouse Gas Score	N/A

Vehicle

EPA Classification	Small Sport Utility Vehicles 2WD
--------------------	----------------------------------

POWERTRAIN

Transmission

Drivetrain	Front Wheel Drive
Trans Order Code	445
Trans Type	1
Trans Description Cont.	CVT w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	N/A
Reverse Ratio (:1)	N/A
Clutch Size	N/A in
Final Drive Axle Ratio (:1)	2.91
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A

Mileage

EPA Fuel Economy Est - Hwy	37 MPG
Cruising Range - City	624.80 mi
EPA Fuel Economy Est - City	44 MPG
Fuel Economy Est-Combined	41 MPG
Cruising Range - Hwy	525.40 mi
EPA MPG Equivalent - City	N/A
EPA MPG Equivalent - Hwy	N/A
EPA MPG Equivalent - Combined	N/A

Engine

Engine Order Code	99Z
Engine Type	Gas/Electric I-4
Displacement	2.5 L/152
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	200 @ 6250
SAE Net Torque @ RPM	155 @ 4500

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4801
Options plus all stand... | (options to superse...

Electrical

Cold Cranking Amps @ 0° F (Primary)	N/A
Maximum Alternator Capacity (amps)	N/A

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	5
Passenger Volume	104 ft ³
Front Head Room	40 in
Front Leg Room	42.4 in
Front Shoulder Room	57.6 in
Front Hip Room	55.2 in
Second Head Room	39.3 in
Second Leg Room	38.9 in
Second Shoulder Room	56 in
Second Hip Room	53.3 in

Exterior Dimensions

Wheelbase	106.7 in
Length, Overall	180.5 in
Width, Max w/o mirrors	74.1 in
Height, Overall	66.1 in
Track Width, Front	62.4 in
Track Width, Rear	61.8 in
Min Ground Clearance	N/A in
Rear Door Opening Height	N/A in
Rear Door Opening Width	N/A in
Liftover Height	27.9 in

Cargo Area Dimensions

Cargo Area Length @ Floor to Seat 1	68.3 in
Cargo Area Length @ Floor to Seat 2	36.7 in
Cargo Area Length @ Floor to Seat 3	N/A in
Cargo Area Width @ Beltline	57.3 in
Cargo Box Width @ Wheelhousings	41.4 in
Cargo Box (Area) Height	32.8 in
Cargo Volume to Seat 1	60.8 ft ³
Cargo Volume to Seat 2	34.4 ft ³
Cargo Volume to Seat 3	34.4 ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4801
Options plus all stand... | (options to superse...

CHASSIS

Weight Information

Base Curb Weight	3554 lbs
Curb Weight - Front	N/A lbs
Curb Weight - Rear	N/A lbs
Maximum Payload Capacity	N/A lbs
Curb Weight	N/A lbs
Total Option Weight	0.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	1500 lbs
Dead Weight Hitch - Max Tongue Wt.	150 lbs
Wt Distributing Hitch - Max Trailer Wt.	1500 lbs
Wt Distributing Hitch - Max Tongue Wt.	150 lbs
Maximum Trailing Capacity	1500 lbs

Suspension

Suspension Type - Front	Strut
Suspension Type - Rear	Short And Long Arm
Suspension Type - Front (Cont.)	Strut
Suspension Type - Rear (Cont.)	Short And Long Arm
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires

Front Tire Order Code	
Rear Tire Order Code	
Spare Tire Order Code	
Front Tire Size	P225/65HR17
Rear Tire Size	P225/65HR17
Spare Tire Size	

Wheels

Front Wheel Size	17 X 7.5 in
Rear Wheel Size	17 X 7.5 in
Spare Wheel Size	
Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum
Spare Wheel Material	

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4801
Options plus all stand... | (options to superse...

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Lock to Lock Turns (Steering)	N/A
Turning Diameter - Curb to Curb	N/A ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	4-Wheel Disc
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	N/A in
Rear Brake Rotor Diam x Thickness	N/A in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	N/A in

Fuel Tank

Fuel Tank Capacity, Approx	14.2 gal
Aux Fuel Tank Capacity, Approx	N/A gal

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 4802
Options plus all standard equipment
(options to supersede std eq)

2020 Subaru Forester CVT



2020 Subaru Forester Premium CVT (LFF)

CLASS 4802

UTILITY SPORT COMPACT AWD

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4802
Options plus all stand... | (options to superse...

Vehicle Information

SELECTED MODEL

Code	Description
LFF	2020 Subaru Forester Premium CVT

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
14	DRIVER ASSIST TECHNOLOGY PKG & KEYLESS ACCESS, -inc: Keyless Access w/Push-Button Start, PIN code access, Blind Spot Detection w/Rear Cross Traffic Alert
___	STANDARD PAINT
BCJ20	BLACK, CLOTH UPHOLSTERY
___	FRONT LICENSE PLATE BRACKET, -inc: Part number SOA342L120, (DIO)
0NP	TRAILER HITCH, -inc: Part number L101SSJ000, (PIO) Ball mount sold separately. Hitch ball not included. Trailer brakes may be needed. Not compatible with bumper under guard - rear.
0HB	ALL-WEATHER FLOOR LINERS, -inc: Part number J501SSJ030, (PIO) Not intended for use on top of carpeted floor mats.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4802
Options plus all stand... | (options to superse...

Standard Equipment

MECHANICAL

Engine: 2.5L 4 Cyl DOHC 16V w/VVT -inc: Dual Active Valve Control System (DAVCS) variable valve timing
Transmission: Lineartronic CVT -inc: low shift mode, hill descent control (HDC) and X-MODE: single mode system
3.70 Axle Ratio
GVWR: 4,891 lbs
Engine Auto Stop-Start Feature
Transmission w/Driver Selectable Mode
Full-Time All-Wheel Drive
Battery w/Run Down Protection
Towing Equipment -inc: Trailer Sway Control
Gas-Pressurized Shock Absorbers
Front And Rear Anti-Roll Bars
Electric Power-Assist Speed-Sensing Steering
16.6 Gal. Fuel Tank
Single Stainless Steel Exhaust
Permanent Locking Hubs
Strut Front Suspension w/Coil Springs
Double Wishbone Rear Suspension w/Coil Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake
Brake Actuated Limited Slip Differential

EXTERIOR

Wheels: 17" x 7.0J Black Machine Finish Alloy -inc: Aluminum
Tires: 225/60R17 99H All-Season
Steel Spare Wheel
Compact Spare Tire Mounted Inside Under Cargo
Clearcoat Paint
Express Open/Close Sliding Glass Panoramic 1st And 2nd Row Sunroof w/Power Sunshade
Body-Colored Front Bumper
Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
Black Bodyside Cladding and Black Wheel Well Trim
Black Side Windows Trim and Black Front Windshield Trim
Body-Colored Door Handles
Body-Colored Power Heated Side Mirrors w/Manual Folding
Fixed Rear Window w/Variable Intermittent Wiper and Defroster
Deep Tinted Glass
Variable Intermittent Wipers w/Heated Wiper Park
Galvanized Steel/Aluminum Panels
Grille w/Chrome Bar
Lip Spoiler
Liftgate Rear Cargo Access
Tailgate/Rear Door Lock Included w/Power Door Locks

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4802
Options plus all stand... | (options to superse...

Roof Rack Rails Only
Perimeter/Approach Lights
LED Brakelights
Fully Automatic Projector Beam Led Low/High Beam Daytime Running Auto-Leveling Headlamps

ENTERTAINMENT

Radio: Subaru Starlink 6.5" Multimedia Plus System -inc: AM/FM stereo HD Radio w/single-disc CD player w/MP3/WMA/CRR/RW file capability, multi-touch gesture high resolution display, 6.5" LCD screen, voice activated controls, Bluetooth audio streaming connectivity, hands-free phone connectivity and hands-free SMS text messaging connectivity, iPod control capability, rear-vision camera display, SiriusXM All Access radio and Travel Link (subscription required), smartphone integration: AHA, Android Auto, CarPlay and Pandora, Starlink cloud applications: refer to subaru.com for app availability, dual USB input ports, 3.5mm auxiliary input jack, 6 speakers and body color roof mounted antenna
Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls and Radio Data System
2 LCD Monitors In The Front

INTERIOR

Heated Front Bucket Seats -inc: 10-way power driver's seat w/2-way power lumbar support and 4-way manual front passenger seat adjuster, height and tilt adjustable front head restraints and passenger front seat back pocket
8-Way Driver Seat
Passenger Seat
60-40 Folding Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Tachometer, Trip Odometer and Trip Computer
Power Rear Windows
Mobile Hotspot Internet Access
Leather/Metal-Look Steering Wheel
Front Cupholder
Rear Cupholder
Valet Function
Remote Keyless Entry w/Integrated Key Transmitter, 2 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
Remote Releases -Inc: Mechanical Fuel
Cruise Control w/Steering Wheel Controls
Distance Pacing w/Traffic Stop-Go
Automatic Air Conditioning
HVAC -inc: Underseat Ducts and Console Ducts
Locking Glove Box
Driver Foot Rest
Full Cloth Headliner
Cloth Door Trim Insert
Urethane Gear Shift Knob
Interior Trim -inc: Metal-Look Instrument Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
Cloth Upholstery
Day-Night Rearview Mirror
Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 3 12V DC Power Outlets
Front Map Lights

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4802
Options plus all stand... | (options to superse...

Fade-To-Off Interior Lighting
Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
Carpet Floor Trim
Cargo Area Concealed Storage
Roll-Up Cargo Cover
Cargo Space Lights
FOB Controls -inc: Trunk/Hatch/Tailgate
Smart Device Remote Engine Start
STARLINK Safety and Security Tracker System
Instrument Panel Bin, Driver / Passenger And Rear Door Bins
Power Door Locks w/Autolock Feature
Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
Systems Monitor
Trip Computer
Outside Temp Gauge
Digital/Analog Display
Seats w/Cloth Back Material
Manual Adjustable Rear Head Restraints
Front Center Armrest and Rear Center Armrest
Perimeter Alarm
Engine Immobilizer
3 12V DC Power Outlets
Air Filtration

SAFETY

Electronic Stability Control (ESC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
EyeSight Pre-Collision Braking
EyeSight Lane Keep Assist Lane Keeping Assist
EyeSight Lane Keep Assist Lane Departure Warning
Tire Specific Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags
Curtain 1st And 2nd Row Airbags
Airbag Occupancy Sensor
Driver Knee Airbag
Rear Child Safety Locks
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4802
Options plus all stand... | (options to superse...

Technical Specifications

VEHICLE

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	6.1
EPA Greenhouse Gas Score	N/A

Vehicle

EPA Classification	Small Sport Utility Vehicles 4WD
--------------------	----------------------------------

POWERTRAIN

Transmission

Drivetrain	All Wheel Drive
Trans Order Code	
Trans Type	7
Trans Description Cont.	CVT w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	3.60 - 0.75
Second Gear Ratio (:1)	N/A
Third Gear Ratio (:1)	N/A
Fourth Gear Ratio (:1)	N/A
Fifth Gear Ratio (:1)	N/A
Sixth Gear Ratio (:1)	N/A
Reverse Ratio (:1)	3.69
Clutch Size	N/A in
Final Drive Axle Ratio (:1)	3.70
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Seventh Gear Ratio (:1)	0.56

Mileage

EPA Fuel Economy Est - Hwy	33 MPG
Cruising Range - City	431.60 mi
EPA Fuel Economy Est - City	26 MPG
Fuel Economy Est-Combined	29 MPG
Cruising Range - Hwy	547.80 mi
EPA MPG Equivalent - City	N/A
EPA MPG Equivalent - Hwy	N/A
EPA MPG Equivalent - Combined	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4802
Options plus all stand... | (options to superse...

Engine

Engine Order Code	
Engine Type	Regular Unleaded H-4
Displacement	2.5 L/152
Fuel System	Gasoline Direct Injection
SAE Net Horsepower @ RPM	182 @ 5800
SAE Net Torque @ RPM	176 @ 4400

Electrical

Cold Cranking Amps @ 0° F (Primary)	N/A
Maximum Alternator Capacity (amps)	N/A

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	5
Passenger Volume	107.8 ft ³
Front Head Room	40.2 in
Front Leg Room	43.3 in
Front Shoulder Room	58.2 in
Front Hip Room	54.1 in
Second Head Room	37.7 in
Second Leg Room	39.4 in
Second Shoulder Room	57.2 in
Second Hip Room	53.6 in

Exterior Dimensions

Wheelbase	105.1 in
Length, Overall	182.1 in
Width, Max w/o mirrors	71.5 in
Height, Overall	68.1 in
Track Width, Front	61.6 in
Track Width, Rear	61.8 in
Min Ground Clearance	8.7 in
Rear Door Opening Height	N/A in
Rear Door Opening Width	N/A in
Liftover Height	28.4 in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4802
Options plus all stand... | (options to superse...

Cargo Area Dimensions

Cargo Area Length @ Floor to Seat 1	73.1 in
Cargo Area Length @ Floor to Seat 2	35.7 in
Cargo Area Length @ Floor to Seat 3	N/A in
Cargo Area Width @ Beltline	51.2 in
Cargo Box Width @ Wheelhousings	43.3 in
Cargo Box (Area) Height	32.4 in
Cargo Volume to Seat 1	70.9 ft ³
Cargo Volume to Seat 2	33 ft ³
Cargo Volume to Seat 3	33 ft ³

CHASSIS

Weight Information

Base Curb Weight	3522 lbs
Curb Weight - Front	N/A lbs
Curb Weight - Rear	N/A lbs
Maximum Payload Capacity	N/A lbs
Curb Weight	N/A lbs
Total Option Weight	0.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	1500 lbs
Dead Weight Hitch - Max Tongue Wt.	150 lbs
Wt Distributing Hitch - Max Trailer Wt.	1500 lbs
Wt Distributing Hitch - Max Tongue Wt.	150 lbs
Maximum Trailering Capacity	1500 lbs

Suspension

Suspension Type - Front	Strut
Suspension Type - Rear	Double Wishbone
Suspension Type - Front (Cont.)	Strut
Suspension Type - Rear (Cont.)	Double Wishbone
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 4802
 Options plus all stand... | (options to superse...

Tires

Front Tire Order Code	
Rear Tire Order Code	
Spare Tire Order Code	
Front Tire Size	P225/60HR17
Rear Tire Size	P225/60HR17
Spare Tire Size	Compact

Wheels

Front Wheel Size	17 X 7 in
Rear Wheel Size	17 X 7 in
Spare Wheel Size	Compact in
Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum
Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Lock to Lock Turns (Steering)	N/A
Turning Diameter - Curb to Curb	35.4 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	4-Wheel Disc
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	11.6 in
Rear Brake Rotor Diam x Thickness	11.2 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	16.6 gal
Aux Fuel Tank Capacity, Approx	N/A gal

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804
Options plus all standard equipment
(options to supersede std eq)

2020 Ford Expedition 4x4



2020 Ford Expedition XLT 4x4 (U1J)

CLASS 4804

UTILITY SPORT FULLSIZE 4X4

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804
Options plus all stand... | (options to superse...

Vehicle Information

SELECTED MODEL

Code	Description
U1J	2020 Ford Expedition XLT 4x4

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
99T	ENGINE: 3.5L ECOBOOST V6, -inc: auto start-stop technology (STD)
44U	TRANSMISSION: 10-SPEED AUTOMATIC W/SELECTSHIFT, (STD)
200A	EQUIPMENT GROUP 200A
X15	3.31 AXLE RATIO, (STD)
—	STANDARD PAINT
JH	EBONY, CLOTH FRONT CAPTAIN'S CHAIRS, -inc: 8-passenger seating, 8-way power driver seat w/manual recline and power lumbar and 2-way manual passenger seat
41K	SKID PLATES, Requires valid FIN codes.
153	FRONT LICENSE PLATE BRACKET, -inc: Standard in states requiring two license plates and optional to all others
47B	1ST & 2ND ROW FLOOR LINERS

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804
Options plus all stand... | (options to superse...

Standard Equipment

MECHANICAL

Engine: 3.5L EcoBoost V6 -inc: auto start-stop technology
Transmission: 10-Speed Automatic w/SelectShift
3.31 Axle Ratio
GVWR: 7,450 lbs
50 States Emissions System
Transmission w/Driver Selectable Mode and Oil Cooler
Electronic Transfer Case
Part And Full-Time Four-Wheel Drive
72-Amp/Hr 675CCA Maintenance-Free Battery w/Run Down Protection
150 Amp Alternator
Class III Towing Equipment -inc: Hitch and Trailer Sway Control
Trailer Wiring Harness
1700# Maximum Payload
Gas-Pressurized Shock Absorbers
Front And Rear Anti-Roll Bars
Electric Power-Assist Speed-Sensing Steering
23.3 Gal. Fuel Tank
Single Stainless Steel Exhaust w/Chrome Tailpipe Finisher
Auto Locking Hubs
Double Wishbone Front Suspension w/Coil Springs
Multi-Link Rear Suspension w/Coil Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control

EXTERIOR

Wheels: 18" Machined-Face Aluminum -inc: magnetic-painted pockets
Tires: P275/65R18 AT OWL
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Body-Colored Rear Step Bumper w/Gray Rub Strip/Fascia Accent
Body-Colored Front Bumper w/Colored Rub Strip/Fascia Accent and 2 Tow Hooks
Stainless Steel Side Windows Trim and Black Front Windshield Trim
Body-Colored Door Handles
Body-Colored Bodyside Cladding and Body-Colored Fender Flares
Body-Colored Power Heated Side Mirrors w/Manual Folding
Flip-Up Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
Deep Tinted Glass
Speed Sensitive Variable Intermittent Wipers w/Heated Wiper Park
Galvanized Steel/Aluminum Panels
Running Boards
Chrome Grille

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804
Options plus all stand... | (options to superse...

Liftgate Rear Cargo Access
Tailgate/Rear Door Lock Included w/Power Door Locks
Roof Rack Rails Only
Fully Automatic Aero-Composite Halogen Auto High-Beam Daytime Running Lights Preference Setting Headlamps w/Delay-Off
Front Fog Lamps
Perimeter/Approach Lights

ENTERTAINMENT

Radio: AM/FM Stereo w/MP3 Capable -inc: speed-compensated volume and 6 speakers
Radio w/Seek-Scan, Clock, Aux Audio Input Jack, Steering Wheel Controls and Radio Data System
Window Grid Antenna
SiriusXM Satellite Radio -inc: SiriusXM audio and data services each require a subscription sold separately, or as a package, by Sirius XM Radio Inc, If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates, Fees and taxes apply, To cancel you must call SiriusXM at 1-866-635-2349, See SiriusXM customer agreement for complete terms at www.siriusxm.com, All fees and programming subject to change, Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc, Not available in Alaska or Hawaii, 6-month prepaid subscription
SYNC 3 Communications & Entertainment System -inc: enhanced voice recognition, 8" center LCD capacitive touch-screen w/swiping and pinch-to-zoom capabilities (when ordered w/navigation system), AppLink, 911 Assist, Apple CarPlay and Android Auto compatibility and (2) smart charging USB ports in media hub
2 LCD Monitors In The Front

INTERIOR

Driver Seat
4-Way Passenger Seat -inc: Manual Fore/Aft Movement
40-20-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Cloth Rear Seat w/Manual Fore/Aft Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
Power Rear Windows and Fixed 3rd Row Windows
Fixed 60-40 Split-Bench Cloth 3rd Row Seat Front, Power Recline, Power Fold Into Floor and 3 Fixed Head Restraints
Leather Steering Wheel
Front Cupholder
Rear Cupholder
Front Cigar Lighter(s)
Compass
Keypad
Proximity Key For Push Button Start Only
Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
Remote Releases -Inc: Keyfob Rear Window
Garage Door Transmitter
Cruise Control w/Steering Wheel Controls
Rear HVAC w/Separate Controls
HVAC -inc: Underseat Ducts, Auxiliary Rear Heater and Headliner/Pillar Ducts
Dual Zone Front Automatic Air Conditioning
Glove Box
Interior Trim -inc: Metal-Look Interior Accents

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804
Options plus all stand... | (options to superse...

Full Cloth Headliner
Vinyl Door Trim Insert
Metal-Look Gear Shift Knob
Cloth Front Captain's Chairs -inc: 8-passenger seating, 8-way power driver seat w/manual recline and power lumbar and 2-way manual passenger seat
Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
Day-Night Auto-Dimming Rearview Mirror
Full Floor Console w/Covered Storage, Full Overhead Console w/Storage, Conversation Mirror and 4 12V DC Power Outlets
Front And Rear Map Lights
Fade-To-Off Interior Lighting
Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
Carpet Floor Trim
Cargo Net
Cargo Space Lights
Smart Device Remote Engine Start
Tracker System
Dashboard Storage, Driver / Passenger And Rear Door Bins
Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
Delayed Accessory Power
Power Door Locks w/Autolock Feature
Systems Monitor
Trip Computer
Outside Temp Gauge
Analog Display
Seats w/Cloth Back Material
Manual Adjustable Front Head Restraints and Fixed Rear Head Restraints
Front Center Armrest
Perimeter Alarm
Securilock Anti-Theft Ignition (pats) Engine Immobilizer
4 12V DC Power Outlets
Air Filtration

SAFETY

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Ford Co-Pilot360 - Blind Spot Information System (BLIS) Blind Spot Sensor
Ford Co-Pilot360 - Pre-Collision Assist with Automatic Emergency Braking (AEB) and Ford Co-Pilot360 - Cross-Traffic Alert
Lane Keeping Alert Lane Keeping Assist
Lane Keeping Alert Lane Departure Warning
Rear Parking Sensors
Tire Specific Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags
Safety Canopy System Curtain 1st, 2nd And 3rd Row Airbags

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804
Options plus all stand... | (options to superse...

Airbag Occupancy Sensor

Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute

Rear Child Safety Locks

Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners

Back-Up Camera w/Washer

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 4804
 Options plus all stand... | (options to superse...

Technical Specifications

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	9.4
EPA Greenhouse Gas Score	N/A

CHASSIS

Weight Information

Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Gross Axle Wt Rating - Front	3450 lbs
Gross Axle Wt Rating - Rear	4380 lbs
Curb Weight - Front	2913 lbs
Curb Weight - Rear	2779 lbs
Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs
Reserve Axle Capacity - Front	537.00 lbs
Reserve Axle Capacity - Rear	1601.00 lbs
As Spec'd Curb Weight	5692.00 lbs
As Spec'd Payload	1758.00 lbs
Maximum Payload Capacity	1758.00 lbs
Gross Combined Wt Rating	12100 lbs
Gross Axle Weight Rating	7830.00 lbs
Curb Weight	5692.00 lbs
Reserve Axle Capacity	2138.00 lbs
Total Option Weight	0.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	7450.00 lbs

Trailerling

Dead Weight Hitch - Max Trailer Wt.	5900 lbs
Dead Weight Hitch - Max Tongue Wt.	590 lbs
Wt Distributing Hitch - Max Trailer Wt.	5900 lbs
Wt Distributing Hitch - Max Tongue Wt.	590 lbs
Maximum Trailerling Capacity	5900 lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 4804
 Options plus all stand... | (options to superse...

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Double Wishbone
Suspension Type - Rear	Multi-Link
Spring Capacity - Front	N/A lbs
Spring Capacity - Rear	N/A lbs
Axle Type - Front	Independent
Axle Type - Rear	Independent
Axle Capacity - Front	N/A lbs
Axle Capacity - Rear	N/A lbs
Axle Ratio (:1) - Front	3.31
Axle Ratio (:1) - Rear	3.31
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	
Rear Tire Order Code	
Spare Tire Order Code	
Front Tire Size	P275/65TR18
Rear Tire Size	P275/65TR18
Spare Tire Size	Full-Size
Front Tire Capacity	N/A lbs
Rear Tire Capacity	N/A lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804
Options plus all stand... | (options to superse...

Wheels

Front Wheel Size	18 X 8.5 in
Rear Wheel Size	18 X 8.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum
Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	41 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	4-Wheel Disc
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	13 in
Rear Brake Rotor Diam x Thickness	13.5 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	23.3 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	N/A
Aux Fuel Tank Location	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804
Options plus all stand... | (options to superse...

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	44U
Trans Type	10
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.70
Second Gear Ratio (:1)	2.98
Third Gear Ratio (:1)	2.15
Fourth Gear Ratio (:1)	1.77
Fifth Gear Ratio (:1)	1.52
Sixth Gear Ratio (:1)	1.27
Reverse Ratio (:1)	4.87
Clutch Size	N/A in
Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	Electronic
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No
Seventh Gear Ratio (:1)	1.00
Eighth Gear Ratio (:1)	0.85
Ninth Gear Ratio (:1)	N/A
Tenth Gear Ratio (:1)	N/A

Mileage

EPA Fuel Economy Est - Hwy	22 MPG
Cruising Range - City	396.10 mi
EPA Fuel Economy Est - City	17 MPG
Fuel Economy Est-Combined	19 MPG
Cruising Range - Hwy	512.60 mi

Engine

Engine Order Code	99T
Engine Type	Twin Turbo Premium Unleaded V-6
Displacement	3.5 L/213
Fuel System	Gasoline Direct Injection
SAE Net Horsepower @ RPM	375 @ 5000
SAE Net Torque @ RPM	470 @ 3500
Engine Oil Cooler	None

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804
Options plus all stand... | (options to superse...

Electrical

Cold Cranking Amps @ 0° F (Primary)	675
Cold Cranking Amps @ 0° F (2nd)	675
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	150

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	8
Front Head Room	42 in
Front Leg Room	43.9 in
Front Shoulder Room	64.9 in
Front Hip Room	62.2 in
Second Head Room	40 in
Second Leg Room	41.5 in
Second Shoulder Room	64.8 in
Second Hip Room	62.6 in
Third Head Room	37.3 in
Third Leg Room	40.9 in
Third Shoulder Room	64.2 in
Third Hip Room	51.4 in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 4804
 Options plus all stand... | (options to superse...

Exterior Dimensions

Wheelbase	122.5 in
Length, Overall w/rear bumper	N/A in
Length, Overall	210 in
Width, Max w/o mirrors	79.9 in
Height, Overall	76.4 in
Track Width, Front	67.6 in
Track Width, Rear	67.2 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	N/A in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	N/A in
Ground Clearance, Rear	N/A in
Min Ground Clearance	9.8 in
Body Length	0.00 ft
Rear Door Opening Height	N/A in
Rear Door Opening Width	N/A in
Liftover Height	35.3 in
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Area Length @ Floor to Seat 1	N/A in
Cargo Area Length @ Floor to Seat 2	N/A in
Cargo Area Length @ Floor to Seat 3	N/A in
Cargo Box Width @ Top, Rear	N/A in
Cargo Area Width @ Beltline	N/A in
Cargo Box Width @ Floor	N/A in
Cargo Box Width @ Wheelhousings	N/A in
Cargo Box (Area) Height	N/A in
Tailgate Width	N/A in
Cargo Volume	N/A ft ³
Cargo Volume to Seat 1	104.6 ft ³
Cargo Volume to Seat 2	63.6 ft ³
Cargo Volume to Seat 3	20.9 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804
Options plus all stand... | (options to superse...

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804 EXT
Options plus all standard equipment
(options to supersede std eq)

2020 Ford Expedition Max 4x4



2020 Ford Expedition Max XL 4x4 (K1G)

CLASS 4804 EXT

UTILITY SPORT FULLSIZE 4X4 EXTENDED

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804 EXT
Options plus all stand... | (options to superse...

Vehicle Information

SELECTED MODEL

Code	Description
K1G	2020 Ford Expedition Max XL 4x4

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
99T	ENGINE: 3.5L ECOBOOST V6, -inc: auto start-stop technology (STD)
44U	TRANSMISSION: 10-SPEED AUTOMATIC W/SELECTSHIFT, (STD)
101A	EQUIPMENT GROUP 101A, -inc: 3rd Row 60/40 PowerFold Seat, 8-passenger seating, cloth material and power recline, SiriusXM Satellite Radio SiriusXM audio and data services each require a subscription sold separately, or as a package, by Sirius XM Radio Inc, If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates, Fees and taxes apply, To cancel you must call SiriusXM at 1-866-635-2349, See SiriusXM customer agreement for complete terms at www.siriusxm.com, All fees and programming subject to change, Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc, Not available in Alaska or Hawaii, 6-month prepaid subscription
X15	3.31 AXLE RATIO, (STD)
—	STANDARD PAINT
LH	EBONY, CLOTH FRONT CAPTAIN'S CHAIRS, -inc: 5-passenger seating, 8-way power driver seat w/manual recline and power lumbar and 2-way manual passenger seat
41K	SKID PLATES, -inc: fuel tank underbody protection
153	FRONT LICENSE PLATE BRACKET, -inc: Standard in states requiring two license plates and optional to all others
87P	3RD ROW 60/40 POWERFOLD SEAT, -inc: 8-passenger seating, w/101A,100A-inc: cloth material and power recline w/102A-inc: vinyl material and power recline Deletes standard 3rd row storage bins.
47B	1ST & 2ND ROW FLOOR LINERS
66R	REVERSE SENSING SYSTEM

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804 EXT
Options plus all stand... | (options to superse...

Standard Equipment

MECHANICAL

Engine: 3.5L EcoBoost V6 -inc: auto start-stop technology
Transmission: 10-Speed Automatic w/SelectShift
3.31 Axle Ratio
GVWR: 7,550 lbs
50 States Emissions System
Transmission w/Driver Selectable Mode and Oil Cooler
Electronic Transfer Case
Part And Full-Time Four-Wheel Drive
72-Amp/Hr 675CCA Maintenance-Free Battery w/Run Down Protection
150 Amp Alternator
Class III Towing Equipment -inc: Hitch and Trailer Sway Control
Trailer Wiring Harness
1690# Maximum Payload
Gas-Pressurized Shock Absorbers
Front And Rear Anti-Roll Bars
Electric Power-Assist Speed-Sensing Steering
28.3 Gal. Fuel Tank
Single Stainless Steel Exhaust
Auto Locking Hubs
Double Wishbone Front Suspension w/Coil Springs
Multi-Link Rear Suspension w/Coil Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control

EXTERIOR

Wheels: 18" Machined-Face Aluminum -inc: magnetic-painted pockets
Tires: P275/65R18 AT OWL
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Body-Colored Rear Step Bumper w/Gray Rub Strip/Fascia Accent
Body-Colored Front Bumper w/Gray Rub Strip/Fascia Accent and 2 Tow Hooks
Black Bodyside Cladding and Black Fender Flares
Stainless Steel Side Windows Trim and Black Front Windshield Trim
Body-Colored Door Handles
Black Power Heated Side Mirrors w/Manual Folding
Flip-Up Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
Deep Tinted Glass
Speed Sensitive Variable Intermittent Wipers
Galvanized Steel/Aluminum Panels
Running Boards
Black Grille w/Chrome Surround

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804 EXT
Options plus all stand... | (options to superse...

Liftgate Rear Cargo Access
Tailgate/Rear Door Lock Included w/Power Door Locks
Roof Rack Rails Only
Fully Automatic Aero-Composite Halogen Auto High-Beam Daytime Running Lights Preference Setting Headlamps w/Delay-Off
Front Fog Lamps
Perimeter/Approach Lights

ENTERTAINMENT

Radio: AM/FM Stereo w/MP3 Capable -inc: speed-compensated volume and 6 speakers
Radio w/Seek-Scan, Clock, Aux Audio Input Jack, Steering Wheel Controls and Radio Data System
Streaming Audio
Window Grid Antenna
SYNC Communications & Entertainment System -inc: enhanced voice recognition, 911 Assist, 4.2" LCD screen in center stack, AppLink and (1) smart charging USB port in media hub
2 LCD Monitors In The Front

INTERIOR

Driver Seat
4-Way Passenger Seat -inc: Manual Fore/Aft Movement
40-20-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Cloth Rear Seat w/Manual Fore/Aft Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
Power Rear Windows and Fixed 3rd Row Windows
Leather Steering Wheel
Front Cupholder
Rear Cupholder
Front Cigar Lighter(s)
Compass
Keypad
Proximity Key For Push Button Start Only
Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
Remote Releases -Inc: Keyfob Rear Window
Cruise Control w/Steering Wheel Controls
Manual Air Conditioning
Rear HVAC w/Separate Controls
HVAC -inc: Underseat Ducts, Auxiliary Rear Heater and Headliner/Pillar Ducts
Glove Box
Interior Trim -inc: Metal-Look Interior Accents
Full Cloth Headliner
Vinyl Door Trim Insert
Metal-Look Gear Shift Knob
Cloth Front Captain's Chairs -inc: 5-passenger seating, 8-way power driver seat w/manual recline and power lumbar and 2-way manual passenger seat
Day-Night Rearview Mirror

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804 EXT
Options plus all stand... | (options to superse...

Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
Full Floor Console w/Covered Storage, Full Overhead Console w/Storage, Conversation Mirror and 4 12V DC Power Outlets
Front And Rear Map Lights
Fade-To-Off Interior Lighting
Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
Carpet Floor Trim
Cargo Net
Cargo Space Lights
Smart Device Remote Engine Start
Tracker System
Dashboard Storage, Driver / Passenger And Rear Door Bins
Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
Delayed Accessory Power
Power Door Locks w/Autolock Feature
Systems Monitor
Trip Computer
Outside Temp Gauge
Analog Display
Seats w/Cloth Back Material
Manual Adjustable Front Head Restraints and Fixed Rear Head Restraints
Front Center Armrest
Perimeter Alarm
Securilock Anti-Theft Ignition (pats) Engine Immobilizer
4 12V DC Power Outlets
Air Filtration

SAFETY

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Ford Co-Pilot360 - Blind Spot Information System (BLIS) Blind Spot Sensor
Ford Co-Pilot360 - Pre-Collision Assist with Automatic Emergency Braking (AEB) and Ford Co-Pilot360 - Cross-Traffic Alert
Lane Keeping Alert Lane Keeping Assist
Lane Keeping Alert Lane Departure Warning
Tire Specific Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags
Safety Canopy System Curtain 1st, 2nd And 3rd Row Airbags
Airbag Occupancy Sensor
Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute
Rear Child Safety Locks
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
Back-Up Camera w/Washer

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804 EXT
Options plus all stand... | (options to superse...

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 4804 EXT
 Options plus all stand... | (options to superse...

Technical Specifications

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	9.9
EPA Greenhouse Gas Score	N/A

CHASSIS

Weight Information

Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Gross Axle Wt Rating - Front	3450 lbs
Gross Axle Wt Rating - Rear	4380 lbs
Curb Weight - Front	2912 lbs
Curb Weight - Rear	2881 lbs
Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs
Reserve Axle Capacity - Front	538.00 lbs
Reserve Axle Capacity - Rear	1499.00 lbs
As Spec'd Curb Weight	5793.00 lbs
As Spec'd Payload	1757.00 lbs
Maximum Payload Capacity	1757.00 lbs
Gross Combined Wt Rating	12400 lbs
Gross Axle Weight Rating	7830.00 lbs
Curb Weight	5793.00 lbs
Reserve Axle Capacity	2037.00 lbs
Total Option Weight	0.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	7550.00 lbs

Trailerling

Dead Weight Hitch - Max Trailer Wt.	6000 lbs
Dead Weight Hitch - Max Tongue Wt.	600 lbs
Wt Distributing Hitch - Max Trailer Wt.	6000 lbs
Wt Distributing Hitch - Max Tongue Wt.	600 lbs
Maximum Trailerling Capacity	6000 lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 4804 EXT
 Options plus all stand... | (options to superse...

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Double Wishbone
Suspension Type - Rear	Multi-Link
Spring Capacity - Front	N/A lbs
Spring Capacity - Rear	N/A lbs
Axle Type - Front	Independent
Axle Type - Rear	Independent
Axle Capacity - Front	N/A lbs
Axle Capacity - Rear	N/A lbs
Axle Ratio (:1) - Front	3.31
Axle Ratio (:1) - Rear	3.31
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	
Rear Tire Order Code	
Spare Tire Order Code	
Front Tire Size	P275/65TR18
Rear Tire Size	P275/65TR18
Spare Tire Size	Full-Size
Front Tire Capacity	N/A lbs
Rear Tire Capacity	N/A lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804 EXT
Options plus all stand... | (options to superse...

Wheels

Front Wheel Size	18 X 8.5 in
Rear Wheel Size	18 X 8.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum
Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	43.3 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	4-Wheel Disc
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	13 in
Rear Brake Rotor Diam x Thickness	13.5 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	28.3 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	N/A
Aux Fuel Tank Location	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804 EXT
Options plus all stand... | (options to superse...

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	44U
Trans Type	10
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.70
Second Gear Ratio (:1)	2.98
Third Gear Ratio (:1)	2.15
Fourth Gear Ratio (:1)	1.77
Fifth Gear Ratio (:1)	1.52
Sixth Gear Ratio (:1)	1.27
Reverse Ratio (:1)	4.87
Clutch Size	N/A in
Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	Electronic
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No
Seventh Gear Ratio (:1)	1.00
Eighth Gear Ratio (:1)	0.85
Ninth Gear Ratio (:1)	N/A
Tenth Gear Ratio (:1)	N/A

Mileage

EPA Fuel Economy Est - Hwy	21 MPG
Cruising Range - City	452.80 mi
EPA Fuel Economy Est - City	16 MPG
Fuel Economy Est-Combined	18 MPG
Cruising Range - Hwy	594.30 mi

Engine

Engine Order Code	99T
Engine Type	Twin Turbo Premium Unleaded V-6
Displacement	3.5 L/213
Fuel System	Gasoline Direct Injection
SAE Net Horsepower @ RPM	375 @ 5000
SAE Net Torque @ RPM	470 @ 3500
Engine Oil Cooler	None

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804 EXT
Options plus all stand... | (options to superse...

Electrical

Cold Cranking Amps @ 0° F (Primary)	675
Cold Cranking Amps @ 0° F (2nd)	675
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	150

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	8
Front Head Room	42 in
Front Leg Room	43.9 in
Front Shoulder Room	64.9 in
Front Hip Room	62.2 in
Second Head Room	40 in
Second Leg Room	42.6 in
Second Shoulder Room	64.8 in
Second Hip Room	62.6 in
Third Head Room	37.3 in
Third Leg Room	40.9 in
Third Shoulder Room	64.3 in
Third Hip Room	51.4 in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804 EXT
Options plus all stand... | (options to superse...

Exterior Dimensions

Wheelbase	131.6 in
Length, Overall w/rear bumper	N/A in
Length, Overall	221.9 in
Width, Max w/o mirrors	79.9 in
Height, Overall	76.2 in
Track Width, Front	67.6 in
Track Width, Rear	67.2 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	N/A in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	N/A in
Ground Clearance, Rear	N/A in
Min Ground Clearance	9.7 in
Body Length	0.00 ft
Rear Door Opening Height	N/A in
Rear Door Opening Width	N/A in
Liftover Height	34.9 in
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Area Length @ Floor to Seat 1	N/A in
Cargo Area Length @ Floor to Seat 2	N/A in
Cargo Area Length @ Floor to Seat 3	N/A in
Cargo Box Width @ Top, Rear	N/A in
Cargo Area Width @ Beltline	N/A in
Cargo Box Width @ Floor	N/A in
Cargo Box Width @ Wheelhousings	N/A in
Cargo Box (Area) Height	N/A in
Tailgate Width	N/A in
Cargo Volume	N/A ft ³
Cargo Volume to Seat 1	121.4 ft ³
Cargo Volume to Seat 2	36 ft ³
Cargo Volume to Seat 3	36 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4804 EXT
Options plus all stand... | (options to superse...

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 4811
Options plus all standard equipment
(options to supersede std eq)

2020 Jeep Grand Cherokee 4x4



2020 Jeep Grand Cherokee Laredo 4x4 (WKJH74)

CLASS 4811

UTILITY SPORT MIDSIZE 4X4

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4811
Options plus all stand... | (options to superse...

Vehicle Information

SELECTED MODEL

Code	Description
WKJH74	2020 Jeep Grand Cherokee Laredo 4x4

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
ERC	ENGINE: 3.6L V6 24V VVT UPG I W/ESS, (STD)
DFT	TRANSMISSION: 8-SPEED AUTOMATIC (850RE), (STD)
2BA	QUICK ORDER PACKAGE 2BA, -inc: Engine: 3.6L V6 24V VVT UPG I w/ESS, Transmission: 8-Speed Automatic (850RE)
—	STANDARD PAINT
A5X9	BLACK, CLOTH BUCKET SEATS
TBP	FULL SIZE SPARE TIRE, -inc: Steel Spare Wheel
MDA	FRONT LICENSE PLATE BRACKET

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4811
Options plus all stand... | (options to superse...

Standard Equipment

MECHANICAL

Engine: 3.6L V6 24V VVT UPG I w/ESS
Transmission: 8-Speed Automatic (850RE)
3.45 Rear Axle Ratio
Normal Duty Suspension
GVWR: 6,500 lbs
50 State Emissions
Engine Auto Stop-Start Feature
Transmission w/Driver Selectable Mode and Sequential Shift Control
Automatic Full-Time Four-Wheel Drive
Engine Oil Cooler
650CCA Maintenance-Free Battery w/Run Down Protection
160 Amp Alternator
Towing Equipment -inc: Trailer Sway Control
1370# Maximum Payload
Gas-Pressurized Shock Absorbers
Front And Rear Anti-Roll Bars
Electric Power-Assist Steering
24.6 Gal. Fuel Tank
Single Stainless Steel Exhaust
Permanent Locking Hubs
Short And Long Arm Front Suspension w/Coil Springs
Multi-Link Rear Suspension w/Coil Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 17" x 8.0" Silver Aluminum
Tires: P245/70R17 BSW On/Off Road
Steel Spare Wheel
Compact Spare Tire Mounted Inside Under Cargo
Clearcoat Paint
Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent
Body-Colored Rear Step Bumper w/Black Rub Strip/Fascia Accent
Chrome Side Windows Trim and Black Front Windshield Trim
Rocker Panel Extensions and Black Wheel Well Trim
Body-Colored Door Handles
Body-Colored Power Heated Side Mirrors w/Manual Folding
Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
Deep Tinted Glass
Speed Sensitive Variable Intermittent Wipers
Galvanized Steel/Aluminum Panels
Lip Spoiler

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4811
Options plus all stand... | (options to superse...

Body-Colored Grille w/Chrome Accents
Liftgate Rear Cargo Access
Tailgate/Rear Door Lock Included w/Power Door Locks
Front Fog Lamps
Perimeter/Approach Lights
LED Brakelights
Fully Automatic Aero-Composite Halogen Daytime Running Headlamps w/Delay-Off
Laminated Glass

ENTERTAINMENT

Radio: Uconnect 4 w/7" Display
Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Voice Activation and Radio Data System
Graphic Equalizer
6 Speakers
Streaming Audio
GPS Antenna Input
Steering Wheel Mounted Audio Controls
Integrated Center Stack Radio
2 LCD Monitors In The Front

INTERIOR

4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
4-Way Passenger Seat -inc: Manual Recline, Fore/Aft Movement and Fold Flat
60-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Cloth Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
Power Rear Windows and Fixed 3rd Row Windows
Leather/Metal-Look Steering Wheel
Illuminated Front Cupholder
Rear Cupholder
3 12V DC Power Outlets
Compass
Proximity Key For Doors And Push Button Start
Valet Function
Power Fuel Flap Locking Type
Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
Remote Releases -Inc: Power Fuel
Cruise Control w/Steering Wheel Controls
HVAC -inc: Console Ducts
Dual Zone Front Automatic Air Conditioning w/Front Infrared
Illuminated Locking Glove Box
Full Cloth Headliner
Leather/Metal-Look Gear Shift Knob

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4811
Options plus all stand... | (options to superse...

Interior Trim -inc: Simulated Wood/Metal-Look Instrument Panel Insert, Simulated Wood Door Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents

Cloth Bucket Seats

Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination

Day-Night Rearview Mirror

Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 3 12V DC Power Outlets

Front And Rear Map Lights

Fade-To-Off Interior Lighting

Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats

Carpet Floor Trim

Cargo Area Concealed Storage

Cargo Features -inc: Cargo Tray/Organizer

Cargo Space Lights

Tracker System

FOB Controls -inc: Trunk/Hatch/Tailgate

USB Host Flip

Integrated Voice Command w/Bluetooth

Google Android Auto

Apple CarPlay

Instrument Panel Covered Bin, Driver / Passenger And Rear Door Bins

Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down

Delayed Accessory Power

Power Door Locks w/Autolock Feature

Systems Monitor

Trip Computer

Outside Temp Gauge

Digital/Analog Display

Manual Anti-Whiplash Adjustable Front Head Restraints and Fixed Rear Head Restraints

Front Center Armrest w/Storage and Rear Center Armrest

2 Seatback Storage Pockets

Sentry Key Engine Immobilizer

Air Filtration

SAFETY

Electronic Stability Control (ESC) And Roll Stability Control (RSC)

ABS And Driveline Traction Control

Side Impact Beams

Dual Stage Driver And Passenger Seat-Mounted Side Airbags

Blind Spot Monitoring System Blind Spot Sensor

ParkSense with Stop Rear Parking Sensors

Tire Specific Low Tire Pressure Warning

Dual Stage Driver And Passenger Front Airbags

Curtain 1st And 2nd Row Airbags

Airbag Occupancy Sensor

Driver Knee Airbag

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4811
Options plus all stand... | (options to superse...

Rear Child Safety Locks
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
ParkView Back-Up Camera

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4811
Options plus all stand... | (options to superse...

Technical Specifications

VEHICLE

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	8.4 (Est)
EPA Greenhouse Gas Score	N/A

Vehicle

EPA Classification	Standard Sport Utility Vehicles 4WD
--------------------	-------------------------------------

POWERTRAIN

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	DFT
Trans Type	8
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.71
Second Gear Ratio (:1)	3.14
Third Gear Ratio (:1)	2.11
Fourth Gear Ratio (:1)	1.67
Fifth Gear Ratio (:1)	1.28
Sixth Gear Ratio (:1)	1.00
Reverse Ratio (:1)	3.29
Clutch Size	N/A in
Final Drive Axle Ratio (:1)	3.45
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Seventh Gear Ratio (:1)	0.84
Eighth Gear Ratio (:1)	0.67

Mileage

EPA Fuel Economy Est - Hwy	25 (Est) MPG
Cruising Range - City	442.80 mi
EPA Fuel Economy Est - City	18 (Est) MPG
Fuel Economy Est-Combined	21 (Est) MPG
Cruising Range - Hwy	615.00 mi
EPA MPG Equivalent - City	N/A
EPA MPG Equivalent - Hwy	N/A
EPA MPG Equivalent - Combined	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4811
Options plus all stand... | (options to superse...

Engine	
Engine Order Code	ERC
Engine Type	Regular Unleaded V-6
Displacement	3.6 L/220
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	293 @ 6400
SAE Net Torque @ RPM	260 @ 4000

Electrical	
Cold Cranking Amps @ 0° F (Primary)	650
Maximum Alternator Capacity (amps)	160

Cooling System	
Total Cooling System Capacity	N/A qts

DIMENSIONS

Interior Dimensions	
Passenger Capacity	5
Passenger Volume	105.4 ft ³
Front Head Room	39.9 in
Front Leg Room	40.3 in
Front Shoulder Room	58.7 in
Front Hip Room	57 in
Second Head Room	39.2 in
Second Leg Room	38.6 in
Second Shoulder Room	58 in
Second Hip Room	56.2 in

Exterior Dimensions	
Wheelbase	114.8 in
Length, Overall	189.8 in
Width, Max w/o mirrors	76.5 in
Height, Overall	69.3 in
Track Width, Front	63.9 in
Track Width, Rear	64.1 in
Min Ground Clearance	8.6 in
Rear Door Opening Height	N/A in
Rear Door Opening Width	N/A in
Liftover Height	32.4 in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4811
Options plus all stand... | (options to superse...

Cargo Area Dimensions

Cargo Area Length @ Floor to Seat 1	N/A in
Cargo Area Length @ Floor to Seat 2	N/A in
Cargo Area Length @ Floor to Seat 3	N/A in
Cargo Area Width @ Beltline	N/A in
Cargo Box Width @ Wheelhousings	N/A in
Cargo Box (Area) Height	N/A in
Cargo Volume to Seat 1	68.3 ft ³
Cargo Volume to Seat 2	36.3 ft ³
Cargo Volume to Seat 3	36.3 ft ³

CHASSIS

Weight Information

Base Curb Weight	4625 lbs
Curb Weight - Front	N/A lbs
Curb Weight - Rear	N/A lbs
Maximum Payload Capacity	N/A lbs
Curb Weight	N/A lbs
Total Option Weight	0.00 lbs

Trailerling

Dead Weight Hitch - Max Trailer Wt.	3500 lbs
Dead Weight Hitch - Max Tongue Wt.	350 lbs
Wt Distributing Hitch - Max Trailer Wt.	3500 lbs
Wt Distributing Hitch - Max Tongue Wt.	350 lbs
Maximum Trailerling Capacity	3500 lbs

Suspension

Suspension Type - Front	Short And Long Arm
Suspension Type - Rear	Multi-Link
Suspension Type - Front (Cont.)	Short And Long Arm
Suspension Type - Rear (Cont.)	Multi-Link
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 4811
 Options plus all stand... | (options to superse...

Tires

Front Tire Order Code	TY8
Rear Tire Order Code	TY8
Spare Tire Order Code	TBP
Front Tire Size	P245/70SR17
Rear Tire Size	P245/70SR17
Spare Tire Size	Full-Size

Wheels

Front Wheel Size	17 X 8 in
Rear Wheel Size	17 X 8 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum
Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Lock to Lock Turns (Steering)	N/A
Turning Diameter - Curb to Curb	37.1 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	4-Wheel Disc
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	13 in
Rear Brake Rotor Diam x Thickness	13 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	24.6 gal
Aux Fuel Tank Capacity, Approx	N/A gal

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 4901
Options plus all standard equipment
(options to supersede std eq)

2020 Toyota Sienna FWD 7-Passenger (Natl)



2020 Toyota Sienna L FWD 7-Passenger (Natl) (5328)

CLASS 4901

VAN PASSENGER MINI FWD

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4901
Options plus all stand... | (options to superse...

Vehicle Information

SELECTED MODEL

Code	Description
5328	2020 Toyota Sienna L FWD 7-Passenger (Natl)

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
FE	50 STATE EMISSIONS
---	STANDARD PAINT
FA14	ASH, FABRIC SEAT MATERIAL
2T	ALL WEATHER FLOOR LINERS & DOOR SILL PROTECTORS, -inc: door sill protector, (PPO)

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4901
Options plus all stand... | (options to superse...

Standard Equipment

MECHANICAL

Engine: 3.5L DOHC V6 SMPI
Transmission: Electronic 8-Speed Automatic
Axle Ratio: 3.003
GVWR: 5,995 lbs
Transmission w/Sequential Shift Control
Front-Wheel Drive
Engine Oil Cooler
Battery w/Run Down Protection
1380# Maximum Payload
Gas-Pressurized Shock Absorbers
Front And Rear Anti-Roll Bars
Electric Power-Assist Speed-Sensing Steering
20 Gal. Fuel Tank
Single Stainless Steel Exhaust
Strut Front Suspension w/Coil Springs
Torsion Beam Rear Suspension w/Coil Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs and Brake Assist

EXTERIOR

Wheels: 17" 5-Spoke Alloy
Tires: P235/60R17 AS
Wheels w/Silver Accents
Steel Spare Wheel
Compact Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Body-Colored Front Bumper
Body-Colored Rear Bumper
Black Side Windows Trim
Black Door Handles
Black Power Side Mirrors w/Convex Spotter and Manual Folding
Fixed Rear Window w/Fixed Interval Wiper and Defroster
Deep Tinted Glass
Variable Intermittent Wipers w/Heated Wiper Park
Front Windshield -inc: Sun Visor Strip
Fully Galvanized Steel Panels
Lip Spoiler
Black Grille
Sliding Rear Doors
Liftgate Rear Cargo Access
Tailgate/Rear Door Lock Included w/Power Door Locks
Fully Automatic Projector Beam Halogen Auto High-Beam Daytime Running Lights Preference Setting Headlamps w/Delay-Off

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4901
Options plus all stand... | (options to superse...

ENTERTAINMENT

Radio: Entune 3.0 Audio w/App Suite -inc: 6 speakers, 7-inch touchscreen, AM/FM, Scout GPS Link compatibility, Siri Eyes Free, auxiliary port, USB 2.0 port w/iPod connectivity and control, hands-free phone capability and advanced voice recognition and music streaming via Bluetooth
Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls and Radio Data System
Window Grid And Roof Mount Diversity Antenna
2 LCD Monitors In The Front

INTERIOR

Front Bucket Seats -inc: 6-way manual driver and 4-way manual passenger seats
Driver Seat
Passenger Seat
Removable Bucket Folding Captain Front Facing Manual Reclining Fold-Up Cushion Rear Seat w/Manual Fore/Aft
Driver And Front Passenger Armrests and Rear Seat Mounted Armrest
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer and Trip Odometer
Power Rear Windows and Manual Vented 3rd Row Windows
Fixed 60-40 Split-Bench 3rd Row Seat Front, Manual Recline, Manual Fold Into Floor, 3 Manual and Adjustable Head Restraints
Front Cupholder
Rear Cupholder
Valet Function
Remote Keyless Entry w/Illuminated Entry, Illuminated Ignition Switch and Panic Button
Remote Releases -Inc: Mechanical Fuel
Cruise Control w/Steering Wheel Controls
Distance Pacing
Dual Zone Front Automatic Air Conditioning
Rear HVAC w/Separate Controls
HVAC -inc: Underseat Ducts and Headliner/Pillar Ducts
Locking Glove Box
Driver Foot Rest
Interior Trim -inc: Colored Instrument Panel Insert, Colored Door Panel Insert and Metal-Look Interior Accents
Full Cloth Headliner
Vinyl Door Trim Insert
Urethane Gear Shift Knob
Fabric Seat Material
Day-Night Rearview Mirror
Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
Mini Overhead Console w/Storage, Conversation Mirror and 3 12V DC Power Outlets
Front And Rear Map Lights
Fade-To-Off Interior Lighting
Full Carpet Floor Covering
Carpet Floor Trim
Cargo Space Lights
Instrument Panel Covered Bin, Covered Dashboard Storage, Interior Concealed Storage, Driver / Passenger And Rear Door Bins

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4901
Options plus all stand... | (options to superse...

Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
Delayed Accessory Power
Power Door Locks w/Autolock Feature
Analog Display
Seats w/Cloth Back Material
Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
3 12V DC Power Outlets
Air Filtration

SAFETY

Electronic Stability Control (ESC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Toyota Safety Sense P (TSS-P)
Lane Departure Alert with Steering Assist (LDA w/SA) Lane Keeping Assist
Lane Departure Alert with Steering Assist (LDA w/SA) Lane Departure Warning
Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags
Curtain 1st, 2nd And 3rd Row Airbags
Airbag Occupancy Sensor
Driver Knee Airbag and Passenger Cushion Front Airbag
Rear Child Safety Locks
Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters and Pretensioners
Back-Up Camera

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 4901
 Options plus all stand... | (options to superse...

Technical Specifications

VEHICLE

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	8.4
EPA Greenhouse Gas Score	N/A

Vehicle

EPA Classification	2WD Minivans
--------------------	--------------

POWERTRAIN

Transmission

Drivetrain	Front Wheel Drive
Trans Order Code	
Trans Type	8
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	5.52
Second Gear Ratio (:1)	3.18
Third Gear Ratio (:1)	2.05
Fourth Gear Ratio (:1)	1.49
Fifth Gear Ratio (:1)	1.23
Sixth Gear Ratio (:1)	1.00
Reverse Ratio (:1)	4.22
Clutch Size	N/A in
Final Drive Axle Ratio (:1)	3.00
Seventh Gear Ratio (:1)	0.80
Eighth Gear Ratio (:1)	0.67

Mileage

EPA Fuel Economy Est - Hwy	26 MPG
Cruising Range - City	380.00 mi
EPA Fuel Economy Est - City	19 MPG
Fuel Economy Est-Combined	21 MPG
Cruising Range - Hwy	520.00 mi
EPA MPG Equivalent - City	N/A
EPA MPG Equivalent - Hwy	N/A
EPA MPG Equivalent - Combined	N/A
Battery Range	N/A mi

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4901
Options plus all stand... | (options to superse...

Engine	
Engine Order Code	
Engine Type	Regular Unleaded V-6
Displacement	3.5 L/211
Fuel System	Port/Direct Injection
SAE Net Horsepower @ RPM	296 @ 6600
SAE Net Torque @ RPM	263 @ 4700

Electrical	
Cold Cranking Amps @ 0° F (Primary)	N/A
Maximum Alternator Capacity (amps)	N/A

Cooling System	
Total Cooling System Capacity	N/A qts

DIMENSIONS

Interior Dimensions	
Passenger Capacity	7
Passenger Volume	164.4 ft ³
Front Head Room	41 in
Front Leg Room	40.5 in
Front Shoulder Room	65 in
Front Hip Room	58.6 in
Second Head Room	39.7 in
Second Leg Room	37.6 in
Second Shoulder Room	64.6 in
Second Hip Room	66.1 in
Third Head Room	38.3 in
Third Leg Room	36.3 in
Third Shoulder Room	61.1 in
Third Hip Room	50.3 in

Exterior Dimensions	
Wheelbase	119.3 in
Length, Overall	200.6 in
Width, Max w/o mirrors	78.1 in
Height, Overall	68.9 in
Track Width, Front	67.7 in
Track Width, Rear	67.7 in
Min Ground Clearance	6.5 in
Rear Door Opening Height	N/A in
Rear Door Opening Width	N/A in
Liftover Height	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4901
Options plus all stand... | (options to superse...

Cargo Area Dimensions

Cargo Area Length @ Floor to Seat 1	N/A in
Cargo Area Length @ Floor to Seat 2	N/A in
Cargo Area Length @ Floor to Seat 3	N/A in
Cargo Area Width @ Beltline	N/A in
Cargo Box Width @ Wheelhousings	N/A in
Cargo Box (Area) Height	N/A in
Cargo Volume to Seat 1	150 ft ³
Cargo Volume to Seat 2	87.1 ft ³
Cargo Volume to Seat 3	39.1 ft ³
Trunk Volume	N/A ft ³

CHASSIS

Weight Information

Base Curb Weight	4430 lbs
------------------	----------

Trailer

Dead Weight Hitch - Max Trailer Wt.	3500 lbs
Dead Weight Hitch - Max Tongue Wt.	350 lbs
Wt Distributing Hitch - Max Trailer Wt.	3500 lbs
Wt Distributing Hitch - Max Tongue Wt.	350 lbs

Suspension

Suspension Type - Front	Strut
Suspension Type - Rear	Torsion Beam
Suspension Type - Front (Cont.)	Strut
Suspension Type - Rear (Cont.)	Torsion Beam
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires

Front Tire Order Code	
Rear Tire Order Code	
Spare Tire Order Code	
Front Tire Size	P235/60TR17
Rear Tire Size	P235/60TR17
Spare Tire Size	Compact

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4901
Options plus all stand... | (options to superse...

Wheels

Front Wheel Size	17 X 6.5 in
Rear Wheel Size	17 X 6.5 in
Spare Wheel Size	Compact in
Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum
Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Lock to Lock Turns (Steering)	N/A
Turning Diameter - Curb to Curb	37.5 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	4-Wheel Disc
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	12.9 in
Rear Brake Rotor Diam x Thickness	12.2 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	20 gal
Aux Fuel Tank Capacity, Approx	N/A gal

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 4904
Options plus all standard equipment
(options to supersede std eq)

2020 Ram ProMaster City Cargo Van Van



2020 Ram ProMaster City Cargo Van Tradesman Van (VMDL51)

CLASS 4904

VAN CARGO MINI FWD

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4904
Options plus all stand... | (options to superse...

Vehicle Information

SELECTED MODEL

Code	Description
VMDL51	2020 Ram ProMaster City Cargo Van Tradesman Van

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
ED6	ENGINE: 2.4L I4 MULTIAIR, (STD)
DFH	TRANSMISSION: 9-SPEED 948TE AUTOMATIC, (STD)
24C	QUICK ORDER PACKAGE 24C TRADESMAN CARGO VAN, -inc: Engine: 2.4L I4 MultiAir, Transmission: 9-Speed 948TE Automatic, Supplemental Side Curtain Front Air Bags
WDL	WHEELS: 16" X 6.5" SILVER STEEL, (STD)
B7X9	BLACK, CLOTH LOW-BACK BUCKET SEATS
AHT	MOPAR TRAILER TOW GROUP, -inc: Class III Receiver Hitch, 4/7 Pin Wiring Harness
GCT	WINDOW GROUP 08, -inc: Passenger side only (special window option), Fixed Rear Cargo Door Window, Passenger Vented Side Window
AHA	CARGO PARTITION PACKAGE - WINDOW, -inc: Cargo Partition w/Window, Rear Wall Trim
TBB	FULL SIZE SPARE TIRE
LMK	DAYTIME RUNNING HEADLAMPS
NHM	SPEED CONTROL
XAA	PARKSENSE REAR PARK ASSIST SYSTEM
BC3	UPFIT INTERFACE CONNECTOR

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4904
Options plus all stand... | (options to superse...

Standard Equipment

MECHANICAL

Engine: 2.4L I4 MultiAir
Transmission: 9-Speed 948TE Automatic
3.73 Axle Ratio
Suspension w/HD Stabilization
GVWR: 5,395 lbs (2,447 kgs)
50 State Emissions
Transmission w/Driver Selectable Mode and Sequential Shift Control
Front-Wheel Drive
Engine Oil Cooler
Block Heater
95-Amp/Hr 700CCA Maintenance-Free Battery w/Run Down Protection
160 Amp Alternator
Towing Equipment -inc: Trailer Sway Control
1886# Maximum Payload
Gas-Pressurized Shock Absorbers
Hydraulic Power-Assist Steering
16.1 Gal. Fuel Tank
Single Stainless Steel Exhaust
Strut Front Suspension w/Coil Springs
Multi-Link Rear Suspension w/Coil Springs
Front Disc/Rear Drum Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
Brake Actuated Limited Slip Differential

EXTERIOR

Wheels: 16" x 6.5" Silver Steel
Tires: 215/55R16XL BSW AS
Spare Tire Mobility Kit
Clearcoat Paint
Black Front Bumper
Black Rear Bumper
Black Bodyside Moldings
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Manual Remote Side Mirrors w/Manual Folding
Light Tinted Glass
Variable Intermittent Wipers
Driver Window Insert Panel
Passenger Window Insert Panel
Rear Cargo Door Window Insert Panel
Galvanized Steel/Aluminum Panels
Black Grille

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4904
Options plus all stand... | (options to superse...

Front License Plate Bracket
Window Group 03
Tailgate/Rear Door Lock Included w/Power Door Locks
Aero-Composite Halogen Headlamps w/Delay-Off
LED Brakelights

ENTERTAINMENT

Radio: Uconnect 3 w/5" Display
Radio w/Seek-Scan, Clock, Speed Compensated Volume Control and Aux Audio Input Jack
4 Speakers
Streaming Audio
Integrated Roof Antenna
Integrated Voice Command w/Bluetooth
1 LCD Monitor In The Front

INTERIOR

4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
Delete Rear Seating
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
Front Cupholder
Rear Cupholder
Remote Keyless Entry w/Integrated Key Transmitter, 2 Door Curb/Courtesy and Illuminated Entry
Manual Air Conditioning
Locking Glove Box
Driver Foot Rest
Cloth Low-Back Bucket Seats
Full Cloth Headliner
Vinyl Door Trim Insert
Urethane Gear Shift Knob
Day-Night Rearview Mirror
Driver And Passenger Visor Vanity Mirrors
Full Overhead Console w/Storage, Conversation Mirror and 3 12V DC Power Outlets
Front Map Lights
Fade-To-Off Interior Lighting
Front Only Vinyl/Rubber Floor Covering
Cargo Features -inc: Spare Tire Mobility Kit
Cargo Tie Down Loops
Cargo Space Lights
5.0" Touchscreen Display
Cargo Van Group
Instrument Panel Bin, Covered Dashboard Storage, Interior Concealed Storage, Driver And Passenger Door Bins
Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
Delayed Accessory Power

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4904
Options plus all stand... | (options to superse...

Power Door Locks w/Autolock Feature
Trip Computer
Outside Temp Gauge
Analog Display
Seats w/Cloth Back Material
Manual Adjustable Front Head Restraints
Driver And Front Passenger Armrests
2 Seatback Storage Pockets
Engine Immobilizer
Delete 2nd Row Side Curtain Air Bags
3 12V DC Power Outlets
Air Filtration

SAFETY

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags
Airbag Occupancy Sensor
Driver Knee Airbag
Rear Child Safety Locks
Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters and Pretensioners
Back-Up Camera

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 4904
 Options plus all stand... | (options to superse...

Technical Specifications

VEHICLE

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	7.4
EPA Greenhouse Gas Score	N/A

Vehicle

Rear Door Type	Split Swing-Out
----------------	-----------------

CHASSIS

Weight Information

Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Gross Axle Wt Rating - Front	N/A lbs
Gross Axle Wt Rating - Rear	N/A lbs
Curb Weight - Front	N/A lbs
Curb Weight - Rear	N/A lbs
Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs
Reserve Axle Capacity - Front	N/A lbs
Reserve Axle Capacity - Rear	N/A lbs
As Spec'd Curb Weight	N/A lbs
As Spec'd Payload	N/A lbs
Maximum Payload Capacity	N/A lbs
Gross Combined Wt Rating	5900 lbs
Gross Axle Weight Rating	N/A lbs
Curb Weight	N/A lbs
Reserve Axle Capacity	N/A lbs
Total Option Weight	0.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	5395.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	2000 lbs
Dead Weight Hitch - Max Tongue Wt.	200 lbs
Wt Distributing Hitch - Max Trailer Wt.	2000 lbs
Wt Distributing Hitch - Max Tongue Wt.	200 lbs
Maximum Trailering Capacity	2000 lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 4904
 Options plus all stand... | (options to superse...

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Strut
Suspension Type - Rear	Multi-Link
Spring Capacity - Front	N/A lbs
Spring Capacity - Rear	N/A lbs
Axle Type - Front	Independent
Axle Type - Rear	Independent
Axle Capacity - Front	N/A lbs
Axle Capacity - Rear	N/A lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	TMC
Rear Tire Order Code	TMC
Spare Tire Order Code	TBB
Front Tire Size	P215/55SR16
Rear Tire Size	P215/55SR16
Spare Tire Size	Full-Size
Front Tire Capacity	N/A lbs
Rear Tire Capacity	N/A lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4904
Options plus all stand... | (options to superse...

Wheels

Front Wheel Size	16 X 6.5 in
Rear Wheel Size	16 X 6.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	42 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	Front Disc/Rear Drum
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	N/A
Front Brake Rotor Diam x Thickness	12 in
Rear Brake Rotor Diam x Thickness	10 in
Drum - Rear (Yes or)	Yes
Rear Drum Diam x Width	10 in

Fuel Tank

Fuel Tank Capacity, Approx	16.1 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	N/A
Aux Fuel Tank Location	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4904
Options plus all stand... | (options to superse...

Transmission

Drivetrain	Front Wheel Drive
Trans Order Code	DFH
Trans Type	9
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.70
Second Gear Ratio (:1)	2.84
Third Gear Ratio (:1)	1.90
Fourth Gear Ratio (:1)	1.38
Fifth Gear Ratio (:1)	1.00
Sixth Gear Ratio (:1)	0.80
Reverse Ratio (:1)	3.81
Clutch Size	N/A in
Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	None
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No
Seventh Gear Ratio (:1)	0.69
Eighth Gear Ratio (:1)	0.58
Ninth Gear Ratio (:1)	N/A

Mileage

EPA Fuel Economy Est - Hwy	28 MPG
Cruising Range - City	338.10 mi
EPA Fuel Economy Est - City	21 MPG
Fuel Economy Est-Combined	24 MPG
Cruising Range - Hwy	450.80 mi

Engine

Engine Order Code	ED6
Engine Type	Regular Unleaded I-4
Displacement	2.4 L/144
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	178 @ 6400
SAE Net Torque @ RPM	174 @ 3800
Engine Oil Cooler	Regular Duty

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4904
Options plus all stand... | (options to superse...

Electrical

Cold Cranking Amps @ 0° F (Primary)	700
Cold Cranking Amps @ 0° F (2nd)	700
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	160

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	2
Front Head Room	46 in
Front Leg Room	40.8 in
Front Shoulder Room	59.3 in
Front Hip Room	54.1 in
Second Head Room	N/A in
Second Leg Room	N/A in
Second Shoulder Room	N/A in
Second Hip Room	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4904
Options plus all stand... | (options to superse...

Exterior Dimensions

Wheelbase	122.4 in
Length, Overall w/rear bumper	N/A in
Length, Overall	187.5 in
Width, Max w/o mirrors	72.1 in
Height, Overall	74 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	21.5 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	5.1 in
Ground Clearance, Rear	5.1 in
Body Length	0.00 ft
Rear Door Opening Height	N/A in
Rear Door Opening Width	N/A in
Side Door Opening Height	N/A in
Side Door Opening Width	N/A in
Step Up Height - Front	N/A in
Step Up Height - Side	N/A in
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Area Length @ Floor to Console	N/A in
Cargo Area Length @ Floor to Seat 1	87.2 in
Cargo Box Width @ Top, Rear	N/A in
Cargo Area Width @ Beltline	60.4 in
Cargo Box Width @ Floor	N/A in
Cargo Box Width @ Wheelhousings	48.4 in
Cargo Box (Area) Height	51.8 in
Tailgate Width	N/A in
Cargo Volume	131.7 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

EXTERIOR

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4904
Options plus all stand... | (options to superse...

Side Door Type

Sliding

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 4907
Options plus all standard equipment
(options to supersede std eq)

2020 Ford Transit Passenger Wagon T-150 130" Low Roof RWD



2020 Ford Transit Passenger Wagon T-150 130" Low Roof XL RWD (K1Y)

CLASS 4907

VAN PASSENGER FULLSIZE

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4907
Options plus all stand... | (options to superse...

Vehicle Information

SELECTED MODEL

Code	Description
K1Y	2020 Ford Transit Passenger Wagon T-150 130" Low Roof XL RWD

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
998	ENGINE: 3.5L PFDI V6 FLEX-FUEL, -inc: port injection (STD)
44U	TRANSMISSION: 10-SPD AUTOMATIC W/OD & SELECTSHIFT, -inc: auxiliary transmission oil cooler (STD)
301A	ORDER CODE 301A
X73	3.73 AXLE RATIO, (STD)
64H	WHEELS: 16" STEEL W/FULL SILVER COVER
—	STANDARD PAINT
CB	EBONY, CLOTH FRONT BUCKET SEATS
21M	EBONY CLOTH BUCKET SEATS, -inc: 2-way manual driver seat w/lumbar, 2-way manual passenger seat and driver and passenger armrest (STD)
53B	HEAVY-DUTY TRAILER TOW PACKAGE, -inc: Deletes rear tow hook, tow/haul mode w/trailer wiring provisions, 4/7 pin connector assembly and rear jumper and relay system for backup/B+/running lights, This package does not include a Trailer Brake Controller (67D), Additionally, if customer wants a trailer brake controller after initial purchase, it will have to be an aftermarket trailer brake controller and aftermarket wiring harness, Frame Mounted Hitch Receiver, Tow/Haul Mode w/Trailer Wiring Provisions, trailer wiring harness to rear of vehicle for upfit, Trailer Sway Control (TSC), 4/7 pin connector assembly and rear jumper, This package does not include a Trailer Brake Controller (67D), Additionally, if customer wants a trailer brake controller after initial purchase, it will have to be an aftermarket trailer brake controller and aftermarket wiring harness
53D	TOW/HAUL MODE W/TRAILER WIRING PROVISIONS, -inc: trailer wiring harness to rear of vehicle for upfit, Trailer Sway Control (TSC), 4/7 pin connector assembly and rear jumper, This package does not include a Trailer Brake Controller (67D), Additionally, if customer wants a trailer brake controller after initial purchase, it will have to be an aftermarket trailer brake controller and aftermarket wiring harness
92E	PRIVACY GLASS, -inc: Provides protection of vehicle occupant(s) and occupant personal belongings, The glass also provides occupant comfort by helping to reduce vehicle cool-down time, Rear-Window Defroster
57N	REAR-WINDOW DEFROSTER
153	FRONT LICENSE PLATE BRACKET, Standard in states requiring two license plates and optional in all other states.
55D	FRONT FOG LAMPS, -inc: Auxiliary lamps that are generally integrated into the front fascia and designed to help illuminate the roadway during poor visibility
942	DAYTIME RUNNING LIGHTS, -inc: Provides enhanced vehicle visibility during daylight conditions, Requires valid FIN code.
58V	RADIO: AM/FM STEREO W/SYNC 3, -inc: Bluetooth, dual USB ports and a 4.0" multi-function display, SYNC 3 Communications & Entertainment System, 911 Assist, VHR, SYNC Services, AppLink, Bluetooth, steering wheel controls, USB port and auxiliary input jack
60C	CRUISE CONTROL W/ADJUSTABLE SPD LIMITING DEVICE (ASLD), -inc: The ASLD feature is great for city driving; it allows the driver to set an upper speed limit for the vehicle, If the vehicle begins to approach the upper speed limit then audible and visual warning are given
94B	ENHANCED ACTIVE PARK ASSIST, -inc: front sensing system, Enhanced active park assist helps make parking less stressful, It helps steer the vehicle, in reverse, into a perpendicular parking space or steer the vehicle into or out of a parallel parking space
65A	BLIND SPOT INFORMATION SYSTEM (BLIS), -inc: cross-traffic alert and trailer coverage, Short-Arm Pwr-Folding Heated Pwr Adjusting Mirrors, turn signals

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4907
Options plus all stand... | (options to superse...

Code	Description
43R	REVERSE SENSING SYSTEM, -inc: Front Fog Lamps Auxiliary lamps that are generally integrated into the front fascia and designed to help illuminate the roadway during poor visibility
94A	SIDE SENSING SYSTEM, -inc: Works similar to the reverse sensing system, as it sounds a tone when the vehicle gets close to surrounding vehicles and other objects, Reverse Sensing System, Front Fog Lamps Auxiliary lamps that are generally integrated into the front fascia and designed to help illuminate the roadway during poor visibility
43B	BACK UP ALARM, -inc: 102 dB(A) warning capability

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4907
Options plus all stand... | (options to superse...

Standard Equipment

MECHANICAL

Engine: 3.5L PFDi V6 Flex-Fuel -inc: port injection
Transmission: 10-Spd Automatic w/OD & SelectShift -inc: auxiliary transmission oil cooler
3.73 Axle Ratio
GVWR: 8,550 lbs
50-State Emissions System
Rear-Wheel Drive
70-Amp/Hr Maintenance-Free Battery w/Run Down Protection
HD 250 Amp Alternator
2860# Maximum Payload
Gas-Pressurized Front Shock Absorbers and HD Rear Shock Absorbers
Front Anti-Roll Bar
Electric Power-Assist Steering
25.1 Gal. Fuel Tank
Single Stainless Steel Exhaust
Strut Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 16" Silver Steel w/Black Hubcap
Tires: 235/65R16C 121/119 R AS BSW
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Front Bumper
Black Rear Bumper w/1 Tow Hook
Black Bodyside Cladding and Black Wheel Well Trim
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Power Side Mirrors w/Convex Spotter and Manual Folding
Fixed Rear Window
Light Tinted Glass
Rain Detecting Variable Intermittent Wipers
Fully Galvanized Steel Panels
Black Grille
Sliding Rear Passenger Side Door
Split Swing-Out Rear Cargo Access
Tailgate/Rear Door Lock Included w/Power Door Locks
Aero-Composite Halogen Auto High-Beam Headlamps

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4907
Options plus all stand... | (options to superse...

ENTERTAINMENT

Radio: AM/FM Stereo -inc: Bluetooth, dual USB ports and a 4.0" multi-function display
Radio w/Seek-Scan, Clock, Aux Audio Input Jack, Steering Wheel Controls and External Memory Control
Streaming Audio
Fixed Antenna
8 Speakers (4 Front/4 Rear)
Bluetooth Wireless Phone Connectivity
1 LCD Monitor In The Front

INTERIOR

Ebony Cloth Bucket Seats -inc: 2-way manual driver seat w/lumbar, 2-way manual passenger seat and driver and passenger armrest
4-Way Driver Seat
4-Way Passenger Seat
Removable Bench Front Facing Cloth Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer and Trip Odometer
Fixed Rear Windows and Fixed 3rd Row Windows
FordPass Connect 4G LTE WiFi Mobile Hotspot Internet Access
Removable Split-Bench Cloth 3rd Row Seat Front, 3 Manual and Adjustable Head Restraints
Removable Bench Front Facing 4th Row Seat Number, Control and Type Head Restraint
Front Cupholder
Rear Cupholder
Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
Manual Air Conditioning
Rear HVAC
HVAC -inc: Underseat Ducts
Locking Glove Box
Driver Foot Rest
Interior Trim -inc: Metal-Look Instrument Panel Insert
Full Cloth Headliner
Urethane Gear Shift Knob
Cloth Front Bucket Seats
Day-Night Rearview Mirror
Partial Floor Console w/Storage and 2 12V DC Power Outlets
Front Map Lights
Fade-To-Off Interior Lighting
Full Vinyl/Rubber Floor Covering
Vinyl/Rubber Floor Trim
Cargo Space Lights
Instrument Panel Bin, Driver / Passenger And Rear Door Bins
Power 1st Row Windows w/Driver 1-Touch Down
Power Door Locks w/Autolock Feature
Analog Display
Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4907
Options plus all stand... | (options to superse...

Securilock Anti-Theft Ignition (pats) Engine Immobilizer
2 12V DC Power Outlets

SAFETY

Ford Co-Pilot360 w/Side Wind Stabilization Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Emergency Sps
Ford Co-Pilot360 - Pre-Collision Assist with Automatic Emergency Braking (AEB)
Ford Co-Pilot360 - Lane-Keeping Assist Lane Departure Warning
Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags
Safety Canopy System Curtain 1st, 2nd And 3rd Row Airbags
Airbag Occupancy Sensor
Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters and Pretensioners
Back-Up Camera

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4907
Options plus all stand... | (options to superse...

Technical Specifications

VEHICLE

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	10.5 (Est)
EPA Greenhouse Gas Score	N/A

Vehicle

Rear Door Type	Split Swing-Out
----------------	-----------------

CHASSIS

Weight Information

Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Gross Axle Wt Rating - Front	4130 lbs
Gross Axle Wt Rating - Rear	5070 lbs
Curb Weight - Front	N/A lbs
Curb Weight - Rear	N/A lbs
Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs
Reserve Axle Capacity - Front	N/A lbs
Reserve Axle Capacity - Rear	N/A lbs
As Spec'd Curb Weight	N/A lbs
As Spec'd Payload	N/A lbs
Maximum Payload Capacity	N/A lbs
Gross Combined Wt Rating	10800 lbs
Gross Axle Weight Rating	9200.00 lbs
Curb Weight	N/A lbs
Reserve Axle Capacity	N/A lbs
Total Option Weight	0.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	8550.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	4600 lbs
Dead Weight Hitch - Max Tongue Wt.	460 lbs
Wt Distributing Hitch - Max Trailer Wt.	4600 lbs
Wt Distributing Hitch - Max Tongue Wt.	460 lbs
Maximum Trailing Capacity	4600 lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 4907
 Options plus all stand... | (options to superse...

Frame	
Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Strut
Suspension Type - Rear	Leaf
Spring Capacity - Front	N/A lbs
Spring Capacity - Rear	N/A lbs
Axle Type - Front	Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	N/A lbs
Axle Capacity - Rear	N/A lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires	
Front Tire Order Code	
Rear Tire Order Code	
Spare Tire Order Code	
Front Tire Size	LT235/65SR16
Rear Tire Size	LT235/65SR16
Spare Tire Size	Full-Size
Front Tire Capacity	N/A lbs
Rear Tire Capacity	N/A lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	720
Revolutions/Mile @ 45 mph - Rear	720
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4907
Options plus all stand... | (options to superse...

Wheels

Front Wheel Size	16 X 6.5 in
Rear Wheel Size	16 X 6.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	N/A ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	4-Wheel Disc
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	12.1 in
Rear Brake Rotor Diam x Thickness	12.1 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	25.1 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	N/A
Aux Fuel Tank Location	N/A

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4907
Options plus all stand... | (options to superse...

Transmission

Drivetrain	Rear Wheel Drive
Trans Order Code	44U
Trans Type	10
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.69
Second Gear Ratio (:1)	2.98
Third Gear Ratio (:1)	2.15
Fourth Gear Ratio (:1)	1.77
Fifth Gear Ratio (:1)	1.52
Sixth Gear Ratio (:1)	1.27
Reverse Ratio (:1)	4.87
Clutch Size	N/A in
Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	None
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No
Seventh Gear Ratio (:1)	1.00
Eighth Gear Ratio (:1)	0.85
Ninth Gear Ratio (:1)	N/A
Tenth Gear Ratio (:1)	N/A

Mileage

EPA Fuel Economy Est - Hwy	19 MPG
Cruising Range - City	376.50 mi
EPA Fuel Economy Est - City	15 MPG
Fuel Economy Est-Combined	17 MPG
Cruising Range - Hwy	476.90 mi

Engine

Engine Order Code	998
Engine Type	Regular Unleaded V-6
Displacement	3.5 L/213
Fuel System	Port/Direct Injection
SAE Net Horsepower @ RPM	275 @ 6500
SAE Net Torque @ RPM	262 @ 3750
Engine Oil Cooler	None

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 4907
 Options plus all stand... | (options to superse...

Electrical

Cold Cranking Amps @ 0° F (Primary)	N/A
Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	250

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	10
Front Head Room	40.8 in
Front Leg Room	41.3 in
Front Shoulder Room	67.9 in
Front Hip Room	60.7 in
Second Head Room	41.1 in
Second Leg Room	33.7 in
Second Shoulder Room	71.4 in
Second Hip Room	69.6 in
Third Head Room	40.6 in
Third Leg Room	35.6 in
Third Shoulder Room	67 in
Third Hip Room	67.3 in
Fourth Head Room	N/A in
Fourth Leg Room	N/A in
Fourth Shoulder Room	N/A in
Fourth Hip Room	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4907
Options plus all stand... | (options to superse...

Exterior Dimensions

Wheelbase	130 in
Length, Overall w/rear bumper	N/A in
Length, Overall	219.9 in
Width, Max w/o mirrors	81.3 in
Height, Overall	82.2 in
Overhang, Front	40.3 in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	28.2 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	N/A in
Ground Clearance, Rear	N/A in
Body Length	0.00 ft
Rear Door Opening Height	N/A in
Rear Door Opening Width	N/A in
Side Door Opening Height	N/A in
Side Door Opening Width	N/A in
Step Up Height - Front	N/A in
Step Up Height - Side	N/A in
Cab to Body	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
Class 4910
Options plus all standard equipment
(options to supersede std eq)

2020 Chevrolet Express Cargo Van RWD 2500 135"



2020 Chevrolet Express Cargo Van RWD 2500 135" (CG23405)

CLASS 4910

VAN FULLSIZE CARGO

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4910
Options plus all stand... | (options to superse...

Vehicle Information

SELECTED MODEL

Code	Description
CG23405	2020 Chevrolet Express Cargo Van RWD 2500 135"

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
ZW9	BODY, STANDARD, (STD)
FE9	EMISSIONS, FEDERAL REQUIREMENTS
L96	ENGINE, VORTEC 6.0L V8 SFI FLEXFUEL, (341 hp [254.3 kW] @ 5400 rpm, 373 lb-ft of torque [503.6 N-m] @ 4200 rpm) (Includes external engine oil cooler., Included with (WP9) Communications Package, (WPD) Safety Package and (ZL3) Enhanced Convenience Package. Requires (MYD) 6-speed heavy-duty automatic transmission.), Reference the Engine/Axle page for availability.
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED, with overdrive and tow/haul mode. Includes Cruise Grade Braking, Powertrain Grade Braking, and Tap-Up/Tap-Down Driver Shift Control, (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine.)
GU6	REAR AXLE, 3.42 RATIO, (Reference the Engine/Axle page for availability.)
E24	DOOR, SWING-OUT PASSENGER-SIDE, 60/40 SPLIT, (STD)
1WT	2500 VAN PREFERRED EQUIPMENT GROUP, includes Standard Equipment
ZLP	TIRE, SPARE LT245/75R16E ALL-SEASON, BLACKWALL, located at rear underbody of vehicle (STD)
ZY1	PAINT, SOLID
AS5	SEATS, FRONT BUCKET WITH CUSTOM CLOTH TRIM, head restraints and inboard armrests Includes (BA3) console with swing-out storage bin.), (Requires (**G) interior trim.
93G	MEDIUM PEWTER, CUSTOM CLOTH SEAT TRIM
ZX2	SEATING ARRANGEMENT, DRIVER AND FRONT PASSENGER HIGH-BACK BUCKETS, with head restraints and vinyl or cloth trim (STD), (Not available with (AJ3) driver-side only frontal airbag.)
C60	AIR CONDITIONING, SINGLE-ZONE MANUAL, (STD), (Not available with (R6G) air conditioning delete.)
U0H	AUDIO SYSTEM, AM/FM STEREO WITH MP3 PLAYER AND USB PORT, includes seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers, (Not available with (U2K) SiriusXM Radio or (WP9) Communications Package.)
ZQ3	DRIVER CONVENIENCE PACKAGE, includes Tilt-Wheel and (K34) cruise control, (Included with (WP9) Communications Package, (WPD) Safety Package, (ZL3) Enhanced Convenience Package or (PCH) Hotel Shuttle Package.)
Z82	TRAILERING EQUIPMENT, HEAVY-DUTY, includes trailering hitch platform and dual 4-pin/7-pin sealed connector Includes (UY7) trailer wiring.), (Included with (ZL3) Enhanced Convenience Package.
UY7	TRAILERING PROVISIONS, TRAILERING WIRE HARNESS ONLY, (Included with (Z82) heavy-duty trailering equipment.)
DE5	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE, BLACK, MANUAL-FOLDING, (Included with (WPD) Safety Package or (PCH) Hotel Shuttle Package. Required with (UFT) Side Blind Zone Alert. Not available with (R8J) power window delete.)
A12	GLASS, FIXED REAR DOORS WINDOWS, (Included and only available when (ZW*) is ordered. Not available with SEO (ZW1) side cargo door glass.)
A13	GLASS, FIXED REAR SIDE DOOR WINDOWS, (Included and only available when (ZW*) is ordered. Not available with (ZW2) rear door glass.)

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 4910
 Options plus all stand... | (options to superse...

Code	Description
ZW3	GLASS, REAR DOORS AND SIDE CARGO DOORS, (Includes (A12) fixed rear doors window glass and (A13) fixed rear side door window glass., Upgradeable to (A12) fixed rear doors window glass and (A19) swing-out rear side door window glass or (A18) swing-out rear cargo door windows glass and (A19) swing-out rear side door window glass. Included with (PCH) Hotel Shuttle Package. Not available with (ZP6) 5-passenger Express Crew Van Package or (Y3H) Paratransit Package.)
ASB	WINDOW SECURITY BAR, REAR SIDE DOOR GLASS, (Included and only available with Glass window package (ZW3) rear doors and side cargo door glass, (ZW4) rear doors, side cargo door and rear passenger-side quarter glass or SEO (ZW1) rear side cargo door glass.)
UPF	BLUETOOTH FOR PHONE, PERSONAL CELL PHONE CONNECTIVITY TO VEHICLE AUDIO SYSTEM, (Included with (WP9) Communications Package. Requires (NP5) leather-wrapped steering wheel, (W1Y) steering wheel controls and (ZQ3) Driver Convenience Package. Included with (UI8) Chevrolet Infotainment radio with Navigation. NOTE: With (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port or (US8) AM/FM stereo with MP3 compatible CD player requires (UE1) OnStar hardware NOTE: With (UI8) Chevrolet Infotainment radio with Navigation (UE1) OnStar hardware is not required.), (subscription to OnStar services not required for operation).
BA3	CONSOLE, ENGINE COVER WITH SWING-OUT STORAGE BIN, (Included with (AS5) front bucket seats with Custom Cloth.)
NP5	STEERING WHEEL, LEATHER-WRAPPED, (Included with (WP9) Communications Package. Requires (ZQ3) Driver Convenience Package and (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port, (US8) AM/FM stereo with CD/MP3 player or (UI8) Chevrolet Infotainment radio with Navigation.)
W1Y	STEERING WHEEL CONTROLS, MOUNTED AUDIO CONTROLS, (Included and only available with (WP9) Convenience Package or (NP5) leather-wrapped steering wheel.)
U80	COMPASS, 8-POINT DIGITAL LOCATED IN THE DRIVER INFORMATION CENTER, (Included and only available with (TR9) auxiliary lighting.)
ATG	REMOTE KEYLESS ENTRY, with 2 transmitters and remote panic button, (Included with (ZL3) Enhanced Convenience Package. Required with (BTV) remote vehicle starter system.)
K34	CRUISE CONTROL, (Included with (ZQ3) Driver Convenience Package. Requires (UF3) high idle switch.)
UTJ	THEFT ALARM NOTIFICATION, requires paid plan, working electrical system, cell reception, GPS signal, armed GM factory-installed theft-deterrent system, contact method on file and enrollment to receive alerts. Message and data rates may apply. See onstar.com for details and limitations., (Included and only available with (ATG) Remote Keyless Entry. Requires (UE1) OnStar.)
USR	AUDIO SYSTEM FEATURE, USB PORT, (Included and only available with (U0H) AM/FM stereo with MP3 player, (US8) AM/FM stereo with MP3 compatible CD player or (UI8) Chevrolet Infotainment radio with navigation.)
TR9	LIGHTING, AUXILIARY, with reading and underhood lights (Includes (U80) 8-point digital compass.)
UEU	FORWARD COLLISION ALERT, Includes (UFL) Lane Departure Warning., (Requires (TR9) auxiliary lighting. (C36) rear heater is not available without (C69) rear air conditioning.)
UFL	LANE DEPARTURE WARNING, (Included and only available with (UEU) Forward Collision Alert.)
UD7	REAR PARK ASSIST, (Included with (WPD) Safety Package. Required with (UFT) Side Blind Zone Alert. Not available with (UXZ) radio provisions only.)
UFT	SIDE BLIND ZONE ALERT, (Included with (WPD) Safety Packager. Requires (UD7) Rear Park Assist and (DE5) outside heated power adjustable mirrors.)
R9Y	FLEET FREE MAINTENANCE CREDIT., This option code provides a credit in lieu of the free oil changes, tire rotations and inspections for one maintenance service during 1st year of ownership. The invoice will detail the applicable credit. The customer will be responsible for all oil change, tire rotations and inspections costs for this vehicle., (Requires one of the following Fleet or Government order types: FBC, FEF, FLS, FNR, FRC or FGO. Not available with FDR order types.), *CREDIT*

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4910
Options plus all stand... | (options to superse...

Standard Equipment

PACKAGE

Power Convenience Package includes (A31) power windows and (AU3) power door locks

MECHANICAL

Engine, 4.3L V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp [206 kW] @ 5200 rpm, 298 lb-ft of torque [404 Nm] @ 3900 rpm) (Reference the Engine/Axle page for availability.)

Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode, includes Cruise Grade Braking and Powertrain Grade Braking (Requires (LV1) 4.3L V6 SIDI engine.)

Rear axle, 3.42 ratio (Reference the Engine/Axle page for availability.)

Body, standard

GVWR, 8600 lbs. (3901 kg) (Reference the Engine/Axle page for availability.)

Transmission oil cooler, external (Not available with (LWN) 2.8L Duramax Turbo-Diesel engine.)

Rear wheel drive

Cooling, external engine oil cooler (Not available with (LWN) 2.8L Duamax Turbo-Diesel engine.)

Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power

Alternator, 105 amps (Not available with (Y3H) Paratransit Package, (C69) rear air conditioning, (9L7) Wiring junction block equipment accessory or (LWN) 2.8L Duramax Turbo-Diesel engine.)

Frame, full-length box ladder-type

Suspension, front independent with coil springs and stabilizer bar

Suspension, rear hypoid drive axle with multi-leaf springs

Steering, power

Brakes, 4-wheel antilock, 4-wheel disc

Fuel tank capacity, mid-frame and approximately 31 gallons (117.3L)

Exhaust, aluminized stainless-steel muffler and tailpipe

EXTERIOR

Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm) steel includes Gray center caps and steel spare

Tire, spare LT245/75R16E all-season, blackwall located at rear underbody of vehicle

Door, swing-out passenger-side, 60/40 split

Tires, front LT245/75R16E all-season, blackwall

Tires, rear LT245/75R16E all-season, blackwall

Bumpers, front and rear painted Black with step-pad

Headlamps, dual halogen composite

Mirrors, outside manual, Black

Glass, Solar-Ray light-tinted, all windows

Wipers, front intermittent wet-arm with pulse washers

License plate kit, front

ENTERTAINMENT

Audio system, AM/FM stereo with MP3 player seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers (Not available with (U2K) SiriusXM Radio or (WP9) Communications Package.)

4G LTE Wi-Fi Hotspot capable (Included and only available with (UE1) OnStar. Terms and limitations apply. See onstar.com or dealer for details.)

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4910
Options plus all stand... | (options to superse...

INTERIOR

Seats, front bucket with vinyl trim and outboard head restraints, includes inboard armrests. (Requires (**W) interior trim. Includes (DAA) driver and front passenger vinyl visors.)

Seating arrangement, driver and front passenger high-back buckets with head restraints and vinyl or cloth trim (Not available with (AJ3) driver-side only frontal airbag.)

Air conditioning, single-zone manual (Not available with (R6G) air conditioning delete.)

Console, engine cover with open storage bin

Floor covering, full-length Black rubberized-vinyl (Not available with (RFM) rear floor covering delete or (PCH) Hotel Shuttle Package.)

Steering wheel, steel sleeve column with theft-deterrent locking feature, Black

Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure

Oil life monitor

Warning tones, headlamp on and key-in-ignition

Driver Information Center includes fuel range, average speed, oil life, tire pressure monitoring, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.

Door locks, power with lock-out protection (Included with (ZQ2) Power Convenience Package. NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately.)

Windows, power (Included with (ZQ2) Power Convenience Package.)

Tow/haul mode selector, instrument panel-mounted

Theft-deterrent system, vehicle, PASS-Key III

Power outlets, 2 auxiliary on engine console cover with covers, 12-volt

Power outlet, 120-volt

Defogger, side windows

Cup holders, 3 on the engine console cover

Trim panels, hinged rear side doors and hinged rear doors (Not available with (Y3H) Paratransit Package.)

Mirror, inside rearview includes Rear Vision Camera display

Headliner, cloth, over driver and passenger

Visors, driver and front passenger, cloth, padded

Assist handles, driver and right-front passenger

Lighting, interior with 4 dome lights 1 overhead and 3 LED's on cross members in cargo area, includes defeat switch and door handle-activated switches

Cargo tie-downs 6 D-ring attachments on cargo area floor (Not available with (Y3H) Paratransit Package or (ZP6) 5-passenger Express Crew Van.)

Chevrolet Connected Access capable (Included and only available with (UE1) OnStar. Subject to terms. See onstar.com or dealer for details.)

SAFETY

Brake/transmission shift interlock, for automatic transmissions

Hill Start Assist

StabiliTrak, traction assistance and vehicle stability enhancement system

Door beams, steel-side

Daytime Running Lamps

Airbags, frontal, front driver and right front passenger (Includes passenger-side airbag deactivation switch. Included with (ZX2) driver and front passenger high-back bucket seats or (ZP6) 5-passenger Express Crew Van Package. Not available with (ZX1) driver only high-back bucket seat or (AJ3) driver-side only frontal airbag. Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4910
Options plus all stand... | (options to superse...

Airbags, seat-mounted side-impact for driver and right-front passenger and roof-rail mounted head-curtain for 1-row coverage with (ZX1) driver only high-back bucket seat or (ZX2) driver and right-front passenger high-back bucket seats, and 2-row coverage with (ZP6) 5-passenger Express Crew Van Package (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

Airbag deactivation switch, frontal passenger-side (Not available with (AJ3) driver only airbag. Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

OnStar and Chevrolet connected services capable (Not available with (UXZ) radio provisions only. Terms and limitations apply. See onstar.com or dealer for details.)

Rear Vision Camera display integrated into rearview mirror (Display included with (DRJ) inside rearview mirror.)

Tire Pressure Monitoring System (does not apply to spare tire)

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 4910
 Options plus all stand... | (options to superse...

Technical Specifications

VEHICLE

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	
EPA Greenhouse Gas Score	N/A

Vehicle

Rear Door Type	Dual Swing-out
----------------	----------------

CHASSIS

Weight Information

Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Gross Axle Wt Rating - Front	4100 lbs
Gross Axle Wt Rating - Rear	5360 lbs
Curb Weight - Front	2921 lbs
Curb Weight - Rear	2172 lbs
Option Weight - Front	186.00 lbs
Option Weight - Rear	94.00 lbs
Reserve Axle Capacity - Front	993.00 lbs
Reserve Axle Capacity - Rear	3094.00 lbs
As Spec'd Curb Weight	5373.00 lbs
As Spec'd Payload	3227.00 lbs
Maximum Payload Capacity	3507.00 lbs
Gross Combined Wt Rating	16000 lbs
Gross Axle Weight Rating	9460.00 lbs
Curb Weight	5093.00 lbs
Reserve Axle Capacity	4087.00 lbs
Total Option Weight	280.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	8600.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	5000 lbs
Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	10000 lbs
Wt Distributing Hitch - Max Tongue Wt.	1000 lbs
Maximum Trailering Capacity	10000 lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 4910
 Options plus all stand... | (options to superse...

Frame	
Frame Type	Ladder
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

Suspension	
Suspension Type - Front	Coil Spring
Suspension Type - Rear	Hypoid Multi-Leaf
Spring Capacity - Front	4100 lbs
Spring Capacity - Rear	5360 lbs
Axle Type - Front	Independent
Axle Type - Rear	Semi-Floating
Axle Capacity - Front	4100 lbs
Axle Capacity - Rear	5360 lbs
Axle Ratio (:1) - Front	
Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	1.38 in
Stabilizer Bar Diameter - Rear	

Tires	
Front Tire Order Code	XLP
Rear Tire Order Code	YLP
Spare Tire Order Code	ZLP
Front Tire Size	LT245/75R16E
Rear Tire Size	LT245/75R16E
Spare Tire Size	LT245/75R16E
Front Tire Capacity	2205 lbs
Rear Tire Capacity	3042 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4910
Options plus all stand... | (options to superse...

Wheels

Front Wheel Size	16 x 6.5 in
Rear Wheel Size	16 x 6.5 in
Spare Wheel Size	16 x 6.5 in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Pwr
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	17.2
Steering Ratio (:1), At Lock	17.2
Turning Diameter - Curb to Curb	49.2 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	Pwr
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	12.8 x 1.5 in
Rear Brake Rotor Diam x Thickness	13.0 x 1.1 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	31 gal
Aux Fuel Tank Capacity, Approx	
Fuel Tank Location	Mid-frame
Aux Fuel Tank Location	

POWERTRAIN

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4910
Options plus all stand... | (options to superse...

Transmission

Drivetrain	Rear Wheel Drive
Trans Order Code	MYD
Trans Type	6
Trans Description Cont.	Automatic
Trans Description Cont. Again	
First Gear Ratio (:1)	4.03
Second Gear Ratio (:1)	2.36
Third Gear Ratio (:1)	1.53
Fourth Gear Ratio (:1)	1.15
Fifth Gear Ratio (:1)	0.85
Sixth Gear Ratio (:1)	0.67
Reverse Ratio (:1)	3.06
Clutch Size	
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	
Transfer Case Gear Ratio (:1), High	
Transfer Case Gear Ratio (:1), Low	
Transfer Case Power Take Off	

Mileage

EPA Fuel Economy Est - Hwy	
Cruising Range - City	0.00 mi
EPA Fuel Economy Est - City	
Fuel Economy Est-Combined	
Cruising Range - Hwy	0.00 mi

Engine

Engine Order Code	L96
Engine Type	Gas/Ethanol V8
Displacement	6.0L/364
Fuel System	Electronic Fuel Injection
SAE Net Horsepower @ RPM	341 @ 5400
SAE Net Torque @ RPM	373 @ 4200
Engine Oil Cooler	Yes

Electrical

Cold Cranking Amps @ 0° F (Primary)	600
Cold Cranking Amps @ 0° F (2nd)	
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	105

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
 Anne Stehno
 Utah Fleet Operations | 801-619-7242
 annestehno@utah.gov

Prepared For:
 Class 4910
 Options plus all stand... | (options to superse...

Cooling System

Total Cooling System Capacity	14.4 qts
-------------------------------	----------

DIMENSIONS

Interior Dimensions

Passenger Capacity	2
Front Head Room	40.85 in
Front Leg Room	41.35 in
Front Shoulder Room	68.85 in
Front Hip Room	65.47 in
Second Head Room	N/A in
Second Leg Room	N/A in
Second Shoulder Room	N/A in
Second Hip Room	N/A in

Exterior Dimensions

Wheelbase	135.15 in
Length, Overall w/rear bumper	N/A in
Length, Overall	224.05 in
Width, Max w/o mirrors	79.25 in
Height, Overall	84.75 in
Overhang, Front	39.7 in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	30.3 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	9.72 in
Ground Clearance, Rear	8.62 in
Body Length	0.00 ft
Rear Door Opening Height	49.4 in
Rear Door Opening Width	53.42 in
Side Door Opening Height	N/A in
Side Door Opening Width	N/A in
Step Up Height - Front	27.67 in
Step Up Height - Side	28.25 in
Cab to Body	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Prepared By:
Anne Stehno
Utah Fleet Operations | 801-619-7242
annestehno@utah.gov

Prepared For:
Class 4910
Options plus all stand... | (options to superse...

Cargo Area Dimensions

Cargo Area Length @ Floor to Console	154.7 in
Cargo Area Length @ Floor to Seat 1	126.75 in
Cargo Box Width @ Top, Rear	N/A in
Cargo Area Width @ Beltline	N/A in
Cargo Box Width @ Floor	N/A in
Cargo Box Width @ Wheelhousings	52.47 in
Cargo Box (Area) Height	55.08 in
Tailgate Width	N/A in
Cargo Volume	239.4 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

EXTERIOR

Side Door Type

Swing-out

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 3047, current as of 01/20/2020 at 12:32 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.